

BOBBY JINDAL
GOVERNOR



HAROLD LEGGETT, Ph.D.
SECRETARY

State of Louisiana
DEPARTMENT OF ENVIRONMENTAL QUALITY
ENVIRONMENTAL SERVICES

CERTIFIED MAIL 7005 0390 0006 1027 3690

Mr. Oliver Ford, Environmental Manager
CECOS International, Inc.
P.O. Box 1849
Sulphur, Louisiana 70664

RE: CECOS International, Inc.
EPA ID No. LAD 000 618 256
AI# 276/PER20020001/Permit No. LAD 000 618 256-OP-RN-1
Draft Hazardous Waste Operating Permit Renewal for Treatment and Storage Tanks

Dear Mr. Ford:

Enclosed is a copy of the CECOS International, Inc. Draft Hazardous Waste Operating Permit Renewal for the Tank Area, LAD 000 618 256-OP-RN-1 that incorporates language pertaining to treatment and storage operations at the Westlake facility.

A comment period of forty-five (45) days will be allowed in order for the public to review and comment on this draft hazardous waste operating permit renewal. A public hearing will also be scheduled at least forty-five (45) days after the public notice. Specific dates for the beginning and ending of the comment period are contained in the public notice.

Prior to taking a final action on the operating permit, the Administrative Authority will consider all significant comments submitted. Written comments must be submitted no later than 12:30 p.m. on the final day of the comment period. The issuance of the final permit decision will be in accordance with LAC 33:V.705.

Please reference your Agency Interest Number 276, EPA ID Number LAD 000 618 256, Permit Number LAD 000 618 256-OP-RN-1, and Permit Activity Number PER20020001 on all future correspondence pertaining to this issue. If you have any questions, please contact Ms. Karla Vidrine of the Waste Permits Division at (225) 219-3466.

Sincerely,

A handwritten signature in black ink, appearing to read "T. F. Harris".

Thomas F. Harris
Administrator
Waste Permits Division

kav

Enclosure

FACT SHEET

FACT SHEET

FOR THE DRAFT HAZARDOUS WASTE OPERATING PERMIT RENEWAL
PREPARED FOR

CECOS International, Incorporated (Inc.)
Westlake Facility

EPA ID Number LAD 000 618 256
Agency Interest # 276

918 Willow Springs Road
Westlake, Louisiana
Calcasieu Parish

Permit Number LAD 000 618 256-OP-RN-1
PER20020001

I. INTRODUCTION

This fact sheet has been developed in accordance with the Louisiana Administrative Code (LAC) 33:V.703.D and briefly sets forth principal and significant facts, legal, methodological and policy requirements of the proposed draft hazardous waste operating permit renewal for CECOS International, Incorporated, EPA ID Number LAD 000 618 256, Agency Interest Number 276, for the facility located in Westlake, Calcasieu Parish, Louisiana.

The Louisiana Department of Environmental Quality (LDEQ) has prepared this proposed draft hazardous waste operating permit renewal that addresses the requirements of LAC Title 33, Part V, Subpart 1 and the Federal Resource Conservation and Recovery Act (RCRA) as amended by the 1984 Hazardous and Solid Waste Amendments (HSWA), at the Westlake facility.

CECOS International, Inc. is seeking an operating permit renewal for the tank area to treat and store recovered contaminated groundwater, landfill leachate, monitoring well purge water, potentially contaminated sump water and solids removed from leachate in tanks prior to disposal.

II. THE PERMITTING PROCESS

The purpose of this fact sheet is to initiate the permit decision process. The LDEQ's Waste Permits Division is required to prepare this draft permit. The draft permit sets forth all the applicable conditions, which the Permittee is required to comply with during the life of the permit.

CECOS International, Inc. submitted its hazardous waste permit renewal application, dated September 2002. A revised operating permit renewal application was submitted December 13, 2007, in response to the Notice of Deficiency (NOD) issued June 26, 2007. Additional deficiencies were issued February 28, 2008. Responses to the deficiencies were received March 27, 2008, additional responses submitted April 4, 2008, and additional information submitted April 17, 2008, to comply with the regulations for facilities that are permitted to treat and store hazardous waste under Subtitle C of the Resource Conservation and Recovery Act (RCRA).

The permitting process will afford the LDEQ, interested citizens, and other agencies the opportunity to evaluate the ability of the Permittee to comply with the requirements of the LAC 33:V.Subpart 1.

The public is given a minimum of forty-five (45) days to review and comment on the draft permit. The administrative authority, prior to making a decision or taking any final action on the draft permit, will consider all significant comments. The decision of the administrative authority shall be to issue, deny, modify, or revoke the draft permit in accordance with LAC 33:V.705.

A. NEW DRAFT HAZARDOUS WASTE PERMIT

The administrative authority has reviewed the permit application and other pertinent technical information. A draft hazardous waste operating permit has been prepared setting forth certain specific conditions pertaining to the operations and maintenance of the listed units.

This draft permit is a tentative determination and is not the final decision of the Administrative Authority.

B. PUBLIC COMMENT PERIOD

LAC 33:V.715 requires that the public be given at least forty-five (45) days to comment on a draft permit decision.

The specific dates for the opening and closing of the public comment period are contained in the public notice that was issued for this particular permitting action. Any person interested in commenting on the draft permit for the CECOS International, Incorporated - Westlake facility, must do so within the allotted forty-five (45) day comment period.

A public hearing for the draft permit will be held on the date, and at the location and time provided in the public notice (see the attached notice in the Public Participation Section of the Draft Permit). LDEQ will hold the hearing at least forty-five (45) days after the date on which the public notice is given.

Public notice of the proposed permitting action shall be published in specified newspapers, announced on the designated radio station, and mailed to those persons contained on the facility's mailing list.

C. LOCATIONS OF AVAILABLE INFORMATION

The administrative record, including all supporting documents, is on file at the LDEQ Public Records Center, Room 1-127, 602 North 5th Street, Baton Rouge, Louisiana. These documents may be inspected and copied (at \$0.25 per copy page) at any time between the hours of 8:00 to 4:30 p.m., Monday through Friday (except holidays).

In addition, a copy of the draft hazardous waste operating permit renewal, fact sheet, and supporting documents are available for review at the Calcasieu Parish Library, Westlake Branch, 937 Mulberry Street, Westlake, Louisiana, and the Sulphur Regional Branch, 1160 Cypress Street, Sulphur, Louisiana 70663.

D. WRITTEN COMMENT SUBMISSION

Interested persons may submit written comments on the draft permit to the administrative authority, at the address listed below, by the closing date of the comment period. All comments should include:

1. the name and address of the commenter,
2. a concise statement of the exact basis for any comment and supporting relevant facts upon which the comment is based,
3. identification of the facility commented on (the EPA Identification Number and Agency Interest (AI) number), and
4. supporting relevant facts upon which the comments are based.

All comments, further requests for information (including copies of this decision and fact sheet) and any requests by public interest groups or individuals, who would like to be included in the mailing list, should be made in writing to:

Ms. Soumaya Ghosn
Louisiana Department of Environmental Quality
Office of Environmental Services
Post Office Box 4313
Baton Rouge, Louisiana 70821-4313
(225) 219-3276 or fax (225) 219-3309

Any technical questions regarding this draft permit should be addressed to:

Ms. Karla Vidrine
Louisiana Department of Environmental Quality
Office of Environmental Services
Waste Permits Division
Post Office Box 4313
Baton Rouge, LA 70821-4313
(225) 219-3070 or fax (225) 219-3158

III. DESCRIPTION OF OVERALL SITE

Waste disposal activities were initiated at the site in 1968 by Mud Movers, Inc. By 1972, Browning-Ferris Industries (BFI) Chemical Services, Inc. acquired Mud Movers, Inc. In 1983, operational control of the site was transferred to CECOS International, Inc., a BFI subsidiary.

The CECOS International, Inc. facility is located at 918 Willow Springs Road in Westlake, Calcasieu Parish, Louisiana, approximately 10 miles northwest of Lake Charles and 5 miles northwest of Westlake.

The entire site consists of approximately ninety (90) acres. Approximately ten (10) acres are considered the operating portion of the site. Approximately eighty (80) acres are considered the closed portion of the site that previously managed waste in landfills, surface impoundments, basins, and ponds. The closed portion of the site is in post-closure care, maintenance, monitoring and corrective action and is permitted under a separate post-closure permit (LAD 000 618 256-PC-1). The site also consists of a deep injection well which is operated for the disposal of hazardous and non-hazardous waste materials. The deep injection well is permitted and regulated by Louisiana Department of Natural Resources, Office of Conservation, Injection and Mining Division, Underground Injection Control Section.

IV. HAZARDOUS WASTE FACILITIES

CECOS International, Inc. submitted an operating permit renewal application for eight (8) hazardous waste tanks located in the Tank Area at the facility. The Tank Area consists of hazardous waste treatment and storage tanks and non-hazardous storage tanks. Waste managed in the Tank Area consists of recovered contaminated groundwater, contaminated monitoring well purge water, landfill leachate, potentially contaminated sump water, and solids removed from leachate.

All permitted hazardous waste tanks are equipped with secondary containment, level control, alarm systems, and emission control devices. In addition, CECOS International has operational and inspection procedures in place to ensure that the hazardous waste tank systems are operated and maintained in accordance with all applicable state and federal regulations and the terms and conditions specified in the draft hazardous waste operating

permit renewal. These engineered and procedural safeguards minimize the potential for releases to the environment from the permitted tank systems.

V. FINANCIAL AND LIABILITY REQUIREMENTS

The Permittee has submitted documentation in the form of surety bonds and standby trust agreement to satisfy the requirements of financial assurance in accordance with LAC 33:V.Chapter 37.

VI. IT QUESTION SUMMARY OF ANALYSIS

In accordance with the requirements set forth by the Louisiana Supreme Court in Save Ourselves v. Louisiana Environmental Control Commission, 452 So2d 1152 (La. 1984), the LDEQ has considered certain factors in the draft decision of this operating permit. This is a preliminary analysis based on the information currently available to the LDEQ.

A. **The potential and real adverse environmental effects of the proposed project have been avoided to the maximum extent possible.**

CECOS International, Inc. submitted its permit renewal application for eight (8) hazardous waste tanks located in the Tank Area at the Westlake facility. The tanks actively manage wastes from recovered contaminated groundwater, contaminated monitoring well purge water, landfill leachate, potentially contaminated sump water, and solids removed from leachate.

This permit does not propose the alteration of waste classifications, codes or characteristics. The design and operating procedures associated with the tanks will comply with all regulatory and permit requirements to prevent the releases to the environment. These actions minimize the potential and real adverse environmental effects of handling hazardous waste to the maximum extent possible.

B. **A cost benefit analysis of the environmental impact balanced against the social and economic benefits of the project demonstrates that the social and economic benefits outweigh environmental impacts.**

The CECOS International, Inc. – Westlake facility is an existing facility, the proposed hazardous waste operating renewal permit should have little or no affect on property values or public costs as they pertain to the economics of the local community. Both state and local economies benefit from the provisions of employment and tax revenue by the facility's operations.

C. **There are no alternative projects or alternative sites or mitigating measures which offer more protection to the environment than the proposed project without unduly curtailing non-environmental benefits to the extent applicable.**

The proposed hazardous waste operating renewal permit is for existing hazardous waste tanks. The permitted tanks utilize secondary containment structures that minimize the potential for releases of hazardous constituents to soil or groundwater.

All reasonable measures to protect the environment are being taken. No mitigating measures would offer more protection to the environment without unduly curtailing non-environmental benefits.

PUBLIC PARTICIPATION

PUBLIC NOTICE
LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY (LDEQ)
CECOS INTERNATIONAL, INC. - WESTLAKE FACILITY, TANK AREA
PUBLIC HEARING AND REQUEST FOR PUBLIC COMMENT ON A
DRAFT HAZARDOUS WASTE OPERATING PERMIT RENEWAL

The LDEQ, Office of Environmental Services, will conduct a public hearing to receive comments on the draft hazardous waste operating permit renewal for CECOS International, Inc., P.O. Box 1849, Sulphur, Louisiana 70664 for the Westlake Facility – Tank Area. **The facility is located at 918 Willow Springs Road, Westlake, Calcasieu Parish.**

The hearing will be held on Tuesday, August 25, 2009, beginning at 6:00 p.m., at the Westlake Council Chambers, 1001 Mulberry Street, Westlake, LA 70669. During the hearing, all interested persons will have an opportunity to comment on the draft hazardous waste operating permit renewal.

CECOS International, Inc. proposes an operating permit renewal for the tank area at the Westlake Facility. The proposed permit renewal will address the operations and maintenance of eight (8) treatment and storage tanks. Site wide corrective action at the CECOS – Westlake Facility is conducted under the previously issued post-closure permit.

Written comments or written requests for notification of the final permit decision regarding this permit may also be submitted to Ms. Soumaya Ghosn at LDEQ, Public Participation Group, P.O. Box 4313, Baton Rouge, LA 70821-4313. **Written comments and/or written requests for notification must be received by 12:30 p.m., Thursday, August 27, 2009.** Written comments will be considered prior to a final permit decision.

LDEQ will send notification of the final permit decision to the applicant and to each person who has submitted written comments or a written request for notification of the final decision.

The CECOS International, Inc. submitted a hazardous waste operating permit renewal application, dated September 2002. A revised operating permit renewal application was submitted December 13, 2007, as responses to Notice of Deficiency (NOD) issued June 26, 2007. Additional deficiencies were noted in February 28, 2008. Responses to the deficiencies were received March 27, 2008, additional responses submitted April 4, 2008, and additional information submitted April 17, 2008, are available for review at the LDEQ, Public Records Center, Room 127, 602 North 5th Street, Baton Rouge, LA. Viewing hours are from 8:00 a.m. to 4:30 p.m., Monday through Friday (except holidays). **The available information can also be accessed electronically on the Electronic Document Management System (EDMS) on the DEQ public website at www.deq.louisiana.gov.**

Additional copies may be reviewed at the Calcasieu Parish Library, Westlake Branch, 937 Mulberry Street, Westlake, LA 70669 and the Sulphur Regional Branch, 1160 Cypress Street, Sulphur, LA 70663.

Individuals with a disability, who need an accommodation in order to participate in the public hearing, should contact Laura Ambeau at the above address or by phone at (225) 219-3277.

Inquiries or requests for additional information regarding this permit action should be directed to Ms. Karla Vidrine, LDEQ, Waste Permits Division, P.O. Box 4313, Baton Rouge, LA 70821-4313, phone (225) 219-3466.

Persons wishing to be included on the LDEQ permit public notice mailing list or for other public participation related questions should contact the Public Participation Group in writing at LDEQ, P.O. Box 4313, Baton Rouge, LA 70821-4313, by email at deqmaillistrequest@la.gov or contact the LDEQ Customer Service Center at (225) 219-LDEQ (219-5337).

Permit public notices including electronic access to the draft permit and associated information can be viewed at the LDEQ permits public notice webpage at www.deq.louisiana.gov/apps/pubNotice/default.asp and general information related to the public participation in permitting activities can be viewed at www.deq.louisiana.gov/portal/tabid/2198/Default.aspx.

Alternatively, individuals may elect to receive the permit public notices via email by subscribing to the LDEQ permits public notice List Server at www.doa.louisiana.gov/oes/listservpage/ldeq_pn_listserv.htm.

All correspondence should specify AI Number 276, Permit Number LAD 000 618 256-OP-RN-1, and Activity Number PER20020001.

Scheduled Publication Date: July 10, 2009



BOBBY JINDAL
GOVERNOR



HAROLD LEGGETT, PH.D.
SECRETARY

State of Louisiana
DEPARTMENT OF ENVIRONMENTAL QUALITY
ENVIRONMENTAL SERVICES

7/7/2009

Telephone: (225) 388-1111

Fax: (225) 388-0164

Email: legal.ads@theadvocate.com

Ms. Susan Bush
Legal Advertising
Advocate
P.O. Box 588
Baton Rouge, LA 70821-0588

RE: Request For Public Comments On a Hazardous Waste Permit Renewal
CECOS International Inc
A1276, PER20020001, Permit Number LAD 000618 256
Sulphur, Calcasieu Parish, Louisiana

Dear Ms. Bush:

Please publish the attached legal notice regarding the above referenced facility as a regular legal ad in the Advocate once only on Friday, July 10, 2009. You will also receive a copy of the legal notice itself via email. Immediately after publication, please fax a copy of the ad to Ms. Laura Ambeau at (225) 325-8157.



State regulations require that we provide notification to the public and allow sufficient time for public comments. For this department to be assured that adequate notification is provided, we are requesting that you sign and date the enclosed 'Verification by Newspaper', and fax it to the attention of Ms. Laura Ambeau at (225) 325-8157 immediately upon publication. If the notice cannot be published on the date requested, please call me at (225) 219-3277 or email:

Charges for this service should be billed to:

Mr. Oliver Ford
CECOS International Inc., Westlake Facility
Post Office Box 1849
Sulphur, LA 70664
Telephone: (337) 527-9380, Ext. 202; Cell Phone: 337-315-4675

The official proof of publication in the form of a tear sheet and invoice should be mailed to the attention of Ms. Laura Ambeau, LDEQ, Permits Support Services Division, P.O. Box 4313, Baton Rouge, LA 70821-4313. We appreciate your assistance in our efforts to serve the public.

Sincerely,

Laura Ambeau

Laura Ambeau
Environmental Scientist, Public Participation Group

LA
Attachments



VERIFICATION BY NEWSPAPER

The undersigned verifies that the following public notice was published on the _____ (date of publication) edition of The Advocate:

RE: Request For Public Comments On a Hazardous Waste Permit Renewal
CECOS International Inc
AI276, PER20020001, Permit Number LAD 000618 256
Sulphur, Calcasieu Parish, Louisiana

The Advocate:

By: _____ Date: _____

Please complete and return this form promptly to the address listed below:

**Laura Ambeau
Louisiana Department of Environmental Quality
Office of Environmental Services
Permits Support Services Division
P.O. Box 4313
Baton Rouge, LA 70821-4313
PHONE (225) 219-3277
FAX (225) 325-8157**

BOBBY JINDAL
GOVERNOR



HAROLD LEGGETT, PH.D.
SECRETARY

State of Louisiana
DEPARTMENT OF ENVIRONMENTAL QUALITY
ENVIRONMENTAL SERVICES

7/7/2009

Telephone: (337) 494-4039

Fax: (337) 494-4008

Email: adv@americanpress.com

Ms. Karen Dobbins
Legal Advertising
American Press
P.O. Box 2893
Lake Charles, LA 70602

**RE: Request For Public Comments On a Hazardous Waste Permit Renewal
CECOS International Inc
A1276, PER20020001, Permit Number LAD 000618 256
Sulphur, Calcasieu Parish, Louisiana**

Dear Ms. Dobbins:

Please publish the attached legal notice regarding the above referenced facility as a regular legal ad in the American Press once only on Friday, July 10, 2009. You will also receive a copy of the legal notice itself via email. Immediately after publication, please fax a copy of the ad to Ms. Laura Ambeau at (225) 325-8157.

State regulations require that we provide notification to the public and allow sufficient time for public comments. For this department to be assured that adequate notification is provided, we are requesting that you sign and date the enclosed 'Verification by Newspaper', and fax it to the attention of Ms. Laura Ambeau at (225) 325-8157 immediately upon publication. If the notice cannot be published on the date requested, please call me at (225) 219-3277 or email:

Charges for this service should be billed to:

Mr. Oliver Ford
CECOS International Inc., Westlake Facility
Post Office Box 1849
Sulphur, LA 70664
Telephone: (337) 527-9380, Ext. 202; Cell Phone: 337-315-4675

The official proof of publication in the form of a tear sheet and invoice should be mailed to the attention of Ms. Laura Ambeau, LDEQ, Permits Support Services Division, P.O. Box 4313, Baton Rouge, LA 70821-4313. We appreciate your assistance in our efforts to serve the public.

Sincerely,

Laura Ambeau

Laura Ambeau
Environmental Scientist, Public Participation Group

LA
Attachments

VERIFICATION BY NEWSPAPER

The undersigned verifies that the following public notice was published on the _____ (date of publication) edition of The American Press:

RE: Request For Public Comments On a Hazardous Waste Permit Renewal
CECOS International Inc
A1276, PER20020001, Permit Number LAD 000618 256
Sulphur, Calcasieu Parish, Louisiana

The American Press:

By: _____ Date: _____

Please complete and return this form promptly to the address listed below:

Laura Ambeau
Louisiana Department of Environmental Quality
Office of Environmental Services
Permits Support Services Division
P.O. Box 4313
Baton Rouge, LA 70821-4313
PHONE (225) 219-3277
FAX (225) 325-8157

BOBBY JINDAL
GOVERNOR



HAROLD LEGGETT, Ph.D.
SECRETARY

State of Louisiana

DEPARTMENT OF ENVIRONMENTAL QUALITY ENVIRONMENTAL SERVICES

July 07, 2009

Telephone: (337) 439-3300 ext. 228
Via Fax: (337) 433-7701

Mr. Lance Knoll
Cumulus Broadcasting-Lake Charles
KAOK AM / FM
425 Broad Street
Lake Charles, LA 70601

RE: Request for Public Comment
CECOS International, Inc. / Westlake Facility
Westlake, Calcasieu Parish, Louisiana
Agency Interest No. 276, LAD000618256, PER20020001

Dear Mr. Knoll:

Please broadcast the enclosed public announcement regarding the above referenced facility at the best possible time at the least cost once only on **Friday, July 10, 2009.**

Charges for this announcement should be billed to:

Mr. Oliver Ford
Cecos International, Inc., Westlake Facility
Post Office Box 1849
Sulphur, LA 70664
Phone: 337-527-9380, Ext. 202; Cell Phone: 337-315-4675

For this department to be assured that adequate notification is provided, we are requesting that you sign and date the enclosed 'Verification by Radio' form and fax it my attention at (225) 325-8157 as soon as the announcement has been made.

If there is any problem with broadcasting this announcement in its entirety, or if you have any questions, please call me immediately at (225) 219-3277.

Thank you for assisting in our effort to serve the public.

Sincerely,

A handwritten signature in cursive script, appearing to read "Laura Ambeau".

Laura Ambeau
Environmental Scientist
Public Participation Group

/la
Attachment

VERIFICATION BY RADIO STATION

The undersigned verifies that the announcement was broadcast on _____ as requested for:

RE: Request for Public Comment
CECOS International, Inc. / Westlake Facility
Westlake, Calcasieu Parish, Louisiana
Agency Interest No. 276, LAD000618256, PER20020001

KAOK AM / FM Cumulus Broadcasting-Lake Charles

Signed: _____ Date: _____

Please complete and mail or fax this form promptly to the address listed below:

Ms. Laura Ambeau
Louisiana Department of Environmental Quality
Office of Environmental Services
Post Office Box 4313
Baton Rouge, La. 70821-4313
FAX: (225) 325-8157

**LDEQ
RADIO ANNOUNCEMENT
DRAFT HAZARDOUS WASTE OPERATING PERMIT
RENEWAL**

The LDEQ, Office of Environmental Services, will conduct a public hearing to receive comments on the draft hazardous waste operating permit renewal for CECOS International, Inc., P.O. Box 1849, Sulphur, Louisiana 70664 for the Westlake Facility - Tank Area. **The facility is located at 918 Willow Springs Road, Westlake, Calcasieu Parish.**

The hearing will be held on Tuesday, August 25, 2009, beginning at 6:00 p.m., at the Westlake Council Chambers, 1001 Mulberry Street, Westlake, LA 70669. During the hearing, all interested persons will have an opportunity to comment on the draft hazardous waste operating permit renewal.

The public comment period will end on Thursday, August 27, 2009 at 12:30 p.m.

A copy of the draft hazardous waste operating permit is available for review at the Calcasieu Parish Library-Westlake Branch, 937 Mulberry Street, Westlake, LA, the Sulphur Regional Branch, 1160 Cypress Street, Sulphur, LA and the Louisiana Department of Environmental Quality Public Records Center in Baton Rouge, LA.

The detailed public notice is scheduled for publication in the American Press and The Advocate on July 10, 2009.

For any inquiries contact LDEQ Customer Service Center at (225) 219-LDEQ, that is (225) 219-5337.

VERIFICATION BY FACILITY

The undersigned verifies that the CECOS International, INC, Westlake Facility has received a copy of the draft hazardous waste operating permit renewal and public notice regarding:

**RE: Request For Public Comments On a Hazardous Waste Permit Renewal
CECOS International Inc
AI276, PER20020001, Permit Number LAD 000618 256
Sulphur, Calcasieu Parish, Louisiana**

CECOS INTERNATIONAL, INC, WESTLAKE FACILITY

By: _____ Date: _____

Please complete and return this form promptly to the address listed below:

Ms. Laura Ambeau
Louisiana Department of Environmental Quality
Office of Environmental Services
Environmental Assistance Division
PO Box 4313
Baton Rouge, LA 70821-4313
Phone (225) 219-3277

FAX (225) 325-8157



BOBBY JINDAL
GOVERNOR

HAROLD LEGGETT, Ph.D.
SECRETARY

State of Louisiana
DEPARTMENT OF ENVIRONMENTAL QUALITY
ENVIRONMENTAL SERVICES

7/7/2009

Telephone: 337-721-7113
Fax:

Ms Kathy Jones
Branch Manager
Calcasieu Parish Library - Westlake
937 Mulberry St
Westlake, LA 70669-4601

RE: Request For Public Comments On a Hazardous Waste Permit Renewal
CECOS International Inc
A1276, PER20020001, Permit Number LAD 000618 256
Sulphur, Calcasieu Parish, Louisiana

Dear Ms Jones:

We request that the enclosed documents for the permitting action for referenced company/facility be made available for public review upon receipt in the Calcasieu Parish Library - Westlake. It is imperative that these documents are available for review at all times; therefore, they cannot be checked out by anyone at any time.

The documents should be retained during the permitting process. At the close of the permitting period, the Louisiana Department of Environmental Quality, Office of Environmental Services (LDEQ-OES), Haz Waste Permits Division will provide written notice to you requesting that the information be removed.

Please complete the attached 'Verification by Library' and mail to Laura Ambeau, LDEQ-OES, Permit Support Services Division, PO Box 4313, Baton Rouge, LA 70821-4313, or Fax (225) 325-8157. We appreciate your assistance in our efforts to serve the public. If you have any questions, please call me at (225) 219-3277.

Sincerely,

Laura Ambeau

Laura Ambeau
Environmental Scientist, Public Participation Group

LA

Attachments/

VERIFICATION BY LIBRARY

The undersigned verifies that Calcasieu Parish Library - Westlake , 937 Mulberry St, Westlake, LA has received a copy of the Hazardous Waste Permit Renewal permit associated with the following public notice:

RE: Request For Public Comments On a Hazardous Waste Permit Renewal
CECOS International Inc
A1276, PER20020001, Permit Number LAD 000618 256
Sulphur, Calcasieu Parish, Louisiana

Calcasieu Parish Library - Westlake

By: _____ Date: _____

Please complete and return this form promptly to the address listed below:

Laura Ambeau
Louisiana Department of Environmental Quality
Office of Environmental Services
Permit Support Services Division
P.O. Box 4313
Baton Rouge, LA 70821-4313
PHONE (225) 219-3277
FAX (225) 325-8157



BOBBY JINDAL
GOVERNOR

HAROLD LEGGETT, PH.D.
SECRETARY

State of Louisiana

DEPARTMENT OF ENVIRONMENTAL QUALITY ENVIRONMENTAL SERVICES

7/7/2009

Telephone: 337- 721-7138
Fax:

Ms Esther Pennington
Branch Manager
Calcasieu Parish Library - Sulphur Regional
1160 Cypress St
Sulphur, LA 70663-5111

RE: Request For Public Comments On a Hazardous Waste Permit Renewal
CECOS International Inc
A1276, PER20020001, Permit Number LAD 000618 256
Sulphur, Calcasieu Parish, Louisiana

Dear Ms Pennington:

We request that the enclosed documents for the permitting action for referenced company/facility be made available for public review upon receipt in the Calcasieu Parish Library - Sulphur Regional. It is imperative that these documents are available for review at all times; therefore, they cannot be checked out by anyone at any time.

The documents should be retained during the permitting process. At the close of the permitting period, the Louisiana Department of Environmental Quality, Office of Environmental Services (LDEQ-OES), Haz Waste Permits Division will provide written notice to you requesting that the information be removed.

Please complete the attached 'Verification by Library' and mail to Laura Ambeau , LDEQ-OES, Permit Support Services Division, PO Box 4313, Baton Rouge, LA 70821-4313, or Fax (225) 325-8157. We appreciate your assistance in our efforts to serve the public. If you have any questions, please call me at (225) 219-3277.

Sincerely,

Laura Ambeau

Laura Ambeau
Environmental Scientist, Public Participation Group

LA

Attachments/

VERIFICATION BY LIBRARY

The undersigned verifies that Calcasieu Parish Library - Sulphur Regional , 1160 Cypress St, Sulphur, LA has received a copy of the Hazardous Waste Permit Renewal permit associated with the following public notice:

RE: Request For Public Comments On a Hazardous Waste Permit Renewal
CECOS International Inc
A1276, PER20020001, Permit Number LAD 000618 256
Sulphur, Calcasieu Parish, Louisiana

Calcasieu Parish Library - Sulphur Regional

By: _____ Date: _____

Please complete and return this form promptly to the address listed below:

**Laura Ambeau
Louisiana Department of Environmental Quality
Office of Environmental Services
Permit Support Services Division
P.O. Box 4313
Baton Rouge, LA 70821-4313
PHONE (225) 219-3277
FAX (225) 325-8157**



BOBBY JINDAL
GOVERNOR

HAROLD LEGGETT, Ph.D.
SECRETARY

State of Louisiana
DEPARTMENT OF ENVIRONMENTAL QUALITY
ENVIRONMENTAL SERVICES

7/7/2009

Telephone: (214) 665-6750
Fax: (214) 665-6762

Mr. Kishor Fruitwala
EPA Region VI
1445 Ross Avenue
Dallas, TX 752022733

RE: Request For Public Comments On a Hazardous Waste Permit Renewal
CECOS International Inc
AI276, PER20020001, Permit Number LAD 000618 256
Sulphur, Calcasieu Parish, Louisiana

Dear Mr. Fruitwala:

The Louisiana Department of Environmental Quality (LDEQ) is enclosing for your review a copy of the permitting action for the above referenced facility.

The legal notice is scheduled to be published in/or announced on:

<i>KAOK-AM</i>	<i>Friday, July 10, 2009</i>
<i>American Press</i>	<i>Friday, July 10, 2009</i>
<i>Advocate</i>	<i>Friday, July 10, 2009</i>

It is also posted on the LDEQ Website, found at www.deq.state.la.us. Written comments on this permit action may be submitted to Ms. Soumaya Ghosn, LDEQ-OES, Permit Support Services Division, P.O. Box 4313, Baton Rouge, LA 70821-4313. All comments regarding the permit(s) should specify Agency Interest (AI) No. 276

Should you have any questions, additional permit information may be obtained from Karla Vidrine, LDEQ, Permits Division, P.O. Box 4313, Baton Rouge, LA 70821-4313, telephone (225) 219-3181. Should you have any questions regarding the public notice, please contact me at, (225) 219-3277

Please complete the attached 'Verification of Receipt' and mail to Laura Ambeau, LDEQ-OES, Permit Support Services Division, PO Box 4313, Baton Rouge, LA 70821-4313, or Fax (225) 325-8157. We appreciate your assistance in our efforts to serve the public. If you have any questions, please call me at (225) 219-3277.

Sincerely,

Laura Ambeau

Laura Ambeau
Environmental Scientist, Public Participation Group

LA

VERIFICATION BY EPA

The undersigned verifies that Region VI, 1445 Ross Avenue, Dallas, TX has received a copy of the Hazardous Waste Permit Renewal permit associated with the following public notice:

RE: Request For Public Comments On a Hazardous Waste Permit Renewal
CECOS International Inc
AI276, PER20020001, Permit Number LAD 000618 256
Sulphur, Calcasieu Parish, Louisiana

EPA Region VI

By: _____ Date: _____

Please complete and return this form promptly to the address listed below:

Laura Ambeau
Louisiana Department of Environmental Quality
Office of Environmental Services
Permit Support Services Division
PO Box 4313
Baton Rouge, LA 70821-4313
PHONE (225) 219-3277
FAX (225) 325-8157

BOBBY JINDAL
GOVERNOR



HAROLD LEGGETT, Ph.D.
SECRETARY

State of Louisiana

DEPARTMENT OF ENVIRONMENTAL QUALITY ENVIRONMENTAL SERVICES

7/7/2009

Telephone: (337) 491-2667
Fax: (337) 491-2682

Mr. Billy Eakin
Southwest Regional Office Manager
1301 Gadwall Street
Lake Charles, LA 70615-

RE: Request For Public Comments On a Hazardous Waste Permit Renewal
CECOS International Inc
AI276, PER20020001, Permit Number LAD 000618 256
Sulphur, Calcasieu Parish, Louisiana

Dear Mr. Eakin:

We have enclosed a copy of the Hazardous Waste Permit Renewal and public notice for the referenced facility for your use and for the public review.

Please complete the attached 'Verification by Regional Office' and Fax to Laura Ambeau, at (225) 325-8157. We appreciate your assistance in our efforts to serve the public. If you have any questions, please call me at (225) 219-3277.

Sincerely,

A handwritten signature in cursive script that reads "Laura Ambeau".

Laura Ambeau
Environmental Scientist, Public Participation Group

LA

Attachments/

VERIFICATION BY REGIONAL OFFICE

The undersigned verifies that Southwest Regional Office, 1301 Gadwall Street, Lake Charles, LA has received a copy of the Hazardous Waste Permit Renewal permit associated with the following public notice:

RE: Request For Public Comments On a Operating Permit (TSD)
CECOS International Inc
A1276, PER20020001, Permit Number LAD 000618 256
Sulphur, Calcasieu Parish, Louisiana

Southwest Regional Office

By: _____ Date: _____

Please complete and fax this form promptly to the fax number listed below:

**Laura Ambeau
Office of Environmental Services
Public Participation Group
PHONE (225) 219-3277
FAX (225) 325-8157**



BOBBY JINDAL
GOVERNOR

HAROLD LEGGETT, PH.D.
SECRETARY

State of Louisiana

DEPARTMENT OF ENVIRONMENTAL QUALITY ENVIRONMENTAL SERVICES

7/7/2009

Telephone: (337) 721-3500
Fax: (337) 437-3399

Mr. Tony Stelly
President Calcasieu Parish Police Jury
1015 Pithon Street
Lake Charles, LA , LA 70601

RE: Request For Public Comments On a Hazardous Waste Permit Renewal
CECOS International Inc
AI276, PER20020001, Permit Number LAD 000618 256
Sulphur, Calcasieu Parish, Louisiana

Dear Mr. Stelly:

The Louisiana Department of Environmental Quality (LDEQ) is requesting public comments regarding permitting actions for the CECOS International Inc, 918 Willow Springs Rd, Sulphur, LA.

For your reference, attached is a copy of the Hazardous Waste Permit Renewal and the legal notice is scheduled to be published in/or announced on:

KAOK-AM
American Press
Advocate

Friday, July 10, 2009
Friday, July 10, 2009
Friday, July 10, 2009

It is also posted on the LDEQ Website, found at www.deq.state.la.us. Written comments on the Hazardous Waste Permit Renewal may be submitted to Ms. Soumaya Ghosn, LDEQ-OES, Permits Support Services Division, P.O. Box 4313, Baton Rouge, LA 70821-4313. All comments regarding the permit(s) should specify Agency Interest (AI) No. 276

Should you have any questions, additional permit information may be obtained from Karla Vidrine, LDEQ, Permits Division, P.O. Box 4313, Baton Rouge, LA 70821-4313, telephone (225) 219-3181. Should you have any questions regarding the public notice, please contact Laura Ambeau, LDEQ, Permit Support Services Division, Permit Support Section, at (225) 219-3277

Please complete the attached 'Verification of Receipt' and mail to Laura Ambeau, LDEQ-OES, Permit Support Services Division, PO Box 4313, Baton Rouge, LA 70821-4313, or Fax (225) 325-8157. We appreciate your assistance in our efforts to serve the public. If you have any questions, please call me at (225) 219-3277.

Sincerely,

Laura Ambeau
Environmental Scientist, Public Participation Group

LA

Attachments/

VERIFICATION BY PARISH GOVERNMENT

The undersigned verifies that Calcasieu Parish Police Jury, 1015 Pithon Street , Lake Charles, LA , LA has received a copy of the Hazardous Waste Permit Renewal permit associated with the following public notice:

RE: Request For Public Comments On a Hazardous Waste Permit Renewal
CECOS International Inc
AI276, PER20020001, Permit Number LAD 000618 256
Sulphur, Calcasieu Parish, Louisiana

Calcasieu Parish Police Jury

By: _____ Date: _____

Please complete and return this form promptly to the address listed below:

Laura Ambeau
Louisiana Department of Environmental Quality
Office of Environmental Services
Permits Support Services Division
PO Box 4313
Baton Rouge, LA 70821-4313
PHONE (225) 219-3277
FAX (225) 325-8157



BOBBY JINDAL
GOVERNOR

HAROLD LEGGETT, Ph.D.
SECRETARY

State of Louisiana
DEPARTMENT OF ENVIRONMENTAL QUALITY
ENVIRONMENTAL SERVICES

7/7/2009

Telephone: (337) 433-0691
Fax: (337) 433-9350

Honorable Daniel Cupit
Mayor of Westlake
PO Box 700
Westlake, LA 70669-0700

RE: Request For Public Comments On a Hazardous Waste Permit Renewal
CECOS International Inc
AI276, PER20020001, Permit Number LAD 000618 256
Sulphur, Calcasieu Parish, Louisiana

Dear Mayor Cupit:

The Louisiana Department of Environmental Quality (LDEQ) is requesting public comments regarding permitting actions for the CECOS International Inc, 918 Willow Springs Rd, Sulphur, LA.

For your reference, attached is a copy of the legal notice that is scheduled to be published in/or announced on:

KAOK-AM

Friday, July 10, 2009

American Press

Friday, July 10, 2009

Advocate

Friday, July 10, 2009

It is also posted on the LDEQ Website, found at www.deq.state.la.us. Written comments on the Hazardous Waste Permit Renewal may be submitted to Ms. Soumaya Ghosn, LDEQ-OES, Permits Support Services Division, P.O. Box 4313, Baton Rouge, LA 70821-4313. All comments regarding the permit(s) should specify Agency Interest (AI) No. 276

Should you have any questions, additional permit information may be obtained from Karla Vidrine, LDEQ, Permits Division, P.O. Box 4313, Baton Rouge, LA 70821-4313, telephone (225) 219-3181. Should you have any questions regarding the public notice, please contact Laura Ambeau, LDEQ, Permit Support Services Division, Permit Support Section, at (225) 219-3277

Please complete the attached 'Verification of Receipt' and mail to Laura Ambeau, LDEQ-OES, Permit Support Services Division, PO Box 4313, Baton Rouge, LA 70821-4313, or Fax (225) 325-8157. We appreciate your assistance in our efforts to serve the public. If you have any questions, please call me at (225) 219-3277.

Sincerely,

Laura Ambeau
Environmental Scientist, Public Participation Group

LA

Attachments/

VERIFICATION BY PARISH GOVERNMENT

The undersigned verifies that the city of Westlake has received a copy of the Hazardous Waste Permit Renewal associated with the following public notice:

RE: Request For Public Comments On a Hazardous Waste Permit Renewal
CECOS International Inc
AI276, PER20020001, Permit Number LAD 000618 256
Sulphur, Calcasieu Parish, Louisiana

City of Westlake:

By: _____ Date: _____

Please complete and return this form promptly to the address listed below:

Laura Ambeau
Louisiana Department of Environmental Quality
Office of Environmental Services
Permits Support Services Division
PO Box 4313
Baton Rouge, LA 70821-4313
PHONE (225) 219-3277
FAX (225) 325-8157

**SIGNATURE
PAGE**

DRAFT
LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY

OPERATING PERMIT RENEWAL
FOR HAZARDOUS WASTE TREATMENT AND STORAGE
CECOS INTERNATIONAL, INC. – WESTLAKE FACILITY

PERMITTEE: CECOS INTERNATIONAL, INC.

**EPA IDENTIFICATION
NUMBER:** LAD 000 618 256

PERMIT NUMBER: LAD 000 618 256-OP-RN-1
Agency Interest # 276
PER20020001

**FACILITY
LOCATION:** 918 WILLOW SPRINGS ROAD
WESTLAKE, LOUISIANA 70669

This permit is issued by the Louisiana Department of Environmental Quality (LDEQ) under the authority of the Louisiana Hazardous Waste Control Law R.S. 30:2171 et seq., and the regulations adopted thereunder, and the 1984 Hazardous and Solid Waste Amendments (HSWA) to the Resource Conservation and Recovery Act (RCRA), to CECOS International, Inc., (hereafter called the Permittee), to operate a hazardous waste treatment and storage facility located at 918 Willow Springs Road, Westlake, Louisiana, Calcasieu Parish, at latitude 30° 19' 14" and longitude 93° 18' 15".

For the purposes of this permit, the "Administrative Authority" shall be the Secretary of the Louisiana Department of Environmental Quality, or his/her designee.

The Permittee must comply with all terms and conditions of this permit. This permit consists of the conditions contained herein and the applicable regulations as specified in the permit. Applicable regulations are those which are in effect on the date of issuance of this permit.

This permit is based on the assumption that the information provided to LDEQ by the Permittee is accurate. Further, this permit is based in part on the provisions of Sections 206, 212, and 224 of HSWA of 1984, which modify Sections 3004 and 3005 of RCRA. In particular, Section 206 requires corrective action for all releases of hazardous waste or constituents from any solid waste management unit at a treatment, storage or disposal facility seeking a permit, regardless of the time at which waste was placed in such unit.

Section 212 provides authority to review and modify the permit at any time. Any inaccuracies found in the submitted information may be grounds for the termination, modification or revocation and reissuance of this permit (see LAC 33:V.323) and potential enforcement action. The Permittee must inform the LDEQ of any deviation from or changes in the information in the application which would affect the Permittee's ability to comply with the applicable regulations or permit conditions.

This renewed permit shall be effective as of _____, and shall remain in effect until _____, unless revoked and reissued, modified or terminated in accordance with the LAC 33:V.323 and 705 of the Louisiana Hazardous Waste Regulations. The Administrative Authority may issue any permit for a duration that is less than the maximum term of ten (10) years and the term shall not be extended beyond the maximum duration by modification in accordance with LAC 33:V.315.

Provisions of this permit may be appealed in writing pursuant to La. R.S. 30:2024(A) within thirty (30) days from receipt of the permit. Only those provisions specifically appealed will be suspended by a request for hearing, unless the secretary or the assistant secretary elects to suspend other provisions as well. A request for hearing must be sent to the following:

Louisiana Department of Environmental Quality
Office of the Secretary
Attention: Hearing Clerk, Legal Services Division
Post Office Box 4302
Baton Rouge, Louisiana 70821-4302

DRAFT

Cheryl Sonnier Nolan, Assistant Secretary
Louisiana Department of Environmental Quality

Date

PART A

United States Environmental Protection Agency
HAZARDOUS WASTE PERMIT INFORMATION FORM

1. Facility Permit Contact (See instructions on page 23)	First Name: Oliver	MI:	Last Name: Ford, Jr.
	Phone Number: (337) 527-6857		Phone Number Extension: 202
2. Facility Permit Contact Mailing Address (See instructions on page 23)	Street or P.O. Box: P.O. Box 1849		
	City, Town, or Village: Sulphur		
	State: Louisiana		
	Country: U.S.A.	Zip Code: 70664	
3. Operator Mailing Address and Telephone Number (See instructions on page 23)	Street or P.O. Box: 918 Willow Springs Road		
	City, Town, or Village: Westlake		
	State: Louisiana		
	Country: U.S.A.	Zip Code: 70669	Phone Number: (337) 527-6857
4. Legal Owner Mailing Address and Telephone Number (See instructions on page 23)	Street or P.O. Box: 18500 North Allied Way		
	City, Town, or Village: Phoenix		
	State: AZ		
	Country: U.S.A.	Zip Code: 85054	Phone Number:
5. Facility Existence Date (See instructions on page 24)	Facility Existence Date (mm/dd/yyyy): 11/28/1977		

6. Other Environmental Permits (See instructions on page 24)

A. Permit Type (Enter code)	W	B. Permit Number										C. Description	
N	L	A	0	0	5	8	8	8	2				LPDES
U	2	0	0	2	0	6	W	D					Underground injection well
E	0	5	2	0	0	0	1	4	9	0	5		Air

7. Nature of Business (Provide a brief description; see instructions on page 24)

The CECOS International, Inc. Calcasieu Facility includes an 11.3-acre above-ground storage tank facility for hazardous and non-hazardous waste. The Calcasieu Facility also includes a closed hazardous waste disposal facility and underground injection well, but these are not included in this permit application.

Process Codes and Design Capacities (See instructions on page 24) - Enter information in the Sections on Form Page 3.

A. PROCESS CODE - Enter the code from the list of process codes in the table below that best describes each process to be used at the facility. Fifteen lines are provided for entering codes. If more lines are needed, attach a separate sheet of paper with the additional information. For "other" processes (i.e., D99, S99, T04 and X99), enter the process information in Item 9 (including a description).

B. PROCESS DESIGN CAPACITY - For each code entered in Section A, enter the capacity of the process.

- 1. AMOUNT** - Enter the amount. In a case where design capacity is not applicable (such as in a closure/post-closure or enforcement action) enter the total amount of waste for that process.
- 2. UNIT OF MEASURE** - For each amount entered in Section B(1), enter the code in Section B(2) from the list of unit of measure codes below that describes the unit of measure used. Select only from the units of measure in this list.

C. PROCESS TOTAL NUMBER OF UNITS - Enter the total number of units for each corresponding process code.

PROCESS CODE	PROCESS	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY	PROCESS CODE	PROCESS	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY
	<u>Disposal:</u>			<u>Treatment (continued):</u>	
D79	Underground Injection Well Disposal	Gallons; Liters; Gallons Per Day; or Liters Per Day	T81	Cement Kiln	For T81-T93:
D80	Landfill	Acre-feet; Hectare-meter; Acres; Cubic Meters; Hectares; Cubic Yards	T82	Lime Kiln	
D81	Land Treatment	Acres or Hectares	T83	Aggregate Kiln	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; Btu Per Hour
D82	Ocean Disposal	Gallons Per Day or Liters Per Day	T84	Phosphate Kiln	
D83	Surface Impoundment Disposal	Gallons; Liters; Cubic Meters; or Cubic Yards	T85	Coke Oven	
D99	Other Disposal	Any Unit of Measure in Code Table Below	T86	Blast Furnace	
	<u>Storage:</u>		T87	Smelting, Melting, or Refining Furnace	Hour; Liters Per Hour; Kilograms Per Hour; or Million Btu Per Hour
S01	Container	Gallons; Liters; Cubic Meters; or Cubic Yards	T88	Titanium Dioxide Chloride Oxidation Reactor	
S02	Tank Storage	Gallons; Liters; Cubic Meters; or Cubic Yards	T89	Methane Reforming Furnace	
	Waste Pile	Cubic Yards or Cubic Meters	T90	Pulping Liquor Recovery Furnace	
	Surface Impoundment Storage	Gallons; Liters; Cubic Meters; or Cubic Yards	T91	Combustion Device Used In The Recovery Of Sulfur Values From Spent Sulfuric Acid	
S05	Drip Pad	Gallons; Liters; Acres; Cubic Meters; Hectares; or Cubic Yards	T92	Halogen Acid Furnaces	
S06	Containment Building Storage	Cubic Yards or Cubic Meters	T93	Other Industrial Furnaces Listed In 40 CFR §260.10	
S99	Other Storage	Any Unit of Measure in Code Table Below	T94	Containment Building - Treatment	Cubic Yards; Cubic Meters; Short Tons Per Hour; Gallons Per Hour; Liters Per Hour; Btu Per Hour; Pounds Per Hour; Short Tons Per Day; Kilograms Per Hour; Metric Tons Per Day; Gallons Per Day; Liters Per Day; Metric Tons Per Hour; or Million Btu Per Hour
	<u>Treatment:</u>			<u>Miscellaneous (Subpart X):</u>	
T01	Tank Treatment	Gallons Per Day; Liters Per Day	X01	Open Burning/Open Detonation	Any Unit of Measure in Code Table Below
T02	Surface Impoundment Treatment	Gallons Per Day; Liters Per Day	X02	Mechanical Processing	Short Tons Per Hour; Metric Tons Per Hour; Short Tons Per Day; Metric Tons Per Day; Pounds Per Hour; Kilograms Per Hour; Gallons Per Hour; Liters Per Hour; or Gallons Per Day
T03	Incinerator	Short Tons Per Hour; Metric Tons Per Hour; Gallons Per Hour; Liters Per Hour; Btu Per Hour; Pounds Per Hour; Short Tons Per Day; Kilograms Per Hour; Gallons Per Day; Liters Per Day; Metric Tons Per Hour; or Million Btu Per Hour	X03	Thermal Unit	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; Btu Per Hour; or Million Btu Per Hour
T04	Other Treatment	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; Btu Per Hour; Gallons Per Day; Liters Per Hour; or Million Btu Per Hour	X04	Geologic Repository	Cubic Yards; Cubic Meters; Acre-feet; Hectare-meter; Gallons; or Liters
T80	Boiler	Gallons; Liters; Gallons Per Hour; Liters Per Hour; Btu Per Hour; or Million Btu Per Hour	X99	Other Subpart X	Any Unit of Measure Listed Below

UNIT OF MEASURE	UNIT OF MEASURE CODE	UNIT OF MEASURE	UNIT OF MEASURE CODE	UNIT OF MEASURE	UNIT OF MEASURE CODE
Gallons.....	G	Short Tons Per Hour.....	D	Cubic Yards.....	Y
Gallons Per Hour.....	E	Metric Tons Per Hour.....	W	Cubic Meters.....	C
Gallons Per Day.....	U	Short Tons Per Day.....	N	Acres.....	B
Liters.....	L	Metric Tons Per Day.....	S	Acre-feet.....	A
Liters Per Hour.....	H	Pounds Per Hour.....	J	Hectares.....	Q
Liters Per Day.....	V	Kilograms Per Hour.....	R	Hectare-meter.....	F
		Million Btu Per Hour.....	X	Btu Per Hour.....	I

10. Description of Hazardous Wastes (See Instructions on page 25) - Enter information in the Sections on Form Page 5.

EPA HAZARDOUS WASTE NUMBER - Enter the four-digit number from 40 CFR, Part 261 Subpart D of each listed hazardous waste you will handle. For hazardous wastes which are not listed in 40 CFR, Part 261 Subpart D, enter the four-digit number(s) from 40 CFR Part 261, Subpart C that describes the characteristics and/or the toxic contaminants of those hazardous wastes.

B. ESTIMATED ANNUAL QUANTITY - For each listed waste entered in Section A, estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in Section A, estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.

C. UNIT OF MEASURE - For each quantity entered in Section B, enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
POUNDS	P	KILOGRAMS	K
TONS	T	METRIC TONS	M

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure, taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed hazardous waste: For each listed hazardous waste entered in Section A, select the code(s) from the list of process codes contained in Items 8A and 9A on page 3 to indicate all the processes that will be used to store, treat, and/or dispose of all the listed hazardous wastes.

For non-listed hazardous waste: For each characteristic or toxic contaminant entered in Section A, select the code(s) from the list of process codes contained in Items 8A and 9A on page 3 to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed hazardous wastes that possess that characteristic or toxic contaminant.

NOTE: THREE SPACES ARE PROVIDED FOR ENTERING PROCESS CODES. IF MORE ARE NEEDED:

1. Enter the first two as described above.
2. Enter "000" in the extreme right box of Item 10.D(1).
3. Use additional sheet, enter line number from previous sheet, and enter additional code(s) in Item 10.E.

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in Item 10.D(2) or in Item 10.E(2).

NOTE: HAZARDOUS WASTES DESCRIBED BY MORE THAN ONE EPA HAZARDOUS WASTE NUMBER - Hazardous wastes that can be described by more than one EPA Hazardous Waste Number shall be described on the form as follows:

1. Select one of the EPA Hazardous Waste Numbers and enter it in Section A. On the same line complete Sections B, C and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
2. In Section A of the next line enter the other EPA Hazardous Waste Number that can be used to describe the waste. In Section D(2) on that line enter "included with above" and make no other entries on that line.
3. Repeat step 2 for each EPA Hazardous Waste Number that can be used to describe the hazardous waste.

EXAMPLE FOR COMPLETING Item 10 (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operations. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

Line Number	A. EPA Hazardous Waste No. (Enter code)				B. Estimated Annual Quantity of Waste	C. Unit of Measure (Enter code)	D. PROCESSES														
	(1) PROCESS CODES (Enter code)						(2) PROCESS DESCRIPTION- (If a code is not entered in D(1))														
X	1	K	0	5	4	900	P	T	0	3	D	8	0								
X	2	D	0	0	2	400	P	T	0	3	D	8	0								
	3	D	0	0	1	100	P	T	0	3	D	8	0								
	4	D	0	0	2																Included With Above

10. Description of Hazardous Wastes (Continued. Use the Additional Sheet(s) as necessary; number pages as 5 a, etc.)

Line Number	A. EPA Hazardous Waste No. (Enter code)					B. Estimated Annual Quantity of Waste	C. Unit of Measure (Enter code)	D. PROCESSES									
	(1) PROCESS CODES (Enter code)										(2) PROCESS DESCRIPTION (If a code is not entered in D(1))						
1	D	0	0	1	<1	T	S	0	1	S	0	2	S	9	9	T04	
2	D	0	0	2	<1	T	S	0	1	S	0	2	S	9	9	T04	
3	D	0	0	3	<1	T	S	0	1	S	0	2	S	9	9	T04	
4	D	0	0	4	<1	T	S	0	1	S	0	2	S	9	9	T04	
5	D	0	0	5	<1	T	S	0	1	S	0	2	S	9	9	T04	
6	D	0	0	6	<1	T	S	0	1	S	0	2	S	9	9	T04	
7	D	0	0	7	<1	T	S	0	1	S	0	2	S	9	9	T04	
8	D	0	0	8	<1	T	S	0	1	S	0	2	S	9	9	T04	
9	D	0	0	9	<1	T	S	0	1	S	0	2	S	9	9	T04	
1	0	D	0	1	0	<1	T	S	0	1	S	0	2	S	9	9	T04
1	1	D	0	1	1	<1	T	S	0	1	S	0	2	S	9	9	T04
1	2	D	0	1	2	<1	T	S	0	1	S	0	2	S	9	9	T04
1	3	D	0	1	3	<1	T	S	0	1	S	0	2	S	9	9	T04
1	4	D	0	1	4	<1	T	S	0	1	S	0	2	S	9	9	T04
1	5	D	0	1	5	<1	T	S	0	1	S	0	2	S	9	9	T04
1	6	D	0	1	6	<1	T	S	0	1	S	0	2	S	9	9	T04
1	7	D	0	1	7	<1	T	S	0	1	S	0	2	S	9	9	T04
1	8	D	0	1	8	<1	T	S	0	1	S	0	2	S	9	9	T04
1	9	D	0	1	9	174	T	S	0	1	S	0	2	S	9	9	T04
2	0	D	0	2	0	<1	T	S	0	1	S	0	2	S	9	9	T04
2	1	D	0	2	1	<1	T	S	0	1	S	0	2	S	9	9	T04
2	2	D	0	2	2	2631	T	S	0	1	S	0	2	S	9	9	T04
2	3	D	0	2	3	<1	T	S	0	1	S	0	2	S	9	9	T04
2	4	D	0	2	4	<1	T	S	0	1	S	0	2	S	9	9	T04
2	5	D	0	2	5	<1	T	S	0	1	S	0	2	S	9	9	T04
2	6	D	0	2	6	<1	T	S	0	1	S	0	2	S	9	9	T04
2	7	D	0	2	7	<1	T	S	0	1	S	0	2	S	9	9	T04
2	8	D	0	2	8	2631	T	S	0	1	S	0	2	S	9	9	T04
2	9	D	0	2	9	<1	T	S	0	1	S	0	2	S	9	9	T04
3	0	D	0	3	0	<1	T	S	0	1	S	0	2	S	9	9	T04
3	1	D	0	3	1	<1	T	S	0	1	S	0	2	S	9	9	T04
3	2	D	0	3	2	<1	T	S	0	1	S	0	2	S	9	9	T04
3	3	D	0	3	3	<1	T	S	0	1	S	0	2	S	9	9	T04
3	4	D	0	3	4	<1	T	S	0	1	S	0	2	S	9	9	T04
3	5	D	0	3	5	<1	T	S	0	1	S	0	2	S	9	9	T04
3	6	D	0	3	6	<1	T	S	0	1	S	0	2	S	9	9	T04
3	7	D	0	3	7	<1	T	S	0	1	S	0	2	S	9	9	T04
3	8	D	0	3	8	<1	T	S	0	1	S	0	2	S	9	9	T04
3	9	D	0	3	9	174	T	S	0	1	S	0	2	S	9	9	T04

10. Description of Hazardous Wastes (Continued. Use this Additional Sheet(s) as necessary; number as 5 a, etc.)

Line Number	A. EPA Hazardous Waste No. (Enter code)			B. Estimated Annual Quantity of Waste	C. Unit of Measure (Enter code)	E. PROCESSES									(2) PROCESS DESCRIPTION (If a code is not entered in E(1))
	(1) PROCESS CODES (Enter code)														
4	0	D	0 4 0	<1	T	S	0	1	S	0	2	S	9	9	T04
		D	0 4 1	<1	T	S	0	1	S	0	2	S	9	9	T04
		D	0 4 2	<1	T	S	0	1	S	0	2	S	9	9	T04
		D	0 4 3	2631	T	S	0	1	S	0	2	S	9	9	T04
		F	0 0 1	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 0 2	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 0 3	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 0 4	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 0 5	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 0 6	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 0 7	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 0 8	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 0 9	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 1 0	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 1 1	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 1 2	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 1 9	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 2 0	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 2 1	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 2 2	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 2 3	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 2 4	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 2 5	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 2 6	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 2 7	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 2 8	<1	T	S	0	1	S	0	2	S	9	9	T04
		F	0 3 9	526	T	S	0	1	S	0	2	S	9	9	T04
		K	0 0 1	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0 0 2	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0 0 3	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0 0 4	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0 0 5	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0 0 6	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0 0 7	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0 0 8	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0 0 9	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0 1 0	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0 1 1	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0 1 3	<1	T	S	0	1	S	0	2	S	9	9	T04

10. Description of Hazardous Wastes (Continued. Use this Additional Sheet(s) as necessary; number as 5 a, etc.)																	
Line Number	A. EPA Hazardous Waste No. (Enter code)				B. Estimated Annual Quantity of Waste	C. Unit of Measure (Enter code)	E. PROCESSES									(2) PROCESS DESCRIPTION (If a code is not entered in E(1))	
	(1) PROCESS CODES (Enter code)																
4	0	K	0	1	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	1	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	1	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	1	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	1	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	1	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	2	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	2	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	2	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	2	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	2	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	2	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	2	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	2	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	2	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	2	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	3	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	3	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	3	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	3	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	3	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	3	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	3	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	3	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	3	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	3	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	4	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	4	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	4	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	4	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	4	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	4	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	4	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	4	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	4	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	4	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	5	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	5	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	5	2	<1	T	S	0	1	S	0	2	S	9	9	T04

10. Description of Hazardous Wastes (Continued. Use this Additional Sheet(s) as necessary; number as 5 a, etc.)																	
Line Number	A. EPA Hazardous Waste No. (Enter code)			B. Estimated Annual Quantity of Waste	C. Unit of Measure (Enter code)	E. PROCESSES									(2) PROCESS DESCRIPTION (If a code is not entered in E(1))		
	(1) PROCESS CODES (Enter code)																
4	0	K	0	6	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	6	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	6	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	6	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	6	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	6	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	6	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	7	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	7	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	8	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	8	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	8	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	8	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	8	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	8	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	9	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	9	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	9	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	9	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	9	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	9	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	9	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	9	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	0	9	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	0	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	0	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	0	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	0	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	0	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	0	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	0	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	0	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	0	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	0	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	1	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	1	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	1	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	1	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	1	4	<1	T	S	0	1	S	0	2	S	9	9	T04

10. Description of Hazardous Wastes (Continued. Use this Additional Sheet(s) as necessary; number as 5 a, etc.)																	
Line Number	A. EPA Hazardous Waste No. (Enter code)					B. Estimated Annual Quantity of Waste	C. Unit of Measure (Enter code)	E. PROCESSES								(2) PROCESS DESCRIPTION (If a code is not entered in E(1))	
	(1) PROCESS CODES (Enter code)																
4	0	K	1	1	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	1	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	1	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	1	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	2	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	2	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	2	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	2	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	3	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	3	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		K	1	3	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	0	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	0	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	0	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	0	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	0	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	0	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	0	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	0	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	0	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	1	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	1	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	1	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	1	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	1	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	1	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	1	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	1	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	1	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	2	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	2	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	2	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	2	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	2	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	2	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	2	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	2	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	2	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	3	0	<1	T	S	0	1	S	0	2	S	9	9	T04

10. Description of Hazardous Wastes (Continued. Use this Additional Sheet(s) as necessary; number as 5 a, etc.)

Line Number	A. EPA Hazardous Waste No. (Enter code)	B. Estimated Annual Quantity of Waste	C. Unit of Measure (Enter code)	E. PROCESSES											(2) PROCESS DESCRIPTION (If a code is not entered in E(1))
				(1) PROCESS CODES (Enter code)											
4	0	P 0 3 1	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 3 3	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 3 4	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 3 6	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 3 7	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 3 8	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 3 9	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 4 0	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 4 1	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 4 2	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 4 3	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 4 4	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 4 5	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 4 6	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 4 7	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 4 8	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 4 9	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 5 0	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 5 1	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 5 4	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 5 6	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 5 7	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 5 8	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 5 9	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 6 0	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 6 2	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 6 3	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 6 4	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 6 5	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 6 6	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 6 7	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 6 8	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 6 9	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 7 0	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 7 1	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 7 2	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 7 3	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 7 4	<1	T	S	0	1	S	0	2	S	9	9	T04	
		P 0 7 5	<1	T	S	0	1	S	0	2	S	9	9	T04	

10. Description of Hazardous Wastes (Continued. Use this Additional Sheet(s) as necessary; number as 5 a, etc.)

Line Number	A. EPA Hazardous Waste No. (Enter code)				B. Estimated Annual Quantity of Waste	C. Unit of Measure (Enter code)	E. PROCESSES									(2) PROCESS DESCRIPTION (If a code is not entered in E(1))	
	(1) PROCESS CODES (Enter code)																
4	0	P	0	7	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	7	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	7	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	8	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	8	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	8	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	8	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	8	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	8	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	8	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	9	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	9	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	9	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	9	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	9	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	9	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	9	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	0	9	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	0	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	0	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	0	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	0	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	0	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	0	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	0	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	0	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	1	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	1	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	1	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	1	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	1	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	1	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	1	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	1	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	1	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	2	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	2	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	2	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		P	1	2	3	<1	T	S	0	1	S	0	2	S	9	9	T04

10. Description of Hazardous Wastes (Continued. Use this Additional Sheet(s) as necessary; number as 5 a, etc.)

Line Number	A. EPA Hazardous Waste No. (Enter code)				B. Estimated Annual Quantity of Waste	C. Unit of Measure (Enter code)	E. PROCESSES									(2) PROCESS DESCRIPTION (If a code is not entered in E(1))	
	(1) PROCESS CODES (Enter code)																
4	0	U	0	0	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	0	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	0	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	0	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	0	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	0	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	0	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	0	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	0	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	1	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	1	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	1	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	1	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	1	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	1	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	1	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	1	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	1	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	2	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	2	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	2	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	2	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	2	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	2	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	2	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	2	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	2	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	2	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	3	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	3	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	3	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	3	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	3	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	3	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	3	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	3	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	3	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	3	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0	4	1	<1	T	S	0	1	S	0	2	S	9	9	T04

10. Description of Hazardous Wastes (Continued. Use this Additional Sheet(s) as necessary; number as 5 a, etc.)

Line Number	A. EPA Hazardous Waste No. (Enter code)			B. Estimated Annual Quantity of Waste	C. Unit of Measure (Enter code)	E. PROCESSES									
	(1) PROCESS CODES (Enter code)										(2) PROCESS DESCRIPTION (If a code is not entered in E(1))				
4	0	U	0 4 2	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 4 3	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 4 4	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 4 5	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 4 6	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 4 7	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 4 8	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 4 9	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 5 0	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 5 1	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 5 2	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 5 3	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 5 5	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 5 6	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 5 7	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 5 8	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 5 9	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 6 0	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 6 1	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 6 2	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 6 3	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 6 4	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 6 6	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 6 7	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 6 8	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 6 9	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 7 0	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 7 1	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 7 2	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 7 3	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 7 4	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 7 5	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 7 6	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 7 7	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 7 8	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 7 9	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 8 0	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 8 1	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	0 8 2	<1	T	S	0	1	S	0	2	S	9	9	T04

10. Description of Hazardous Wastes (Continued. Use this Additional Sheet(s) as necessary; number as 5 a, etc.)																	
Line Number	A. EPA Hazardous Waste No. (Enter code)				B. Estimated Annual Quantity of Waste	C. Unit of Measure (Enter code)	E. PROCESSES										(2) PROCESS DESCRIPTION (If a code is not entered in E(1))
	(1) PROCESS CODES (Enter code)																
4	0	0	8	3	<1	T	S	0	1	S	0	2	S	9	9	T04	
		0	8	4	<1	T	S	0	1	S	0	2	S	9	9	T04	
		0	8	5	<1	T	S	0	1	S	0	2	S	9	9	T04	
		0	8	6	<1	T	S	0	1	S	0	2	S	9	9	T04	
		0	8	7	<1	T	S	0	1	S	0	2	S	9	9	T04	
		0	8	8	<1	T	S	0	1	S	0	2	S	9	9	T04	
		0	8	9	<1	T	S	0	1	S	0	2	S	9	9	T04	
		0	9	0	<1	T	S	0	1	S	0	2	S	9	9	T04	
		0	9	1	<1	T	S	0	1	S	0	2	S	9	9	T04	
		0	9	2	<1	T	S	0	1	S	0	2	S	9	9	T04	
		0	9	3	<1	T	S	0	1	S	0	2	S	9	9	T04	
		0	9	4	<1	T	S	0	1	S	0	2	S	9	9	T04	
		0	9	5	<1	T	S	0	1	S	0	2	S	9	9	T04	
		0	9	6	<1	T	S	0	1	S	0	2	S	9	9	T04	
		0	9	7	<1	T	S	0	1	S	0	2	S	9	9	T04	
		0	9	8	<1	T	S	0	1	S	0	2	S	9	9	T04	
		0	9	9	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	0	1	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	0	2	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	0	3	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	0	5	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	0	6	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	0	7	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	0	8	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	0	9	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	1	0	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	1	1	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	1	2	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	1	3	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	1	4	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	1	5	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	1	6	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	1	7	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	1	8	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	1	9	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	2	0	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	2	1	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	2	2	<1	T	S	0	1	S	0	2	S	9	9	T04	
		1	2	3	<1	T	S	0	1	S	0	2	S	9	9	T04	

10. Description of Hazardous Wastes (Continued. Use this Additional Sheet(s) as necessary; number as 5 a, etc.)																	
Line Number	A. EPA Hazardous Waste No. (Enter code)				B. Estimated Annual Quantity of Waste	C. Unit of Measure (Enter code)	E. PROCESSES									(2) PROCESS DESCRIPTION (If a code is not entered in E(1))	
	(1) PROCESS CODES (Enter code)																
4	0	U	1	2	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	2	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	2	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	2	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	2	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	2	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	3	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	3	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	3	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	3	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	3	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	3	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	3	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	3	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	3	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	3	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	4	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	4	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	4	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	4	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	4	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	4	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	4	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	4	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	4	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	4	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	5	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	5	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	5	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	5	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	5	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	5	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	5	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	5	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	5	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	5	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	6	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	6	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		U	1	6	2	<1	T	S	0	1	S	0	2	S	9	9	T04

10. Description of Hazardous Wastes (Continued. Use this Additional Sheet(s) as necessary; number as 5 a, etc.)																	
Line Number	A. EPA Hazardous Waste No. (Enter code)				B. Estimated Annual Quantity of Waste	C. Unit of Measure (Enter code)	E. PROCESSES										
	(1) PROCESS CODES (Enter code)										(2) PROCESS DESCRIPTION (If a code is not entered in E(1))						
4	0	✓	1	6	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	6	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	6	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	6	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	6	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	6	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	6	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	7	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	7	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	7	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	7	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	7	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	7	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	7	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	7	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	7	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	8	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	8	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	8	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	8	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	8	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	8	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	8	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	8	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	8	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	9	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	9	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	9	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	9	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	9	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	9	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	1	9	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	0	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	0	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	0	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	0	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	0	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	0	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	0	6	<1	T	S	0	1	S	0	2	S	9	9	T04

10. Description of Hazardous Wastes (Continued. Use this Additional Sheet(s) as necessary; number as 5 a, etc.)																	
Line Number	A. EPA Hazardous Waste No. (Enter code)					B. Estimated Annual Quantity of Waste	C. Unit of Measure (Enter code)	E. PROCESSES									(2) PROCESS DESCRIPTION (If a code is not entered in E(1))
	(1) PROCESS CODES (Enter code)																
4	0	✓	2	0	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	0	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	0	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	1	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	1	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	1	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	1	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	1	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	1	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	1	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	1	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	1	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	2	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	2	1	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	2	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	2	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	2	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	2	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	2	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	2	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	3	2	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	3	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	3	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	3	5	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	3	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	3	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	3	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	3	9	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	4	0	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	4	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	4	4	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	4	6	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	4	7	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	2	4	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	3	2	8	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	3	5	3	<1	T	S	0	1	S	0	2	S	9	9	T04
		✓	3	5	9	<1	T	S	0	1	S	0	2	S	9	9	T04

11. Map (See instructions on pages 25 and 26)

Attach to this application a topographic map, or other equivalent map, of the area extending to at least one mile beyond property boundaries. The map must show the outline of the facility, the location of each of its existing and proposed intake and discharge structures, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it injects fluids underground. Include all springs, rivers and other surface water bodies in this map area. See instructions for precise requirements.

12. Facility Drawing (See instructions on page 26)

All existing facilities must include a scale drawing of the facility (see instructions for more detail).

13. Photographs (See instructions on page 26)

All existing facilities must include photographs (aerial or ground-level) that clearly delineate all existing structures; existing storage, treatment and disposal areas; and sites of future storage, treatment or disposal areas (see instructions for more detail).

14. Comments (See instructions on page 26)

No comments.

<p>SEND COMPLETED FORM TO: The Appropriate State or EPA Regional Office.</p>	<p>United States Environmental Protection Agency</p> <p>RCRA SUBTITLE C SITE IDENTIFICATION FORM</p>		
<p>1. Reason for Submittal (See instructions on page 14.)</p> <p>MARK ALL BOX(ES) THAT APPLY</p>	<p>Reason for Submittal:</p> <p><input type="checkbox"/> To provide Initial Notification of Regulated Waste Activity (to obtain an EPA ID Number for hazardous waste, universal waste, or used oil activities)</p> <p><input type="checkbox"/> To provide Subsequent Notification of Regulated Waste Activity (to update site identification information)</p> <p><input type="checkbox"/> As a component of a First RCRA Hazardous Waste Part A Permit Application</p> <p><input checked="" type="checkbox"/> As a component of a Revised RCRA Hazardous Waste Part A Permit Application (Amendment # _____)</p> <p><input type="checkbox"/> As a component of the Hazardous Waste Report</p>		
<p>2. Site EPA ID Number (page 15)</p>	<p>EPA ID Number</p> <p style="text-align: center;">L A D 0 0 0 6 1 8 2 5 6 </p>		
<p>3. Site Name (page 15)</p>	<p>Name: CECOS International, Inc., Calcasieu Facility</p>		
<p>4. Site Location Information (page 15)</p>	<p>Street Address: 918 Willow Springs Road</p>		
	<p>City, Town, or Village: Westlake</p>	<p>State: Louisiana</p>	
	<p>County Name: Calcasieu</p>	<p>Zip Code: 70669</p>	
<p>5. Site Land Type (page 15)</p>	<p>Site Land Type: <input checked="" type="checkbox"/> Private <input type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other</p>		
<p>6. North American Industry Classification System (NAICS) Code(s) for the Site (page 15)</p>	<p>A. 5 6 2 2 1 1 </p>	<p>B. </p>	
	<p>C. </p>	<p>D. </p>	
<p>7. Site Mailing Address (page 16)</p>	<p>Street or P. O. Box: P.O. Box 1849</p>		
	<p>City, Town, or Village: Sulphur</p>		
	<p>State: Louisiana</p>		
	<p>Country: U.S.A.</p>	<p>Zip Code: 70664</p>	
<p>8. Site Contact Person (page 16)</p>	<p>First Name: Oliver</p>	<p>MI:</p>	<p>Last Name: Ford, Jr.</p>
	<p>Phone Number: (337) 527-6857 Extension: 202</p>		<p>Email address: Oliver.Ford@awin.com</p>
<p>9. Operator and Legal Owner of the Site (pages 16 and 17)</p>	<p>A. Name of Site's Operator: BFI Waste Systems of North America, Inc.</p>		<p>Date Became Operator (mm/dd/yyyy): 06/01/1979</p>
	<p>Operator Type: <input checked="" type="checkbox"/> Private <input type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other</p>		
	<p>B. Name of Site's Legal Owner: CECOS International, Inc.</p>		<p>Date Became Owner (mm/dd/yyyy): 01/01/1986</p>
	<p>Owner Type: <input checked="" type="checkbox"/> Private <input type="checkbox"/> County <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other</p>		

9. Legal Owner (Continued) Address	Street or P. O. Box: 18500 North Allied Way	
	City, Town, or Village: Phoenix	
	State: AZ	
	Country: U.S.A.	Zip Code: 85054

10. Type of Regulated Waste Activity
Mark "Yes" or "No" for all activities; complete any additional boxes as instructed. (See instructions on pages 18 to 21.)

A. Hazardous Waste Activities
Complete all parts for 1 through 6.

Y N 1. Generator of Hazardous Waste
If "Yes", choose only one of the following - a, b, or c.

a. LQG: Greater than 1,000 kg/mo (2,200 lbs./mo.) of non-acute hazardous waste; or

b. SQG: 100 to 1,000 kg/mo (220 - 2,200 lbs./mo.) of non-acute hazardous waste; or

c. CESQG: Less than 100 kg/mo (220 lbs./mo.) of non-acute hazardous waste

In addition, indicate other generator activities.

Y N d. United States Importer of Hazardous Waste

Y N e. Mixed Waste (hazardous and radioactive) Generator

Y N 2. Transporter of Hazardous Waste

Y N 3. Treater, Storer, or Disposer of Hazardous Waste (at your site) Note: A hazardous waste permit is required for this activity.

Y N 4. Recycler of Hazardous Waste (at your site)

Y N 5. Exempt Boiler and/or Industrial Furnace
If "Yes", mark each that applies.

a. Small Quantity On-site Burner Exemption

b. Smelting, Melting, and Refining Furnace Exemption

Y N 6. Underground Injection Control

B. Universal Waste Activities

Y N 1. Large Quantity Handler of Universal Waste (accumulate 5,000 kg or more) [refer to your State regulations to determine what is regulated]. Indicate types of universal waste generated and/or accumulated at your site. If "Yes", mark all boxes that apply:

	<u>Generate</u>	<u>Accumulate</u>
a. Batteries	<input type="checkbox"/>	<input type="checkbox"/>
b. Pesticides	<input type="checkbox"/>	<input type="checkbox"/>
c. Thermostats	<input type="checkbox"/>	<input type="checkbox"/>
d. Lamps	<input type="checkbox"/>	<input type="checkbox"/>
e. Other (specify) _____	<input type="checkbox"/>	<input type="checkbox"/>
f. Other (specify) _____	<input type="checkbox"/>	<input type="checkbox"/>
g. Other (specify) _____	<input type="checkbox"/>	<input type="checkbox"/>

Y N 2. Destination Facility for Universal Waste
Note: A hazardous waste permit may be required for this activity.

C. Used Oil Activities
Mark all boxes that apply.

Y N 1. Used Oil Transporter
If "Yes", mark each that applies.

a. Transporter

b. Transfer Facility

Y N 2. Used Oil Processor and/or Re-refiner
If "Yes", mark each that applies.

a. Processor

b. Re-refiner

Y N 3. Off-Specification Used Oil Burner

Y N 4. Used Oil Fuel Marketer
If "Yes", mark each that applies.

a. Marketer Who Directs Shipment of Off-Specification Used Oil to Off-Specification Used Oil Burner

b. Marketer Who First Claims the Used Oil Meets the Specifications

11. Description of Hazardous Wastes (See instructions on page 22.)

A. Waste Codes for Federally Regulated Hazardous Wastes. Please list the waste codes of the Federal hazardous wastes handled at your site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more spaces are needed.

D001	D002	D003	D004	D005	D006	D007
D008	D009	D010	D011	D012	D013	D014
D015	D016	D017	D018	D019	D020	D021

B. Waste Codes for State-Regulated (i.e., non-Federal) Hazardous Wastes. Please list the waste codes of the State-regulated hazardous wastes handled at your site. List them in the order they are presented in the regulations. Use an additional page if more spaces are needed for waste codes.

12. Comments (See instructions on page 22.)

This permit application applies to the 11.3-acre above-ground storage tank facility for hazardous and non-hazardous wastes at the CECOS International, Inc. Calcasieu Facility. The storage tank facility comprises the following hazardous waste units: oil-water separators OWS-1, OWS-2, OWS-3; and hazardous waste tanks T-1, T-3, T-4, T-5, and T-9. See the attached pages for additional information on unit capacities. The storage tank facility also includes the following non-hazardous waste units: oil-water separator OWS-4; and non-hazardous waste tanks T-2, T-6, T-7, T-8, T-10, and T-11. The storage tank facility also includes a roll-off container in the truck unloading area designated for less-than-90-day storage of hazardous wastes. The CECOS International, Inc. Calcasieu facility also includes a closed hazardous waste disposal facility and an underground injection well, but these are not included in this permit application. The underground injection well is noted here at the request of the LDEQ. It is not a "facility" for the purposes of this permit application, and is permitted under a separate regulatory authority.

13. Certification. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. For the RCRA Hazardous Waste Part A Permit Application, all operator(s) and owner(s) must sign (see 40 CFR 270.10 (b) and 270.11). (See instructions on page 22.)

Signature of operator, owner, or an authorized representative	Name and Official Title (type or print)	Date Signed (mm/dd/yyyy)
	Joe Benco - Director, Engineering	03/04/2009

Waste Codes for Federally Regulated Hazardous Wastes Continued

D022	F039	K038	K098	P010	P051	P098	U016	U055	U093	U132	U169	U211
D023	K001	K039	K099	P011	P054	P099	U017	U056	U094	U133	U170	U213
D024	K002	K040	K100	P012	P056	P101	U018	U057	U095	U134	U171	U214
D025	K003	K041	K101	P013	P057	P102	U019	U058	U096	U135	U172	U215
D026	K004	K042	K102	P014	P058	P103	U020	U059	U097	U136	U173	U216
D027	K005	K043	K103	P015	P059	P104	U021	U060	U098	U137	U174	U217
D028	K006	K044	K104	P016	P060	P105	U022	U061	U099	U138	U176	U218
D036	K007	K045	K105	P017	P062	P107	U023	U062	U101	U139	U177	U219
D037	K008	K046	K106	P018	P063	P108	U024	U063	U102	U140	U178	U220
D038	K009	K047	K107	P020	P064	P109	U025	U064	U103	U141	U179	U221
D039	K010	K048	K108	P021	P065	P110	U026	U066	U105	U142	U180	U222
D040	K011	K049	K109	P022	P066	P111	U027	U067	U106	U143	U181	U223
D041	K013	K050	K110	P023	P067	P112	U028	U068	U107	U144	U182	U225
D042	K014	K051	K111	P024	P068	P113	U029	U069	U108	U145	U183	U226
D043	K015	K052	K112	P026	P069	P114	U030	U070	U109	U146	U184	U227
F001	K016	K060	K113	P027	P070	P115	U031	U071	U110	U147	U185	U228
F002	K017	K061	K114	P028	P071	P116	U032	U072	U111	U148	U186	U232
F003	K018	K062	K115	P029	P072	P118	U033	U073	U112	U149	U187	U233
F004	K019	K064	K116	P030	P073	P119	U034	U074	U113	U150	U188	U234
F005	K020	K065	K117	P031	P074	P120	U035	U075	U114	U151	U190	U235
F006	K021	K066	K118	P033	P075	P121	U036	U076	U115	U152	U191	U236
F007	K022	K069	K123	P034	P076	P122	U037	U077	U116	U153	U192	U237
F008	K023	K071	K124	P036	P077	P123	U038	U078	U117	U154	U193	U238
F009	K024	K073	K125	P037	P078	U001	U039	U079	U118	U155	U194	U239
F010	K025	K083	K126	P038	P081	U002	U041	U080	U119	U156	U196	U240
F011	K026	K084	K131	P039	P082	U003	U042	U081	U120	U157	U197	U243
F012	K027	K085	K132	P040	P084	U004	U043	U082	U121	U158	U200	U244
F019	K028	K086	K136	P041	P085	U005	U044	U083	U122	U159	U201	U246
F020	K029	K087	P001	P042	P087	U006	U045	U084	U123	U160	U202	U247
F021	K030	K088	P002	P043	P088	U007	U046	U085	U124	U161	U203	U248
F022	K031	K090	P003	P044	P089	U008	U047	U086	U125	U162	U204	U328
F023	K032	K091	P004	P045	P092	U009	U048	U087	U126	U163	U205	U353
F024	K033	K093	P005	P046	P093	U010	U049	U088	U127	U164	U206	U359
F025	K034	K094	P006	P047	P094	U011	U050	U089	U128	U165	U207	
F026	K035	K095	P007	P048	P095	U012	U051	U090	U129	U166	U208	
F027	K036	K096	P008	P049	P096	U014	U052	U091	U130	U167	U209	
F028	K037	K097	P009	P050	P097	U015	U053	U092	U131	U168	U210	

OWS-1 – 500 gallon capacity oil-water separator for groundwater from the closed portion of the Calcasieu facility.

OWS-2 – 500 gallon capacity oil-water separator for leachate from the closed portion of the Calcasieu facility.

OWS-3 – 6,000 gallon capacity oil-water separator used for hazardous wastes transported to site by tank truck.

T-1 – 275,000 gallon capacity carbon steel tank. Approximately 36 feet high with a diameter of approximately 36 feet.

T-3 – 20,000 gallon capacity fiberglass reinforced plastic tank. Vertical tank with a straight-side height of approximately 18 feet and a diameter of approximately 14 feet.

T-4 – 20,000 gallon capacity fiberglass reinforced plastic tank. Vertical tank with a straight-side height of approximately 17.5 feet and a diameter of approximately 14 feet.

T-5 – 12,700 gallon capacity fiberglass reinforced plastic tank. Vertical tank with a straight-side height of approximately 15 feet and a diameter of approximately 12 feet.

T-9 – 12,700 gallon capacity fiberglass reinforced plastic tank. Vertical tank with a straight-side height of approximately 18 feet and a diameter of approximately 12 feet.

**MAIL
COMPLETED FORM
TO:**

LDEQ/OES/
Environmental Assistance
Division/CAS
PO Box 4313
Baton Rouge, LA
70821-4313

United States Environmental Protection Agency
and

STATE OF LOUISIANA

**DEPARTMENT OF ENVIRONMENTAL QUALITY
NOTIFICATION OF HAZARDOUS WASTE ACTIVITY
RCRA SUBTITLE C SITE IDENTIFICATION FORM**



1. Reason for Submittal CHOOSE ONLY ONE REASON PER SUBMITTAL	A. Reason for Submittal: <input type="checkbox"/> To provide initial notification (to obtain an EPA ID Number for hazardous waste, universal waste, or used oil activities). <input type="checkbox"/> To provide subsequent notification (to update site identification information). or <input type="checkbox"/> As a component of a First RCRA Hazardous Waste Part A Permit Application. <input checked="" type="checkbox"/> As a component of a Revised RCRA Hazardous Waste Part A Permit Application (Amendment # _____). or <input type="checkbox"/> As a component of the Hazardous Waste Report.		
	B. Number of Employees: 5		
2. Site EPA ID Number	EPA ID Number: LAD000618256		
3. Site Name	Legal Name: CECOS International, Inc., Calcasieu Facility		
4. Site Location (Physical address, NOT PO Box or Route)	Street Address: 918 Willow Springs Road		
	City, Town, or Village: Westlake	State: Louisiana	
	County/Parish Name: Calcasieu	Zip Code: 70669	
Site Land Type	Site Land Type: <input checked="" type="checkbox"/> Private <input type="checkbox"/> County/Parish <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other		
6. North American Industry Classification System (NAICS) Code(s)	A. 562211	B.	
	C.	D.	
7. Site Mailing Address	Street or P. O. Box: P.O. Box 1849		
	City, Town, or Village: Sulphur		
	State: Louisiana		
	County/Parish Name: Calcasieu	Zip Code: 70664	
8. Site Contact Person	First Name: Oliver	MI:	Last Name: Ford, Jr.
	Phone Number: (337) 527-6857	Phone Number Extension: 202	
9. Legal Owner and Operator of the Site (see instructions)	A. Name of Site's Legal Owner: BFI Waste Systems of North America, Inc.		Date Became Owner (mm/dd/yyyy): 06/01/1979
	Owner Type: <input checked="" type="checkbox"/> Private <input type="checkbox"/> County/Parish <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other		
	B. Name of Site's Operator: CECOS International, Inc.		Date Became Operator (mm/dd/yyyy): 01/01/1986
	Operator Type: <input checked="" type="checkbox"/> Private <input type="checkbox"/> County/Parish <input type="checkbox"/> District <input type="checkbox"/> Federal <input type="checkbox"/> Indian <input type="checkbox"/> Municipal <input type="checkbox"/> State <input type="checkbox"/> Other		

10. Type of Regulated Waste Activity (Mark 'X' in the appropriate boxes)

A. Hazardous Waste Activities

1. Generator of Hazardous Waste

(Select one of the following categories)

- a. LOG: Greater than 1,000 kg/mo (2,200 lbs.)
Non-acute hazardous waste; or
- b. SQG: 100 to 1,000 kg/mo (220 - 2,200 lbs.)
Non-acute hazardous waste; or
- c. CESQG: Less than 100 kg/mo
Non-acute hazardous waste
- d. NON-GENERATOR

In addition, indicate other generator activities (check all that apply)

- e. United States Importer of Hazardous Waste
- f. Mixed Waste (hazardous and radioactive) Generator

For Items 2 through 6, check all that apply:

2. Transporter of Hazardous Waste

- Transfer Facility Status
(Transporter status must be indicated above)

3. Treater, Storer, or Disposer of HW (at your site)
Note: A hazardous waste permit is required for this activity.

- Permitted Interim Status Proposed

4. Recycler of Hazardous Waste (at your site)
Note: A hazardous waste permit may be required for this activity.

5. Exempt Boiler and/or Industrial Furnace

- a. Small Quantity On-site Burner Exemption
- b. Smelting, Melting, Refining Furnace Exemption

6. Underground Injection Control

B. Universal Waste Activities (Indicate Activity Type)

1. Large Quantity Handler of Universal Waste [refer to your State regulations to determine what is regulated]. Indicate types of universal waste generated and/or accumulated at your site. (check all boxes that apply):

	Generated	Accumulated
a. Batteries	<input type="checkbox"/>	<input type="checkbox"/>
b. Pesticides	<input type="checkbox"/>	<input type="checkbox"/>
c. Lamps	<input type="checkbox"/>	<input type="checkbox"/>
d. Antifreeze	<input type="checkbox"/>	<input type="checkbox"/>
e. Mercury-containing equipment	<input type="checkbox"/>	<input type="checkbox"/>
f. Electronics	<input type="checkbox"/>	<input type="checkbox"/>

2. Destination Facility for Universal Waste
Note: A hazardous waste permit may be required for this activity.

C. Used Oil Activities (Indicate Activity Type)

1. Used Oil Transporter

- a. Transporter
- b. Transfer Facility

2. Used Oil Processor and/or Re-refiner

- a. Processor
- b. Re-refiner

3. Off-Specification Used Oil Burner

4. Used Oil Fuel Marketer

- a. Marketer Who Directs Shipment of Off-Specification Used Oil to Off-Specification Used Oil Burner
- b. Marketer Who First Claims the Used Oil Meets the Specifications

5. Used Oil Fuel Burner
(Indicate Combustion Device(s))

- Utility Boiler Industrial Boiler Industrial Furnace

11. Description of Hazardous Wastes

A. Waste Codes for Federally Regulated Hazardous Wastes. Please list the waste codes of the Federal hazardous wastes handled at your site. List them in the order they are presented in the regulations (e.g., D001, D003, F007, U112). Use an additional page if more spaces are needed.

D001	D002	D003	D004	D005	D006	D007
D008	D009	D010	D011	D012	D013	D014


B. Waste Codes for State-Regulated (i.e., non-Federal) Hazardous Wastes. Please list the waste codes of the State-regulated hazardous wastes handled at your site. List them in the order they are presented in the regulations. Use an additional page if more spaces are needed for waste codes.

D011	D012	D013	D014	D015	D016	D017
D018	D019	D020	D021	Continued on attached sheet...		

12. Comments

This permit application applies to the 11.3-acre above-ground storage tank facility for hazardous and non-hazardous wastes at the CECOS International, Inc. Calcasieu Facility. ~~The storage tank facility comprises the following hazardous waste units: oil-water separators OWS-1, OWS-2, OWS-3; and hazardous waste tanks T-1, T-3, T-4, T-5, and T-9.~~ See the attached pages for additional information on unit capacities. The storage tank facility also includes the following non-hazardous waste units: oil-water separator OWS-4; and non-hazardous waste tanks T-2, T-6, T-7, T-8, T-10, and T-11. The storage tank facility also includes a roll-off container in the truck unloading area designated for less-than-90-day storage of hazardous wastes. The CECOS International, Inc. Calcasieu facility also includes a closed hazardous waste disposal facility and an underground injection well, but these are not included in this permit application. The underground injection well is noted here at the request of the LDEQ. It is not a "facility" for the purposes of this permit application, and is permitted under a separate regulatory authority.

13. Certification. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature of owner, operator, or an authorized representative	Name and Official Title (type or print)	Date Signed (mm-dd-yyyy)
	Joe Benco - Director, Engineering	03-04-2009

Waste Codes for Federally Regulated Hazardous Wastes Continued

D022	F039	K038	K098	P010	P051	P098	U016	U055	U093	U132	U169	U211
D023	K001	K039	K099	P011	P054	P099	U017	U056	U094	U133	U170	U213
D024	K002	K040	K100	P012	P056	P101	U018	U057	U095	U134	U171	U214
D025	K003	K041	K101	P013	P057	P102	U019	U058	U096	U135	U172	U215
D026	K004	K042	K102	P014	P058	P103	U020	U059	U097	U136	U173	U216
D027	K005	K043	K103	P015	P059	P104	U021	U060	U098	U137	U174	U217
D028	K006	K044	K104	P016	P060	P105	U022	U061	U099	U138	U176	U218
D036	K007	K045	K105	P017	P062	P107	U023	U062	U101	U139	U177	U219
D037	K008	K046	K106	P018	P063	P108	U024	U063	U102	U140	U178	U220
D038	K009	K047	K107	P020	P064	P109	U025	U064	U103	U141	U179	U221
D039	K010	K048	K108	P021	P065	P110	U026	U066	U105	U142	U180	U222
D040	K011	K049	K109	P022	P066	P111	U027	U067	U106	U143	U181	U223
D041	K013	K050	K110	P023	P067	P112	U028	U068	U107	U144	U182	U225
D042	K014	K051	K111	P024	P068	P113	U029	U069	U108	U145	U183	U226
D043	K015	K052	K112	P026	P069	P114	U030	U070	U109	U146	U184	U227
F001	K016	K060	K113	P027	P070	P115	U031	U071	U110	U147	U185	U228
F002	K017	K061	K114	P028	P071	P116	U032	U072	U111	U148	U186	U232
F003	K018	K062	K115	P029	P072	P118	U033	U073	U112	U149	U187	U233
F004	K019	K064	K116	P030	P073	P119	U034	U074	U113	U150	U188	U234
F005	K020	K065	K117	P031	P074	P120	U035	U075	U114	U151	U190	U235
F006	K021	K066	K118	P033	P075	P121	U036	U076	U115	U152	U191	U236
F007	K022	K069	K123	P034	P076	P122	U037	U077	U116	U153	U192	U237
F008	K023	K071	K124	P036	P077	P123	U038	U078	U117	U154	U193	U238
F009	K024	K073	K125	P037	P078	U001	U039	U079	U118	U155	U194	U239
F010	K025	K083	K126	P038	P081	U002	U041	U080	U119	U156	U196	U240
F011	K026	K084	K131	P039	P082	U003	U042	U081	U120	U157	U197	U243
F012	K027	K085	K132	P040	P084	U004	U043	U082	U121	U158	U200	U244
F019	K028	K086	K136	P041	P085	U005	U044	U083	U122	U159	U201	U246
F020	K029	K087	P001	P042	P087	U006	U045	U084	U123	U160	U202	U247
F021	K030	K088	P002	P043	P088	U007	U046	U085	U124	U161	U203	U248
F022	K031	K090	P003	P044	P089	U008	U047	U086	U125	U162	U204	U328
F023	K032	K091	P004	P045	P092	U009	U048	U087	U126	U163	U205	U353
F024	K033	K093	P005	P046	P093	U010	U049	U088	U127	U164	U206	U359
F025	K034	K094	P006	P047	P094	U011	U050	U089	U128	U165	U207	
F026	K035	K095	P007	P048	P095	U012	U051	U090	U129	U166	U208	
F027	K036	K096	P008	P049	P096	U014	U052	U091	U130	U167	U209	
F028	K037	K097	P009	P050	P097	U015	U053	U092	U131	U168	U210	

OWS-1 – 500 gallon capacity oil-water separator for groundwater from the closed portion of the Calcasieu facility.

OWS-2 – 500 gallon capacity oil-water separator for leachate from the closed portion of the Calcasieu facility.

OWS-3 – 6,000 gallon capacity oil-water separator used for hazardous wastes transported to site by tank truck.

T-1 – 275,000 gallon capacity carbon steel tank. Approximately 36 feet high with a diameter of approximately 36 feet.

T-3 – 20,000 gallon capacity fiberglass reinforced plastic tank. Vertical tank with a straight-side height of approximately 18 feet and a diameter of approximately 14 feet.

T-4 – 20,000 gallon capacity fiberglass reinforced plastic tank. Vertical tank with a straight-side height of approximately 17.5 feet and a diameter of approximately 14 feet.

T-5 – 12,700 gallon capacity fiberglass reinforced plastic tank. Vertical tank with a straight-side height of approximately 15 feet and a diameter of approximately 12 feet.

T-9 – 12,700 gallon capacity fiberglass reinforced plastic tank. Vertical tank with a straight-side height of approximately 18 feet and a diameter of approximately 12 feet.

TABLE OF CONTENTS

TABLE OF CONTENTS

I.	PERMIT PREAMBLE	1
II.	GENERAL PERMIT CONDITIONS	5
	A. DURATION OF PERMIT	5
	B. EFFECT OF PERMIT	5
	C. PERMIT ACTIONS	5
	D. SEVERABILITY	6
	E. DUTIES AND REQUIREMENTS	6
III.	GENERAL FACILITY CONDITIONS	18
	A. DESIGN AND OPERATION OF ALL FACILITIES	18
	B. REQUIRED NOTICE	19
	C. GENERAL WASTE ANALYSIS	19
	D. SECURITY	20
	E. GENERAL INSPECTION REQUIREMENTS	20
	F. PERSONNEL TRAINING	20
	G. GENERAL REQUIREMENTS FOR IGNITABLE, REACTIVE, OR INCOMPATIBLE WASTE	21
	H. LOCATION STANDARDS	21
	I. PRECIPITATION RUN-ON AND RUN-OFF	21
	J. HURRICANE EVENTS	21
	K. PREPAREDNESS AND PREVENTION	21
	L. CONTINGENCY PLAN	22
	M. MANIFEST SYSTEM	23

TABLE OF CONTENTS
(Continued)

N.	RECORD KEEPING AND REPORTING	23
O.	CLOSURE.....	23
P.	POST-CLOSURE	25
Q.	COST ESTIMATES FOR CLOSURE/POST-CLOSURE	25
R.	FINANCIAL ASSURANCE FOR FACILITY CLOSURE	26
S.	LIABILITY REQUIREMENTS	26
T.	INCAPACITY OF THE PERMITTEE.....	26
IV.	PERMITTED FACILITIES	27
A.	TANKS (TABLE 2).....	27
V.	PERMIT CONDITIONS APPLICABLE TO PERMITTED FACILITIES	29
A.	TANKS.....	29
VI.	GROUNDWATER PROTECTION	40
A.	APPLICABILITY	40
B.	REQUIRED PROGRAMS.....	40
VII.	SPECIAL CONDITIONS PURSUANT TO THE HAZARDOUS AND SOLID WASTE AMENDMENTS (HWA) TO RCRA	41

LIST OF ATTACHMENTS

ATTACHMENT 1.....	LIST OF FACILITY DOCUMENTS INCORPORATED IN PERMIT BY REFERENCE
-------------------	---

**BODY
OF PERMIT**

DRAFT
HAZARDOUS WASTE OPERATING PERMIT RENEWAL
CECOS INTERNATIONAL, INC. – WESTLAKE FACILITY
TREATMENT AND STORAGE
EPA ID# LAD 000 618 256
WESTLAKE, LOUISIANA
CALCASIEU PARISH

Agency Interest #276
PER20020001
Permit Number LAD 000 618 256-OP-RN-1

For

TANKS
Oil Water Separator (OWS-1)
Oil Water Separator (OWS-2)
Oil Water Separator (OWS-3)
Tank (T-1)
Tank (T-3)
Tank (T-4)
Tank (T-5)
Tank (T-9)

I. PERMIT PREAMBLE

This permit is issued to CECOS International, Inc., Westlake facility, Westlake, Calcasieu Parish, Louisiana (hereinafter referred to as the "Permittee"), by the Louisiana Department of Environmental Quality (LDEQ) under authority of the Louisiana Hazardous Waste Control Law, La. R.S. 30:2171 et seq., and the regulations adopted thereunder, and by the United States Environmental Protection Agency (EPA) under the authority of the 1984 Hazardous and Solid Waste Amendments (HSWA) to the Resource Conservation and Recovery Act (RCRA).

For the purposes of this permit, "Administrative Authority" shall mean the Secretary of the LDEQ or his/her designee.

This permit is based on information submitted in the permit application, and all subsequent amendments, and on the applicant's certification that such information is accurate and that all facilities will be constructed, operated and maintained as specified in the application.

This permit is conditioned upon full compliance with all applicable provisions of the Louisiana Hazardous Waste Control Law, La. R.S. 30:2171 et seq., and the regulations adopted thereunder.

All definitions contained in this permit shall have the meaning as defined in the Louisiana Administrative Code (LAC), Title 33, Part V, Subpart 1 unless otherwise stated herein.

All regulating citations are defined as being the regulation in effect on the date of issuance of this permit. New and/or amended regulations are not included as permit requirements until permit modification procedures, as specified in Condition II.C of this permit, are completed, except as provided by LAC 33:V.307.A.

GLOSSARY OF TERMS

For the purpose of this permit, terms used herein shall have the same meaning as those in LAC 33:V.Subpart 1 unless the contexts of use in this permit clearly indicates otherwise. Where terms are not otherwise defined, the meaning otherwise associated with such terms shall be as defined by a standard dictionary reference or the generally accepted scientific or industrial meaning of the term.

"Administrative Authority" means the secretary of the Louisiana Department of Environmental Quality (LDEQ) or his/her designee or the appropriate assistant secretary or his/her designee.

"Application" refers to the RCRA Part B Permit Application and subsequent amendments submitted by the Permittee for obtaining a Permit.

"Area of Concern" (AOC) means any discernable unit or area, which, in the opinion of the Administrative Authority, may have received solid or hazardous waste or waste containing hazardous constituents at any time. The Administrative Authority may require investigation of the unit to determine if it is a Solid Waste Management Unit (SWMU). If shown to be a SWMU by the investigation, the AOC must be reported by the Permittee as a newly identified SWMU. If the AOC is shown not to be a SWMU by the investigation, the Administrative Authority may determine that no further action is necessary and notify the Permittee in writing.

"Area of Investigation" (AOI) is a zone contiguous to and including impacted media defined vertically and horizontally by the presence of one or more constituents in concentrations exceeding the limiting SS, MO-1 RS, or MO-2 RS (depending on the option being implemented).

"CFR" means the Code of Federal Regulations.

"CWA" means Clean Water Act, 33 U.S.C. § 1251 et seq.

"Corrective Action" is an activity conducted to protect human health and the environment.

"Department" means the Louisiana Department of Environmental Quality (LDEQ).

"EPA" means the United States Environmental Protection Agency.

"HSWA" means the 1984 Hazardous and Solid Waste Amendments to RCRA.

"Hazardous constituent" means any constituent identified in LAC 33:V.Chapter 31. Table 1, or any constituent identified in LAC 33:V.3325. Table 4.

"LDEQ" means the Louisiana Department of Environmental Quality.

"LELAP" means the Louisiana Environmental Laboratory Accreditation Program.

"**Operating record**" means written or electronic records of all maintenance, monitoring, inspection, calibration, or performance testing or other data as may be required--to demonstrate compliance with this Permit, document noncompliance with this Permit, or document actions taken to remedy noncompliance with this Permit. A minimum list of documents that must be included in the operating record are identified at LAC 33:V.1529.b.

"**Permittee**" means CECOS International, Incorporated, located at, 918 Willow Springs Road, Westlake, Louisiana 70669.

"**RCRA Permit**" means the full permit, with the Resource Conservation and Recovery Act (RCRA) and 1984 Hazardous and Solid Waste Amendments (HSWA) to RCRA portions.

"**RFA**" means RCRA Facility Assessment.

"**RFI**" means RCRA Facility Investigation.

"**Release**" means any spilling, leaking, pouring, emitting, emptying, discharging, injecting, pumping, escaping, leaching, dumping or disposing of hazardous wastes (including hazardous constituents) into the environment (including the abandonment or discarding of barrels, containers, and other closed receptacles containing hazardous wastes or hazardous constituents).

"**SARA**" means Superfund Amendments and Reauthorization Action of 1985.

"**Solid Waste Management Unit**" (SWMU) mean any discernable unit at which solid wastes have been placed at any time, irrespective of whether the unit was intended for the management of solid or hazardous waste. Such units include any area at a facility at which solid wastes have been routinely and systematically released.

"**Stabilization**" is an action taken for the purpose of controlling or abating threats to human health or the environment from releases or preventing or minimizing the further spread of contaminants while long-term remedies are pursued.

"**TCLP**" means Toxicity Characteristic Leaching Procedure.

If, subsequent to the issuance of this Permit, regulations are promulgated which redefine any of the above terms, the Administrative Authority may, at its discretion, apply the new definition to this Permit.

II. GENERAL PERMIT CONDITIONS

II.A. DURATION OF PERMIT

This permit is effective as of the date indicated on the accompanying signature page and shall remain in effect for a period of ten (10) years from the effective date, unless suspended, modified, revoked and reissued or terminated for just cause.

II.B. EFFECT OF PERMIT

This permit authorizes the Permittee to store and treat hazardous waste in accordance with the conditions of this permit. The Permittee is prohibited from any storage, treatment or disposal of hazardous waste not authorized by statute, regulation or this permit. Compliance with this permit during its term constitutes compliance for purposes of enforcement, with LAC 33:V.Subpart 1, except for those requirements not included in the permit under LAC 33:V.307.A.1-4, and with Subtitle C of RCRA, HSWA, and Chapter 9 of the Louisiana Environmental Quality Act (Act). However, compliance with the terms of this permit does not constitute a defense to any order issued or any action brought under Section 3013 or Section 7003 of RCRA, the Act (La. R.S.30:2001 et seq.) or under Section 106(a) of the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 {42 U.S.C. 9606 (a)}.

In accordance with LAC 33:V.307.B and C, issuance of this permit does not convey property rights of any sort or any exclusive privilege; nor does it authorize any injury to persons or property, any invasion of other private rights, or any infringement of state or local laws or regulations.

II.C. PERMIT ACTIONS

Any inaccuracies found in the permit application may be cause for revocation or modification of this permit. The Permittee must inform the Administrative Authority of any deviation from, changes in, or inaccuracies in the information in the permit application.

The Administrative Authority may suspend, modify, revoke and reissue, or terminate the permit for cause or when necessary to be protective of human health or the environment as specified in 40 CFR 270.41, 270.42, 270.43 or the LAC 33:V.309.F, 311.A, or 323. The Administrative Authority may modify the permit when the standards or regulations on which the permit was based have been changed by promulgation of amended standards or regulations or by judicial decision after the permit was issued. The filing of a request for permit modification, revocation and reissuance, or termination or a notification of

planned changes or anticipated noncompliance on the part of the Permittee does not stay the applicability or enforceability of any permit condition.

II.D. SEVERABILITY

The conditions of this permit are severable and if any provision of this permit or the application of any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances and the remainder of this permit shall not be affected thereby.

II.E. DUTIES AND REQUIREMENTS

II.E.1. Duty to Comply

The Permittee shall comply with all conditions of this permit, except to the extent and for the duration such noncompliance may be authorized by an emergency permit. Any permit noncompliance, other than noncompliance authorized by an emergency permit (LAC 33:V.701), constitutes a violation of the LAC 33:V.Subpart 1 and the Act is grounds for enforcement action which may include permit termination, permit revocation and reissuance, permit modification, or denial of a permit renewal application.

II.E.2. Duty to Reapply

If the Permittee wishes to continue an activity regulated by this permit after the expiration date of this permit, the Permittee must reapply for the permit as required by LAC 33:V.303.N and 309.B. Notification shall be at least 180 calendar days before the permit expires.

II.E.3. Permit Extension

This permit and all conditions herein will remain in effect beyond the permit's expiration date until the Administrative Authority issues a final decision on the re-application, provided the Permittee has submitted a timely, complete new permit application as provided in the LAC 33:V.309.B and 315.A.

II.E.4. Need to Halt or Reduce Activity Not a Defense

It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

II.E.5. Duty to Mitigate

The Permittee shall immediately take all reasonable steps to minimize or correct any adverse impact on the environment resulting from noncompliance with the conditions of this permit as required by the LAC 33:V.309.D.

II.E.6. Proper Operation and Maintenance

The Permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related ancillary equipment and/or appurtenances) that are installed or used by the Permittee to achieve compliance with the conditions of this permit. Proper operation and maintenance includes effective performance, adequate funding, adequate operator staffing and training, and adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems only when necessary to achieve compliance with the conditions of the permit and in accordance with LAC 33:V.309.E.

II.E.7. Duty to Provide Information

The Permittee shall furnish to the Administrative Authority, within a reasonable time, any information which the Administrative Authority may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. The Permittee shall also furnish to the Administrative Authority upon request, copies of records required to be kept by this permit and in accordance with LAC 33:V.309.H.

II.E.8. Inspection and Entry

In accordance with LAC 33:V.309.I, the Permittee shall allow the Administrative Authority or an authorized representative, upon the presentation of credentials and other documents as may be required by law, to:

- II.E.8.a.** enter upon the Permittee's premises where a regulated activity is located or conducted, or where records must be maintained under the conditions of this permit;
- II.E.8.b.** have access to and copy, at reasonable times, any records that must be maintained under the conditions of this permit;

- II.E.8.c.** inspect, at reasonable times, any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit; and
- II.E.8.d.** sample or monitor, at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by the Administrative Authority any substances or parameters at any location.

II.E.9. Monitoring and Records

- II.E.9.a.** Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity, in accordance with LAC 33:V.309.J.1. The method used to obtain a representative sample of the waste to be analyzed must be the appropriate method from Appendix I of 40 CFR Part 261. Laboratory methods must be those specified in Test Methods for Evaluating Solid Waste: Physical/Chemical Methods, "SW-846", latest version; Manual of Ground Water Quality Sampling Procedures, 1981, EPA-600/2-81-160, as revised; Procedures Manual for Ground Water Monitoring at Solid Waste Disposal Facilities, 1977, EPA-530/SW-611, as revised; or an equivalent method; or an equivalent method as specified in the attached Waste Analysis Plan as referenced in Attachment 1.
- II.E.9.b.** Records of monitoring information, in accordance with LAC 33:V.309.J.3, shall include, but are not limited to:
 - II.E.9.b.i.** the date, exact place, and time of sampling or measurements;
 - II.E.9.b.ii.** the name(s) and signature(s) of the individual(s) who performed the sampling or measurements;
 - II.E.9.b.iii.** the date(s) analyses were performed;
 - II.E.9.b.iv.** the name(s) and signature(s) of the individual(s) who performed the analysis;
 - II.E.9.b.v.** the analytical techniques or methods used; and
 - II.E.9.b.vi.** the results of such analyses; and
 - II.E.9.b.vii.** associated quality assurance performance data.

II.E.9.c. Laboratory Quality Assurance/Quality Control

In order to ensure the accuracy, precision and reliability of data generated for use, the Permittee shall submit a statement, certified as specified in LAC 33:V.513 and included in the annual report, indicating that:

II.E.9.c.i. Any commercial laboratory providing analytical results and test data to the LDEQ required by this permit is accredited by the Louisiana Environmental Laboratory Accreditation Program (LELAP) in accordance with LAC 33:I.Subpart 3, Chapter 45. Laboratory data generated by commercial laboratories not accredited under LELAP will not be accepted by the LDEQ.

LAC 33:I.Subpart 3 (Chapters 45-49) provides requirements for accreditation program. Regulation and a list of labs that have applied for accreditation are available on the LDEQ website located at: <http://www.deq.louisiana.gov/portal/tabid/2412/Default.aspx>.

In accordance with LAC 33:I.4501, the requirements for LELAP accreditation apply whenever data is:

- submitted on behalf of a facility;
- required as part of a permit application;
- required by order of the LDEQ;
- required to be included in a monitoring report submitted to the LDEQ;
- required to be submitted by contract; or
- otherwise required by the LDEQ regulations.

II.E.9.c.ii. If the Permittee decides to use its own in-house laboratory for test and analysis, the laboratory is not required to be accredited by LELAP. However, the laboratory must document quality assurance/quality control procedures that are commensurate with requirements in LAC 33:I.Subpart 3, Laboratory Accreditation.

II.E.9.c.iii. For approval of equivalent testing or analytical methods, the Permittee may petition for a regulatory amendment under LAC 33:V.105.I and LAC 33:I.Chapter 9. In cases where an approved methodology for a parameter/analyte is not

available or listed, a request to utilize an alternate method shall be submitted to the Administrative Authority for approval. Documentation must be submitted to the LDEQ that will verify that the results obtained from the alternate method are equal to or better than those obtained from EPA-accepted methods, as well as those deemed equivalent by the LDEQ.

II.E.10. Retention of Records

The Permittee shall maintain records through the active life of the facility (including operation, closure and post-closure periods) as required by LAC 33:V.309.J and LAC 33:V.1529.A, B, and C. All records, including plans, must be furnished upon request and made available at all reasonable times as required by LAC 33:V.1529.C. File copies shall be kept for LDEQ Inspection for a period of not less than three (3) years as required by LAC 33:V.317.B.

The Permittee shall, for the life of the facility, maintain records of all data used to complete the application for this permit and any supplemental information submitted under the Louisiana Hazardous Waste Control Law (La. R.S. 30:2171 et seq.).

II.E.11. Notices of Planned Physical Facility Changes

The Permittee shall give notice to the Administrative Authority, as soon as possible, of any planned physical alterations or additions to the permitted facility, in accordance with LAC 33:V.309.L.1.

II.E.12. Physical Facility after Modification

For any new or existing unit being modified, the Permittee may not treat, store, or dispose of hazardous waste in modified portion of the unit until the unit is complete and:

- II.E.12.a.** The Permittee has submitted to the Administrative Authority, by certified mail or hand delivery, a letter signed by the Permittee and a registered professional engineer stating that the unit is complete and has been constructed or modified in compliance with the permit; and
- II.E.12.b.** The Administrative Authority has inspected the new or modified unit following a request to make a final inspection by the Permittee as required by LAC 33:V.303.I, and finds it is in compliance with the conditions of the permit and all applicable sections of LAC 33:V.Subpart 1, and has issued an Order to Proceed. The

Permittee may then commence treatment, storage, or disposal of hazardous waste.

II.E.13. Anticipated Noncompliance

The Permittee shall give advance notice to the Administrative Authority of any planned changes in the permitted facility or activity that may result in noncompliance with permit requirements.

II.E.14. Transfer of Permits

This permit may be transferred to a new owner or operator with written approval by the Administrative Authority and if it is modified or revoked and reissued pursuant to the LAC 33:V.309.L.4, 321.B, 1531.D and LAC 33:I.Chapter 19.

The Permittee's failure to notify the new owner or operator of the requirements of LAC 33:V.Subpart 1 and LAC 33:I.Chapter 19 in no way relieves the new owner or operator of his obligation to comply with all applicable requirements.

Changes in the ownership or operational control of a facility shall be made with written notification to the Office of Environmental Services. The new owner or operator shall submit a Name/Ownership/Operator Change Form (NOC-1 Form) prior to or no later than forty-five (45) days after the change. The Administrative Authority may initiate action to terminate or revoke an existing media permit for a failure to disclose a change of ownership or operational control within forty-five (45) days after the change, in accordance with LAC 33:I.1909.B. The previous Permittee and the new Permittee must comply with all applicable requirements of LAC 33:I.1909.

II.E.15. Compliance Schedules

Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit shall be submitted no later than fourteen (14) days following each schedule date as required by LAC 33:V.309.L.6.

II.E.16. Emergency Unauthorized Discharge Notification

In accordance with LAC 33:I.3915, in the event of an unauthorized discharge that results in an emergency condition (an emergency condition is any condition which could be reasonably expected to endanger the health and safety of the public, cause significant adverse impact to the land, water, or air environment, or cause severe damage to property), the

Permittee shall notify the DPS (Department of Public Safety) 24-hour Louisiana Emergency Hazardous Materials Hotline by telephone at (225) 925-6595 immediately, but in no case later than one (1) hour after learning of the discharge. The DPS 24-hour Louisiana Emergency Hazardous Materials Hotline will subsequently notify the Department regarding the details of the discharge.

II.E.17. Non-Emergency Unauthorized Discharge Notification

In accordance with LAC 33:I.3917, in the event of an unauthorized discharge that exceeds a reportable quantity specified in LAC 33:I.Chapter 39.Subchapter E and/or results in contamination of the ground waters of the state but does not result in an emergency condition, the Permittee shall promptly notify the Department within twenty-four (24) hours after learning of the discharge. Notification shall be made to the Office of Environmental Compliance, Emergency and Radiological Services Division, Single Point of Contact (SPOC) in accordance with the procedure and content requirements specified in LAC 33:I.3923.

II.E.18. Unauthorized Discharge to Groundwater Notification

In accordance with LAC 33:I.3919, in the event of an unauthorized discharge resulting in contamination of ground waters of the state by moving in, into, within or on any saturated subsurface strata, the Permittee shall notify the Office of Environmental Compliance, Emergency and Radiological Services Division, SPOC within seven (7) days after learning of the discharge.

II.E.19. Written Notification Reports for Unauthorized Discharges

The Permittee shall submit written reports for any unauthorized discharge that requires notification, under Conditions, II.E.16, II.E.17, and II.E.18 of this permit, to the SPOC within seven (7) calendar days after notification required by Conditions II.16 through II.18, in accordance with LAC 33:I.3925.

II.E.20. Noncompliance Reporting

The Permittee shall report orally within twenty-four (24) hours any noncompliance with the permit not reported under Conditions II.E.16, II.E.17, and II.E.18 for confirmed releases to the groundwater that may endanger human health or the environment, in accordance with LAC 33:V.309.L.7. This report shall include the following:

- II.E.20.a. information concerning the release of any hazardous waste that may endanger public drinking water supplies; and

II.E.20.b. information concerning the release or discharge of any hazardous waste, or of a fire or explosion at the facility, that could threaten the environment or human health outside the facility. The description of the occurrence and its cause shall include:

II.E.20.b.i. the name, address, and telephone number of the owner or operator;

II.E.20.b.ii. the name, address, and telephone number of the facility;

II.E.20.b.iii. the date, time, and type of incident;

II.E.20.b.iv. the name and quantity of materials involved;

II.E.20.b.v. the extent of injuries, if any;

II.E.20.b.vi. an assessment of actual or potential hazards to the environment and human health outside the facility, where this is applicable; and

II.E.20.b.vii. the estimated quantity and disposition of recovered material that resulted from the incident.

II.E.21. Follow-up Written Report of Noncompliance

The Permittee shall also provide a written submission within five (5) days after the time the Permittee becomes aware of any noncompliance which may endanger human health or the environment not reported under Condition II.E.20. The written submission shall contain a description of the noncompliance and its cause; the periods of noncompliance including exact dates and times; whether the noncompliance has been corrected; and if not, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance. If the Administrative Authority waives the requirement, then the Permittee shall submit a written report within fifteen (15) calendar days after the time Permittee becomes aware of the circumstances, as required by LAC 33:V.309.L.7.d.

II.E.22. Other Noncompliance

The Permittee shall report all other instances of noncompliance not otherwise required to be reported above, at the time required monitoring reports are submitted. The reports shall contain the information listed in Condition II.E.20.

II.E.23. Other Information

Whenever the Permittee becomes aware that it failed to submit any relevant facts in the permit application, or that it submitted incorrect information in a permit application, or in any report to the Administrative Authority, the Permittee shall promptly submit such facts or information, in accordance with LAC 33:V.309.L.12.

II.E.24. Signatory Requirement

All application, reports or other information submitted to the Administrative Authority shall be signed and certified according to LAC 33:V.507, 509, 511, and 513.

II.E.25. Schedule of Compliance

II.E.25.a. Within one hundred and eighty (180) days of the effective date of this permit, the Permittee shall submit for review and approval by the Administrative Authority one of the following:

II.E.25.a.i. A plan for installing impermeable coatings for each permitted tank system designated in Condition IV, Table 2 of this Permit that utilizes a bare concrete external liner system to meet the secondary containment requirement. The plan must contain the following items: 1) engineering specifications for the impermeable coatings and preparation and treatment of joints that will be utilized, including compatibility with the waste being stored; and 2) a proposed schedule for completing the installation of the impermeable coatings; or

II.E.25.a.ii. Information demonstrating that the secondary containment system for each permitted tank system designated in Condition IV, Table 2 of this Permit that utilizes a bare concrete external liner system meets all requirements of LAC 33:V.1907. The submittal must contain documentation including, but not limited to, the following information:

II.E.25.a.ii.(a). detailed information on the secondary containment system, including, but not limited to: 1) the design and installation specifications for any concrete joints; 2) the characteristics of any joint sealant used, including its

compatibility with the waste stored in the tank system; and 3) the characteristics of the concrete mix design and any American Concrete Institute or other applicable codes used;

II.E.25.a.ii.(b). the physical and chemical characteristics of the waste in the tank system, including its potential for migration and compatibility with the containment system;

II.E.25.a.ii.(c). any other factors that influence the quality and mobility of hazardous constituents and the potential for them to migrate through the external liner system to the environment.

II.E.25.b. If the Permittee chooses to comply with Condition II.E.25.a.i, within thirty (30) days of installing the impermeable coatings discussed in Condition II.E.25.a.i, the Permittee shall submit an installation inspection report of the impermeable coatings certified by an independent, qualified, Louisiana registered professional engineer.

II.E.25.c. Within thirty (30) days of the effective date of this permit, the Permittee must submit for approval by the Administrative Authority documentation of compliance with LAC 33:V.Chapter 17, Subchapter C. The Permittee must submit documentation of compliance with the Volatile Organic Compounds (VOCs) emissions for the Tank Area.

II.E.25.d. Within thirty (30) days of the effective date of this permit, the Permittee must submit a Revised Part A/I with the correct mailing address and physical address and the correct process codes (i.e., S02, T01, T04). The Revised Part A/I must include the "Hazardous Waste Permit Information Form," "RCRA Subtitle C Site Identification Form," and the "Notification of Hazardous Waste Activity RCRA Subtitle C Site Identification Form."

II.E.25.e. Within thirty (30) days of issuance of this permit, and by the effective date of this permit, the Permittee must have installed and operating the security cameras, in accordance with the Revised Security Plan (see Attachment 1).

II.E.25.f. Within thirty (30) days of the effective date of this permit, the Permittee must submit a revised "Design and Operating

Parameters for the RCRA Tank Systems" Table to include the correct nominal thicknesses for the carbon steel tanks. The nominal thickness (i.e., the design thickness plus the corrosion allowance) must be in accordance with API 620 design standards (e.g., OWS-1, a design thickness of 0.1875 plus corrosion allowance of 0.0625 equals a nominal thickness of 0.25 inches).

II.E.26. Updated Documents to be Submitted Prior to Operation

(RESERVED)

II.E.27. Documents to be Maintained at Facility Site

II.E.27.a. The Permittee shall maintain at the facility, until closure is completed and certified by an independent registered professional engineer, the following documents and amendments, revisions, and modifications to these documents. Any revision or changes shall be submitted with the annual report and in compliance with LAC 33:V.321, 322 and 323.

II.E.27.a.i. Waste Analysis Plan submitted in accordance with LAC 33:V.1519 (see Attachment 1);

II.E.27.a.ii. Contingency Plan submitted in accordance with LAC 33:V.1513 (see Attachment 1);

II.E.27.a.iii. Closure Plan submitted in accordance with LAC 33:V.3511 (see Attachment 1);

II.E.27.a.iv. Security Plan submitted in accordance with LAC 33:V.1507 and 1513 (see Attachment 1);

II.E.27.a.v. Closure Plan cost estimate for facility closure submitted in accordance with LAC 33:V.3705 (see Attachment 1);

II.E.27.a.vi. Arrangements with the local authorities in accordance with LAC 33:V.1511.G;

II.E.27.a.vii. Personnel Training Plan and the training records required by LAC 33:V.1515 (see Attachment 1);

II.E.27.a.viii. Operating records required by LAC 33:V.1529, and

II.E.27.a.ix. Inspection Plan developed in accordance with LAC 33:V.517.G and 1509.B (see Attachment 1).

II.E.27.b. All proposed amendments, revisions and modifications to any plan or cost estimates required by this permit shall be submitted to the Administrative Authority for approval.

II.E.28. Annual Report

An annual report must be submitted by March 1 of each year covering all unit(s) listed in this permit and their activities during the previous calendar year as required by LAC 33:V.1529.D.

II.E.29. Manifest

The Permittee shall report manifest discrepancies and unmanifested waste as per LAC 33:V.309.L.8 and 9.

II.E.30. Emissions

Air emissions from any hazardous waste facility shall not violate the Louisiana Air Quality Regulations. If air quality standards are exceeded, the site will follow air regulation protocol.

II.E.31. Water Discharges

Water discharges, if any, must be in conformity with effluent limitations established by the Clean Water Act operating under a National Pollutant Discharge Elimination Systems (NPDES) permit and reported as required by that permit in accordance with LAC 33:V.1505.A.1.

II.E.32. Non-Listed Hazardous Waste Facilities

This permit is issued for those hazardous waste facilities listed in Condition IV (Permitted Facilities). If the Permittee determines that an unpermitted hazardous waste unit(s) exists, the Permittee must immediately notify the Administrative Authority in accordance with Condition II.E.23 of this permit.

II.E.33. Compliance with Land Disposal Restrictions

The Permittee shall comply with those land disposal restrictions set forth in La. R.S. 30:2193, and all regulations promulgated thereunder.

II.E.34. Establishing Permit Conditions

Permits for facilities with pre-existing groundwater contamination are subject to all limits, conditions, remediation and corrective action programs designated under LAC 33:V.311.D and LAC 33:V.3303.

II.E.35. Obligation for Corrective Action

Owners or operators of hazardous waste management units must have all necessary permits during the active life of the unit and for any period necessary to comply with the corrective action requirements of this permit. The facility is obligated to complete facility-wide corrective action regardless of the operational status of the facility.

II.E.36. Attachments and Documents Incorporated by Reference

All attachments and documents required by this permit, including all plans and schedules, are incorporated, upon approval by the Administrative Authority, into this permit by reference and become an enforceable part of this permit. When applicable, the Permittee must modify the permit according to LAC 33:V.Chapter 3. Since required items are essential elements of this permit, failure to submit any of the required items or submission of inadequate or insufficient information may subject the Permittee to enforcement action, which may include fines, suspension, or revocation of the permit.

Any noncompliance with approved plans and schedules shall be termed noncompliance with this permit. Written requests for extension of due dates for submittals may be granted by the Administrative Authority.

If the Administrative Authority determines that actions beyond those provided for, or changes to what is stated herein are warranted, the Administrative Authority may modify this permit according to procedures in LAC 33:V.321.

III. GENERAL FACILITY CONDITIONS

III.A. DESIGN AND OPERATION OF ALL FACILITIES

- III.A.1.** The Permittee must maintain and operate all facilities to minimize the possibility of a fire, explosion, or any unauthorized sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or water that could threaten human health or the environment.
- III.A.2.** The Permittee must not manage new wastes in the units listed in Condition IV.
- III.A.3.** Off-site hazardous and non-hazardous waste generated from Republic Services, Inc. facilities (owned/affiliated sites/facilities such as Carlyss and Ellender Ferry) and wholly owned subsidiaries, as defined below, or joint ventures may be shipped to the CECOS International, Inc. –

Westlake facility (LAD 000 618 256), for storage and treatment. The following restrictions apply to the receivership of off-site waste:

- III.A.3.a. The Permittee must bear the total cost of handling, transporting, storing and treating of all hazardous waste brought into the CECOS International, Inc. – Westlake facility (LAD 000 618 256) from off-site. The Permittee shall not receive a fee or other consideration for the treatment and storage of waste received from off-site.
- III.A.3.b. A list of off-site facilities and amounts of hazardous and non-hazardous waste received from each off-site facility, with EPA waste codes, shall be submitted to the Administrative Authority each year with the annual report.
- III.A.3.c. No off-site hazardous waste shall be allowed to be brought into the CECOS International, Inc. – Westlake facility that is generated from products that have been purchased, changed ownership or otherwise entered the stream of commerce.
- III.A.3.d. The following definitions apply to the Permittee:

REPUBLIC SERVICES, INC. – Facilities operated in the United States under the management and name of Republic Services, Inc.

SUBSIDIARIES – Facilities operated and managed in the United States, which are wholly owned by Republic Services, Inc.

AFFILIATED – entity holding less than a majority of the voting common stock of another related company, or in which both companies are subsidiaries of a third company. Often the same management oversees and operates both companies. Interrelationships exist between the activities of the entities.

III.B. REQUIRED NOTICE

(RESERVED)

III.C. GENERAL WASTE ANALYSIS

The Permittee shall only manage those wastes described in the Waste Analysis Plan, referenced in Attachment 1, and in accordance with LAC 33:V.1519.

- III.C.1. The Permittee shall review the Waste Analysis Plan annually and report to the Administrative Authority in the annual report whether any revision is required to stay abreast of changes in EPA methods and/or state regulatory

provisions.

III.C.2. Annually, the Permittee shall submit a certified statement that indicates that any laboratory (i.e., on-site laboratory or contract laboratory) that provides chemical analyses, analytical results, or other test data to the LDEQ, by contract or by agreement, is accredited in accordance with the laboratory accreditation requirements of LAC 33:I.Chapter 45. This written statement shall be certified as specified in LAC 33:V.513 and included in the annual report. This documentation shall be resubmitted when a different laboratory is contracted for services.

III.C.3. If there is reason to believe that the hazardous waste has changed or the operation generating the hazardous waste has changed, the Permittee shall review and re-characterize all potentially impacted hazardous waste streams generated by the Permittee on-site and treated, stored, and/or disposed on-site. The Permittee must re-characterize wastes in accordance with LAC 33:V.1519.A.3. This re-characterization shall include laboratory analyses which provide information needed to properly treat, store, and dispose of the hazardous waste, including, physical characteristics and chemical components of the waste. The results of this re-characterization shall be summarized in the Permittee's Annual Report.

III.C.4. In accordance with LAC 33:V.1519.B, the Waste Analysis Plan must meet all the sampling and Quality Assurance/Quality Control (QA/QC) procedures and protocols contained in Condition II.E.9. All test procedures used by the Permittee shall be maintained on file by the Permittee and made available to the Administrative Authority upon request.

III.D. SECURITY

The Permittee shall comply with the security provisions of LAC 33:V.1507 and the Security Plan referenced in Attachment 1.

III.E. GENERAL INSPECTION REQUIREMENTS

The Permittee shall follow the inspection schedule in the Inspection Plan referenced in Attachment 1 of this permit. The Permittee shall remedy any deterioration or malfunction discovered by an inspection as required by LAC 33:V.1509.C. Records of inspections shall be kept as required by LAC 33:V.1509.D. The inspection schedule shall address the regulatory requirements of LAC 33:V.517.G, 1509, and 1911.

III.F. PERSONNEL TRAINING

The Permittee shall conduct personnel training as required by LAC 33:V.1515.A, B and C. This training plan shall follow the outline in the Training Plan

referenced in Attachment 1. The Permittee shall maintain all training documents and records as required by LAC 33:V.1515.D and E.

III.G. GENERAL REQUIREMENTS FOR IGNITABLE, REACTIVE, OR INCOMPATIBLE WASTE

The Permittee shall take precautions as required by LAC 33:V.1517 to prevent accidental ignition or reaction of ignitable, reactive, or incompatible wastes.

III.H. LOCATION STANDARDS

III.H.1. The Permittee has furnished evidence that it is in compliance with seismic standards as required by LAC 33:V.517.T.

III.H.2. The Permittee must not manage any hazardous waste on any portion of the property that lies within the 100 year flood plain (as identified in the Flood Insurance Rating Map) unless such areas are raised above this flood level or other means (e.g., levees) are provided to protect such areas from washouts, overtopping by wave action, soil erosion or other effects of such a flood as required by LAC 33:V.1503.B.3. Such site improvements must be certified by independent licensed professional engineers and approved by Administrative Authority prior to any hazardous waste and/or hazardous waste units being placed thereon.

III.I. PRECIPITATION RUN-ON AND RUN-OFF

The Permittee must provide for the control and/or containment of run-on and run-off from the maximum rainfall occurring in twenty-four (24) hours from a 25-year storm as defined by local rainfall records and LAC 33:V.1503.B.2. The Permittee shall comply with the requirements of LAC 33:V.1907.E.1.b.

III.J. HURRICANE EVENTS

The Permittee shall initiate those applicable portions of the Contingency Plan during a hurricane as well as appropriate actions required by LAC 33:V.1507, 1509 and 1511.

III.K. PREPAREDNESS AND PREVENTION

III.K.1. Required Equipment

At a minimum, the Permittee shall install and maintain the equipment set forth in the Contingency Plan referenced in Attachment 1, as required by and which is in conformance with LAC 33:V.1511.C.

III.K.2. Testing and Maintenance of Equipment

The Permittee shall test and maintain the equipment specified in Condition III.K.1 to insure its proper operation in time of emergency.

III.K.3. Access to Communications or Alarm Systems

The Permittee shall maintain access to the communications or alarm system, as required by LAC 33:V.1511.E.1 and 1511.E.2.

III.K.4. Required Aisle Space

In no case shall aisle space be less than two (2) feet. In addition, the Permittee shall maintain adequate aisle space as required by LAC 33:V.1511.F.

III.K.5. Arrangements with Local Authorities

The Permittee shall document in the annual report that the requirements of LAC 33:V.1511.G have been met. This documentation shall include those State and Local agencies involved and those facilities and operations covered. Documentation of annual written renewal of arrangements with State and Local agencies shall also be included in this report. Where state or local authorities decline to enter into such arrangements, the Permittee must document the refusal in the operating record.

III.L. CONTINGENCY PLAN

III.L.1. Implementation of Plan

The Permittee shall immediately carry out the provisions of the Contingency Plan referenced in Attachment 1 of this permit, which complies with the emergency procedures described by LAC 33:V.1513.F, whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents that threaten or could threaten human health or the environment.

III.L.2. Copies of Plan

The Permittee shall comply with the requirements of LAC 33:V.1513.C.

III.L.3. Amendments to Plan

The Permittee shall review and amend in a timely manner, if necessary, the Contingency Plan, as required by LAC 33:V.1513.D.

III.L.4. Emergency Coordinator

The Permittee shall comply with the requirements of LAC 33:V.1513.E concerning the emergency coordinator.

III.M. MANIFEST SYSTEM

III.M.1. Use of the Manifest System

The Permittee shall comply with the applicable manifest requirements of LAC 33:V. Chapter 11.

III.N. RECORD KEEPING AND REPORTING

III.N.1. Operating Record

The Permittee shall maintain a written operating record at the facility in accordance with LAC 33:V.1529.A, B, and C.

III.N.2. Annual Report

The Permittee shall comply with the annual report requirements of LAC 33:V.1529.D.

III.N.3. Operations Manual

The Permittee shall compile and keep current an operations manual covering all aspects of the Permittee's treatment and storage facilities.

III.O. CLOSURE

The Closure/Post-closure Plan shall include the following responses by the Permittee to LAC 33:V.1915, 3503, 3505, 3507, 3509, 3511, 3513, and 3515.

III.O.1. Closure Performance Standard

The Permittee shall close the facility in accordance with the Closure Plan referenced in Attachment 1, and applicable sections of LAC 33:V.3505, 3507 and 3511.

III.O.2. Amendment to Closure Plan

The Permittee shall amend the Closure Plan where necessary, in accordance with LAC 33:V.3511.C. Any modification shall be subject to LAC 33:V.321, 322, and 323, where applicable.

III.O.3. Notification of Closure

The Permittee shall notify the Administrative Authority at least forty-five (45) days prior to the date he expects to begin closure, in accordance with LAC 33:V.3511.D.

III.O.4. Time Allowed for Closure

After receiving the final volume of hazardous waste, the Permittee shall treat or remove from the site all hazardous waste in accordance with the schedule specified in the Closure Plan referenced in Attachment 1 and LAC 33:V.3513. After receiving the final volume of hazardous waste, the Permittee shall complete closure activities in accordance with the schedule specified in the Closure Plan referenced in Attachment 1.

III.O.5. Disposal of Decontamination of Equipment

The Permittee shall decontaminate and/or dispose of all facility equipment in accordance with the Closure Plan referenced in Attachment 1, and LAC 33:V.3515.

III.O.6. Certification of Closure

The Permittee shall certify that the facility has been closed in accordance with the specifications in the Closure Plan referenced in Attachment 1 and as required by LAC 33:V.3517.

III.O.7. Inventory at Closure

The Permittee shall be responsible for closure cost based upon the maximum permitted facility inventories listed below in Table 1:

TABLE 1

RCRA TANKS

Tank No.	Permitted Storage Capacity (Gallons)	Type of Service
OWS-1	500	GW Oil/Water Separator
OWS-2	500	Leachate Oil/Water Separator
OWS-3	5,000	Hazardous Oil/Water Separator
T-1	275,000	Hazardous Waste
T-3	20,000	Hazardous Waste
T-4	20,000	Hazardous Waste
T-5	12,700	Hazardous Waste
T-9	10,000	Hazardous Waste

III.P. POST-CLOSURE

The Permittee will attempt to clean close all hazardous waste units. If the facility cannot be clean closed, the Permittee shall submit a post-closure plan for approval by the Administrative Authority. If some waste residues or contaminated materials are left in place at final closure, the Permittee must comply with all post-closure requirements contained in LAC 33:V.3519 through 3527; including maintenance and monitoring throughout the post-closure care period.

III.Q. COST ESTIMATES FOR CLOSURE/POST-CLOSURE

- III.Q.1.** The Permittee must maintain cost estimates for closure of all facilities in accordance with LAC 33:V.3705.B and 3707.
- III.Q.2.** The Permittee shall maintain and adjust the closure cost for inflation, as specified in LAC 33:V.3705.B, 3705.C, and for other circumstances that increase the cost of closure.
- III.Q.3.** The Permittee must adjust the closure cost estimate within thirty (30) days after approval by the Administrative Authority of any request to modify the closure plan in accordance with LAC 33:V.3705.C. The Permittee shall consider the impact of any inventory and or process changes on the closure cost estimate.
- III.Q.4.** The closure cost estimate must equal the cost of closure at the point in the facility's operating life when the extent and manner of its operation would make closure most expensive in accordance with LAC 33:V.3705.A.1-4. The closure cost estimate shall be based on the maximum permitted inventory of each facility, as specified in Condition III.O.7, Table 1 of this permit, and waste generated on-site as a result of operations at the permitted units and stored in the less than ninety (90) day storage area.
- III.Q.5.** In the event of a release of hazardous constituents to environmental media from the permitted units listed in Condition III.O.7, Table 1 of this permit, the Permittee must maintain cost estimates accounting for the costs associated with corrective action remedy implementation of said releases as required by LAC 33:V.3301.B.
- III.Q.6.** Any closure/post-closure modifications are subject to LAC 33:V.321.
- III.Q.7.** If the Permittee is unable to complete clean closure of all facilities specified in Condition III.O.7, Table 1, as per LAC 33:V.Chapter 35, and as acceptable by the Administrative Authority, a post-closure plan must be submitted for each facility unable to achieve clean closure within ninety (90) days from the date the Permittee or Administrative Authority determines that the unit must be closed as a landfill. The post-closure plan must meet the requirements of LAC 33:V.3523.B.

III.R. FINANCIAL ASSURANCE FOR FACILITY CLOSURE

The Permittee shall have, maintain and update financial assurance for closure, as necessary to comply with LAC 33:V.3707 for all units listed in Condition III.O.7, Table 1.

III.S. LIABILITY REQUIREMENTS

The Permittee shall have and maintain liability coverage for sudden accidental occurrences for treatment and storage facilities or a group of such facilities in accordance with LAC 33:V.3715.A.

III.T. INCAPACITY OF THE PERMITTEE

Pursuant to LAC 33:V.3171.A, the Permittee, and any guarantor of a corporate guarantee specified in LAC 33:V.3707.F and 3711.F, must notify the Office of Environmental Services by certified mail of the commencement of a voluntary or involuntary proceeding under Title 11 (Bankruptcy), U.S. Code, naming the Permittee or guarantor as debtor, within ten (10) days after commencement of the proceeding.

Any Permittee who fulfills the requirements of LAC 33:V.3707, 3711 or 3715 by obtaining a trust fund, surety bond, letter of credit, or insurance policy will be deemed to be without the required financial assurance or liability coverage in the event of bankruptcy of the trustee or issuing institution, or a suspension or revocation of the authority of the trustee institution to act as trustee or of the institution issuing the surety bond, letter credit, or insurance policy to issue such instruments. The Permittee must establish other financial assurance or liability coverage within sixty (60) days after such an event.

IV. PERMITTED FACILITIES

IV.A. TANKS

Details of the existing tanks are listed in Table 2 below. The design and operations are contained in Condition V.A.

TABLE 2
DESIGN AND OPERATING PARAMETERS FOR RCRA TANK SYSTEMS

Tank No.	Year Put Into Service	Service	Materials of Construction	Dimensions and Permitted Capacity	Design Standard	Inspection Standard	Design Temp. and Pressure	Nominal Thickness	Minimum Thickness	Secondary Containment Type and Capacity
OWS-1	1997	GW Oil/Water Separator	Carbon Steel	9.5'L x 2.0'W x 5.0'H 500 gallons	API 620	API 653	Ambient Temp and Pressure	Shell 0.12 in	0.12 in	
OWS-2	1997	Leachate Oil/Water Separator	Carbon Steel	9.5'L x 2.0'W x 5.0'H 500 gallons	API 620	API 653	Ambient Temp and Pressure	Shell 0.12 in	0.12 in	
OWS-3	1997	Hazardous Oil/Water Separator	Carbon Steel	20.0'L x 6.0'W x 7.0'H 5,000 gallons	API 620	API 653	Ambient Temp and Pressure	Shell 0.12 in	0.12 in	
T-1	1997	Hazardous Waste Tank	Carbon Steel	Vertical 36' D x 36'H 275,000 gallons	AWWA-D100	API 653	50°F - 120°F + 8" W.C. and 1" W.C.	Bottom 0.312" Top 0.25" Shell 0.21"	Tank has interior and exterior coatings for corrosion	
T-3	1997	Hazardous Waste Tank	Fiberglass Reinforced Plastic	Vertical 14'D x 18'H 20,000 gallons	ASTM D-3229-81 and NBS PS-15-69	ASTM D-3229-81 and NBS PS-15-69	50°F - 120°F + 8" W.C. and 1" W.C.	Shell 0.40"	0.40"	

T-4	1997	Hazardous Waste Tank	Fiberglass Reinforced Plastic	Vertical 14'D x 18'H 20,000 gallons	SPI/MTI and NBS PS-15-69	SPI/MTI and NBS PS-15-69	50°F - 180°F + 6" W.C. and 1" W.C.	Shell 0.40"	0.40"	
T-5	1997	Hazardous Waste Tank	Polypropylene	Vertical 12.0'D x 15.0'L 12,700 gallons	ASTM D-3229-81 and NBS PS-15-69	ASTM D-3229-81 and NBS PS-15-69	50°F - 120°F + 6" W.C. and 1" W.C.	Shell 0.25"	0.25"	
T-9	1997	Hazardous Waste Tank	Fiberglass Reinforced Plastic	Vertical 10.0'D x 18.0'L 10,000 gallons	ASTM D-3229-81 and NBS PS-15-69	ASTM D-3229-81 and NBS PS-15-69	50°F - 120°F + 8" W.C. and 1" W.C.	Shell 0.42"	0.42"	

Secondary containment for ALL Tanks is a common concrete paving and dike structure. The numerical capacity is approximately 379,600 gallons.

V. PERMIT CONDITIONS APPLICABLE TO PERMITTED FACILITIES

V.A. TANKS

V.A.1. Description of Tank Systems

V.A.1.a. Operation

- V.A.1.a.i.** All permitted tanks and associated piping, pumps, instruments, containments, and vent controls shall be operated and maintained in accordance with LAC 33:V.Chapter 19 and the specification and design criteria provided in the Permit Application.
- V.A.1.a.ii.** The Permittee shall operate and maintain all permitted tanks and containment systems according to the specifications, design criteria, and design limits specified in Condition IV, Table 2.
- V.A.1.a.iii.** The design temperature and pressure for each tank listed in Condition IV, Table 2, shall not change unless a permit modification is requested by the Permittee and subsequently approved by the Administrative Authority.

V.A.1.b. Permitted Tanks

- V.A.1.b.i.** The tanks listed in Condition IV, Table 2 are permitted for hazardous waste storage or treatment. These tanks have been certified by an independent, professional engineer licensed in the State of Louisiana and have sufficient structural integrity for the storage of hazardous waste.
- V.A.1.b.ii.** The tanks listed in Condition IV, Table 2 must be clearly marked with the words "Hazardous Waste" in accordance with LAC 33:V.1104.E.1.d.
- V.A.1.b.iii.** The Permittee is prohibited from storing or treating hazardous waste in any tank storage system not listed in Condition IV, Table 2 for greater than ninety (90) days, unless an extension is granted by the Administrative Authority in accordance with LAC 33:V.1109.E.2.

V.A.2. Permitted and Prohibited Wastes

V.A.2.a. Permitted Waste

Subject to the terms of this permit, the Permittee is allowed to store or treat hazardous waste in the tanks as described in Condition V.A.1.b,

and the hazardous wastes identified in the most current RCRA Subtitle C Site Identification Form (Part A Permit Application).

V.A.2.b. Prohibited Waste

The Permittee is prohibited from storing or treating hazardous waste that is not identified in the most current RCRA Subtitle C Site Identification Form (Part A Permit Application).

V.A.3. Secondary Containment

V.A.3.a. Duty to Comply with LAC 33:V.1907.B through F

The Permittee shall design, construct, operate, and maintain the secondary containment system in accordance with LAC 33:V.1907.B through F and Condition IV, Table 2 of this permit.

V.A.3.b. Prevention of Migration

V.A.3.b.i. Secondary containment systems must be maintained and operated to prevent any migration of wastes or accumulated liquid out of the system to the soil, groundwater, or surface water at any time during the use of the tank system in accordance with LAC 33:V.1907.B.1.

If wastes or accumulated liquid is detected to migrate out of the secondary containment system to the soil or groundwater, or if groundwater is detected to migrate into the secondary containment system at any time, the entire tank system shall be considered unfit for use, and the procedures of LAC 33:V.1913 shall be followed.

V.A.3.b.ii. Ancillary equipment must be provided with secondary containment, except as excluded by LAC 33:V.1907.F.

V.A.3.b.iii. Secondary containment systems must be free of cracks or gaps and other surface defects that would allow liquid to migrate out of the containment system in accordance with LAC 33:V.1907.E.

V.A.3.b.iv. Spilled or leaked waste and/or accumulated precipitation must be removed from the secondary containment system within twenty-four (24) hours in accordance with LAC 33:V.1907.C.4.

V.A.3.b.v. If unable to remove spilled or leaked waste and/or accumulated precipitation within twenty-four (24) hours, the Permittee must demonstrate to the Administrative Authority that more time is required and propose an alternate schedule for removal.

V.A.3.b.vi. (RESERVED)

V.A.4. Operating Requirements

V.A.4.a. Duty to Comply with LAC 33:V.1909.A

The Permittee shall comply with LAC 33:V.1909.A. Hazardous wastes or treatment reagents must not be placed in a tank system if they could cause the tank, its ancillary equipment, or the containment system to rupture, leak, corrode, or otherwise fail.

V.A.4.b. Duty to Comply with LAC 33:V.1909.B

The Permittee shall comply with LAC 33:V.1909.B and Condition IV, Table 2 of this permit. The Permittee must use appropriate controls and practices to prevent spills and overflows from tanks and containment systems.

V.A.4.c. Tank Covers

The Tanks listed in Condition IV, Table 2, shall be covered and shall not be vented directly to the atmosphere if the tank is used to store, or if a possibility exists that they may be used to store, volatile or malodorous waste.

V.A.4.d. Maintenance

The Permittee shall maintain the permitted tank systems according to the design code specified for each tank as listed in Condition IV, Table 2 and not exceed the listed operating conditions.

V.A.5. Ignitable, Reactive, and Incompatible Wastes

The Permittee shall store ignitable, reactive, or incompatible wastes only in accordance with LAC 33:V.1517.B, 1917 and 1919.

V.A.6. Inspections

V.A.6.a. Inspection Schedule

The Permittee shall comply with LAC 33:V.1911.A through C by following the inspection schedule submitted in the Inspection Plan (see Attachment 1).

V.A.6.b. Daily Inspection

V.A.6.b.i. At least once per day while the tank is operating in hazardous waste service, the Permittee shall inspect the following:

V.A.6.b.i.(a). Aboveground portions of the tank system, as applicable, including the tank, ancillary piping, valves, and vent controls, to detect corrosion, cracks or releases of waste.

V.A.6.b.i.(b). Data gathered from monitoring and leak detection equipment.

V.A.6.b.i.(c). The construction materials and area immediately surrounding the externally accessible portion of the tank system and ancillary equipment, e.g. secondary containment system, to detect erosion, cracks and signs of hazardous waste releases.

V.A.6.b.ii. All deficiencies noted during daily inspections must be recorded and remedied in a timely manner.

V.A.6.c. External Inspection

At a minimum, external inspection of each tank covered by this permit as often as required by the API or designated inspection standard in Condition IV, Table 2. The required frequency of inspection with reference to the applicable section of the standard shall be kept on site and available for review by the Administrative Authority upon request. The inspection shall be performed by a person meeting the minimum qualifications required under the inspection standard in Condition IV, Table 2. The inspection checklist shall be comparable to that in API Standard 653 as applicable.

If the result of such an inspection reveals that the tank is unfit for continued service, the Permittee shall immediately stop the flow of hazardous waste into the tank and comply with LAC 33:V.1913. The certification required by LAC 33:V.1913.F shall be obtained before the tank is put back into service.

V.A.6.d. Internal Inspection

Internal inspection of each tank covered by this permit shall be performed as often as required by the API or designated inspection standard in Condition IV, Table 2. The required frequency of inspection with reference to the applicable section of the standard shall be kept on site and available for review by the Administrative Authority upon request. The

inspection shall include thickness testing to demonstrate compliance with the minimum requirements in Condition IV, Table 2, as applicable. The inspection shall be performed by a person meeting the minimum qualifications required under the inspection standard in Condition IV, Table 2. The inspection checklist shall be comparable to that in API Standard 653 as applicable.

If the result of such an inspection reveals that the tank is unfit for continued service, the Permittee shall immediately stop the flow of hazardous waste into the tank and comply with LAC 33:V.1913. The certification required by LAC 33:V.1913.F shall be obtained before the tank is put back into service.

V.A.6.e. Thickness Testing

V.A.6.e.i. An authorized inspector shall take tank thickness measurements on tank tops and shells and shall be taken at least on each tank quadrant at least every two (2) years. Tank thickness readings shall be taken in the same place during each testing event in order to form a comparison of readings for corrosion rate determination.

V.A.6.e.ii. Tank thickness readings shall also be taken at any spot where visual corrosion or compromised integrity is evident.

V.A.6.e.iii. An authorized inspector shall perform tank thickness measurements on tank bottoms as often as the internal inspection required under Condition V.A.6.d, or more often if required by the inspection standard specified in Condition IV, Table 2. The required frequency of inspection with reference to the applicable section of the inspection standard shall be kept on-site and made available to the Administrative Authority upon request.

V.A.6.e.iv. When any tank shell thickness measurement at a single point is less than that required in Condition IV, Table 2, the Permittee shall immediately comply with either Condition V.A.6.e.iv.(a) or (b) below. Condition V.A.6.e.iv.(b) shall not be used for any tank where the shell thickness measurement is less than 0.100 inches.

V.A.6.e.iv.(a). When a tank is deemed unfit for use, the Permittee shall immediately stop the flow of hazardous waste into the tank and comply with LAC 33:V.1913. The tank shall be repaired or replaced and the certification required by LAC 33:V.1913.F shall be obtained before the tank is put back into service.

V.A.6.e.iv.(b). An engineering evaluation shall be performed, conforming

to the appropriate standard or standards, as allowed by the design or inspection standard in Condition IV, Table 2. If the evaluation determines that the tank is unfit for service, the Permittee shall comply with Condition V.A.6.e.iv.(a) immediately. The evaluation must be submitted to the Waste Permits Division for approval within forty-five (45) days of the initial measurement.

- V.A.6.e.v.** Tank thickness measurements shall not be averaged, unless allowed under the tank inspection standard in Condition IV, Table 2. Averaging of tank thickness measurements shall be reported to the Administrative Authority.

V.A.6.f. Overfill Controls

Overfill controls shall be tested to ensure that they are in working order according to the schedule proposed in the Inspection Plan (see Attachment 1).

V.A.6.g. Fiberglass Tanks

Fiberglass reinforced plastic (FRP) tanks shall be taken out of service and repaired or replaced when fiberglass is exposed, cracks are visible, softening or swelling occurs, or when de-lamination is evident.

V.A.7. Response to Leaks and Spills

V.A.7.a. Duty to Comply with LAC 33:V.1913.A through E

In the event of a leak or spill from a tank system, secondary containment system, or if a system becomes unfit for use, the Permittee shall comply with LAC 33:V.1913.A through E.

V.A.7.b. Leaks and Spills

- V.A.7.b.i.** Upon discovering a leak or spill, the Permittee must immediately stop the flow of hazardous waste into the tank system or secondary containment system and inspect the system to determine the cause of the release.

- V.A.7.b.ii.** Within twenty-four (24) hours of detecting a leak from the tank system, or in as timely a manner as is practical if the Permittee demonstrates that it is not possible to remove the waste within twenty-four (24) hours, the Permittee must remove as much waste as necessary to prevent further release from the tank or secondary containment system and to allow inspection and repair of the tank

system in accordance with LAC 33:V.1913.B.1.

- V.A.7.b.iii.** Any spilled material or material trapped in sumps that is a hazardous waste or that will be disposed of as a hazardous waste must be cleaned up in a timely manner, as required by LAC 33:V.1505.C.3.

 - V.A.7.b.iii.(a).** If the collected material is discharged through a point source to United States waters or to a Publicly Owned Treatment Works, it is subject to the requirements of the Clean Water Act.
 - V.A.7.b.iii.(b).** If the collected material is released to the environment, it may be subject to reporting under applicable requirements of LAC 33:V.1505, LAC 33:I.Chapter 39, and 40 CFR Part 302.
- V.A.7.b.iv.** When a leak or spill occurs, the Permittee shall remove and properly dispose of any visible contamination of the soil or surface water in accordance with LAC 33:V.1913.C.2.
- V.A.7.b.v.** A tank system from which a leak or spill has occurred must be closed in accordance with the approved Closure Plan and LAC 33:V.1915, unless the requirements of LAC 33:V.1913.E.2-3 are satisfied.

 - V.A.7.b.v.(a).** For a release caused by a spill that has not damaged the integrity of the system, the Permittee shall remove the released waste and make any necessary repairs to fully restore the integrity of the system before returning the tank system to service in accordance with LAC 33:V.1913.E.2.
 - V.A.7.b.v.(b).** For a release caused by a leak from the primary tank system to the secondary containment system, the Permittee shall repair the primary system prior to returning the tank to service in accordance with LAC 33:V.1913.E.3.
- V.A.7.b.vi.** If the Permittee replaces a component of the tank system to eliminate a leak, that component must satisfy the requirements for new tank systems or components in LAC 33:V.1905 and 1907.
- V.A.7.b.vii.** All leaks and spills shall be documented in the daily inspection log.

V.A.7.c. Major Repairs

- V.A.7.c.i. The Permittee shall comply with LAC 33:V.1913.F when performing major repairs to a tank system.
- V.A.7.c.ii. Major repairs shall include, but not be limited to, installation of an internal liner, repair of a ruptured tank, repair of a ruptured secondary containment area, and removal of a tank from its foundation for any reason.
- V.A.7.c.iii. The Permittee shall conform to the appropriate portion of the most recent inspection code listed in Condition IV, Table 2 for maintenance, inspection, re-rating, repair, and alteration of all tanks.
- V.A.7.c.iv. The tank shall not be returned to service unless the Permittee has obtained a certification by an independent professional engineer licensed in the State of Louisiana that the system is capable of handling hazardous waste without release for the intended life of the system. The certification of repairs shall include an inspection in accordance with the requirements of any applicable codes, such as API 510 or API 653. The certification shall be submitted to the Administrative Authority within seven (7) days of returning the tank system to use in accordance with LAC 33:V.1913.F.

V.A.8. Air Emission Control Equipment Standards

(RESERVED)

V.A.9. Recordkeeping

V.A.9.a. New Tanks

In the event any new tank systems are installed, the Permittee shall obtain, and keep on file at the facility, the written statements by those persons required to certify the design and installation of new tank systems, in accordance with LAC 33:V.1905.G.

V.A.9.b. Written Assessment

The Permittee shall keep on file at the facility, written assessments of the tank systems' integrity. The assessments shall be updated at the time of submittal of a permit renewal application and/or at any other time deemed necessary by the Administrative Authority (i.e., permit modifications, tank replacements, tank repairs, etc.).

V.A.9.c. Inspections

V.A.9.c.i. The Permittee shall document in the operating record for the facility inspection of those items in Condition V.A.6.a and b.

V.A.9.c.i.(a). The daily log sheets shall include all monitored parameters for the prevention of spills and overflows, including temperature, pressures, and levels.

V.A.9.c.i.(b). The Permittee shall note all deficiencies discovered during the inspection in the inspection log.

V.A.9.c.i.(c). Corrective action taken in response to deficiencies must be included as part of the operating record for the facility.

V.A.9.c.ii. The Permittee shall document in the operating record all tests and inspections of overfilling controls.

V.A.9.c.iii. The Permittee shall keep on file at the facility the results of the internal and external inspections required by Condition V.A.6.c and d. The Permittee shall note all deficiencies discovered during the inspection in the inspection log. Corrective action taken in response to deficiencies must be included as part of the operating record for the facility.

V.A.9.c.iv. The Permittee shall keep on file at the facility all information related to tank thickness testing required under Condition V.A.6.d.

V.A.9.c.iv.(a). This information shall include at a minimum the date(s) of assessment, the location where measurement readings are taken, the raw measurement data, comparison of actual reading to minimum thickness requirements, the corrosion rate, and calculation of remaining tank life.

V.A.9.c.iv.(b). If an engineering evaluation is performed in accordance with Condition V.A.6.e.iv.(b) of this Permit, the results of such an evaluation shall be kept in the operating record.

The engineering evaluation must include, at minimum, details on how the evaluation was performed, references to applicable tank codes, raw data, calculations performed, and an explanation of why the tank is or is not fit for continued service.

V.A.9.c.iv.(c). Any tank thickness measurements that are averaged under Condition V.A.6.e.iv of this Permit must be supported by

documentation with references to the applicable tank codes. The documentation shall include all raw measurement data, calculations, and results of averaging. This information shall be kept as a part of the operating record for the facility.

V.A.9.c.v. The Permittee shall keep on file at the facility the records of repairs required under Condition V.A.7.c.

V.A.9.d. Releases

V.A.9.d.i. The Permittee shall keep on file at the facility notification reports submitted under LAC 33:V.1913.D.

V.A.9.d.ii. Within twenty-four (24) hours of detecting a reportable leak or spill from a tank system or secondary containment system to the environment, the Permittee shall report the leak in accordance with either Condition II.E.16 (Emergency Unauthorized Discharge) or Condition II.E.17 (Non-Emergency Unauthorized Discharge).

V.A.9.d.iii. As required by LAC 33:V.1913.D.3, within thirty (30) days of detecting a reportable release to the environment from a tank system or secondary containment system, the Permittee shall report the following information to the Administrative Authority's Single Point of Contact (SPOC):

V.A.9.d.iii.(a). Likely route of migration of the release,

V.A.9.d.iii.(b). Characteristics of the surrounding soil, including soil composition, geology, hydrogeology, and climate,

V.A.9.d.iii.(c). Results of any monitoring or sampling conducted in connection with the release (if available). If the Permittee finds it will be impossible to meet this time schedule, the Permittee must provide the Administrative Authority with a schedule of when the results will be available. This schedule must be provided before the required thirty (30) day submittal period expires,

V.A.9.d.iii.(d). Proximity of downgradient drinking water, surface water, and populated areas, and

V.A.9.d.iii.(e). A description of response actions taken or planned.

V.A.9.e. Repairs

The Permittee shall keep on file at the facility all certifications required by Condition V.A.7.c.

V.A.10. Closure and Post-Closure Care

V.A.10.a. Duty to Comply with LAC 33:V.1915.A

The Permittee shall comply with LAC 33:V.1915.A by following the procedures specified in the approved Closure Plan, see Attachment 1 of this permit.

V.A.10.b. Duty to Comply with LAC 33:V.1915.B

If the Permittee demonstrates that not all contaminated soils can be practicably removed or decontaminated in accordance with Condition V.A.9.a, the Permittee shall comply with LAC 33:V.1915.B.

V.A.10.c. Post-Closure

The Permittee shall attempt to clean close all tank systems. If the surface and subsurface soils below and adjacent to the tank system cannot be clean closed and the Permittee has not demonstrated through a risk assessment approved by the Administrative Authority that closure with the remaining contaminant levels is protective of human health and the environment, the Permittee shall present a post-closure plan to the Administrative Authority for approval. If any waste residue or contaminated media are left in place at final closure, the Permittee must comply with all post-closure requirements contained in LAC 33:V.3519 through 3527, including maintenance and monitoring throughout the post-closure care period.

VI. GROUND WATER PROTECTION

VIA. APPLICABILITY

The regulations of the Louisiana Administrative Code (LAC), Title 33, Part V, Chapters 3, 5, 15, 25, 27, 29, 32, 33, and 35, La. R.S. 30:2171 et seq., and La. R.S. 30:2001 et seq., of the Environmental Quality Act, and the provisions of this section shall apply to ground water protection programs for facilities that are used to treat and store hazardous waste at CECOS International, Inc., Westlake facility, Westlake, Louisiana.

The Permittee shall comply with the monitoring, response and corrective action program provisions for the existing and any new systems in accordance with LAC 33:V.Chapter 33.

If groundwater contamination is confirmed as a result of operations related to past or present hazardous waste management facilities associated with this site, the Permittee shall establish, expand or continue, assessment and corrective action programs in accordance with the requirements of LAC 33:V.Chapter 33 and as subsequently directed by the Administrative Authority.

VI.B. REQUIRED PROGRAMS

The Permittee does not conduct hazardous waste activities under this permit which currently require ground water monitoring. The Permittee is required to conduct ground water monitoring for post-closure units and conduct site-wide corrective action at the CECOS International, Inc. – Westlake facility, under the Post-Closure Permit (LAD 008 618 259-PC-1).

VII. SPECIAL CONDITIONS PURSUANT TO THE HAZARDOUS AND SOLID WASTE AMENDMENTS (HSWA) TO RCRA

Each hazardous waste treatment, storage and disposal facility must address corrective action on a site-wide basis in the facility's RCRA permit. The permit must address provisions for investigation, assessment, and selection of final remedies for all releases and potential SWMUs at facilities subject to the provisions of LAC 33:V.3321 and LAC 33:V.3322. However, since a single facility or site may possess multiple RCRA permits, the specific HSWA corrective action provisions **will not** be contained in this permit. All corrective action requirements for the CECOS International, Incorporated - Westlake facility are addressed under Post-Closure Permit No. LAD 000 618 256-PC-1.

ATTACHMENT 1

ATTACHMENT 1
LIST OF FACILITY DOCUMENTS INCORPORATED
IN THE PERMIT BY REFERENCE
LAD 000 618 256
AI# 276

DOCUMENT TYPE	APPLICATION/ DOCUMENT DATE	ELECTRONIC DATABASE MANAGEMENT SYSTEM (EDMS) DOCUMENT ID NO.	COMMENTS
Closure Plan (includes closure cost estimates)	April 16, 2009	40882827	Addendum to Responses to NOD III
Contingency Plan	March 19, 2009	40594779	Responses to 2/20/09 Notice of Deficiency (NOD) III
Inspection Plan	March 19, 2009	40594779	Responses to 2/20/09 Notice of Deficiency (NOD) III
Personnel Training Plan	March 19, 2009	40594779	Responses to 2/20/09 Notice of Deficiency (NOD) III
Waste Analysis Plan	April 16, 2009	40882827	Addendum to Responses to NOD III
Security Plan	April 16, 2009	40882827	Addendum to Responses to NOD III

Database Management System (EDMS) location:
<http://edms.deq.louisiana.gov/app/doc/querydef.aspx>