

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description/Size Affected	Date Established
<u>Fish Consumption and/or Swimming Advisories Caused by ORGANIC CHEMICAL Contamination</u>					
Calcasieu River, Estuary to Gulf of Mexico (Calcasieu and Cameron)	Hexachlorobenzene, Hexachloro-1,3-butadiene, PCBs	Informational advisory fish contamination	Caution advised on fish consumption due to low levels of chemical contamination.	37.0 miles	Issued: 04/07/92 Revised: 10/94 and 1995
Bayou d'Inde (Calcasieu)	Hexachlorobenzene, Hexachloro-1,3-butadiene, PCBs	Advisory fish consumption, advisory swimming	Limit fish and seafood consumption to TWO MEALS PER MONTH. Avoid swimming and sediment contact	6.0 miles	Issued: 04/07/92 Revised: 10/94 and 1995
Bayou Olsen at Lake Charles (Calcasieu)	Priority organics	Advisory sediment contamination	Avoid swimming and sediment contact.	0.5 mile	Issued: 01/17/89 Revised: 10/94
Bayou Bonfouca (St. Tammany)	Priority organics (creosote)	Advisory swimming	Avoid swimming or sediment contact	7.0 miles	Issued: 11/24/87 Revised: 12/10/98

<p>Devil's Swamp, Devil's Lake, and Bayou Baton Rouge</p> <p>(East Baton Rouge)</p>	<p>Hexachlorobenzene, Hexachloro-1,3-butadiene, PCBs, lead, mercury, arsenic</p>	<p>Advisory fish consumption, advisory swimming</p>	<p>Avoid swimming, limit fish consumption to TWO MEALS PER MONTH.</p>	<p>7.0 sq. miles</p>	<p>Issued: 07/09/93</p>
<p>Capitol Lake</p> <p>(East Baton Rouge)</p>	<p>Priority organics (PCBs)</p>	<p>Advisory fish consumption, sediment contamination</p>	<p>No fish consumption.</p>	<p>0.12 mile</p>	<p>Issued: 08/24/83</p>
<p>Wham Brake</p> <p>(Morehouse)</p>	<p>Dioxin</p>	<p>Advisory fish consumption</p>	<p>No fish consumption.</p>	<p>7.2 sq. miles</p>	<p>Issued: 11/23/87 Revised: 3/94, 11/96, and 11/01</p>
<p>Sibley Lake</p> <p>(Natchitoches)</p>	<p>Priority organics (PCBs)</p>	<p>Advisory fish consumption</p>	<p>No consumption of gar, shad, carp. Skin and trim fat from other fish. Broil, grill or bake fish. Do not fry fish. Within any one month period consumption should be limited to ONLY one of the following: One meal/week of largemouth bass or crappie. OR one meal/month of channel catfish, striped bass.</p>	<p>3.4 sq. miles</p>	<p>Issued: 02/16/89 Revised: 01/31/96</p>
<p>Tensas River</p> <p>(Madison, Tensas, Catahoula)</p>	<p>DDT, Toxaphene</p>	<p>Advisory fish consumption</p>	<p>Long-term fish consumption may cause health risk.</p>	<p>83 miles</p>	<p>Issued: 02/19/92</p>

<p>Bayou Lafourche: from Hwy. 80 overpass to I-20</p> <p>(Ouachita)</p>	<p>Dioxin</p>	<p>Advisory fish consumption</p>	<p>Limit consumption to TWO MEALS PER MONTH for all species.</p>	<p>2 miles</p>	<p>Issued: 11/96 Revised: 11/01</p>
--	---------------	----------------------------------	--	----------------	---

Fish Consumption Advisories Caused by MERCURY Contamination

<p>Gulf of Mexico off Louisiana Coast</p> <p>(N/A)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME KING MACKEREL and should consume no more than ONE MEAL PER MONTH of cobia, blackfin tuna and greater amberjack combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME KING MACKEREL GREATER THAN 39 INCHES IN TOTAL LENGTH (distance from the outermost portion of the snout to the outermost portion of the caudal fin) and should consume no more than TWO MEALS PER MONTH of king mackerel 39 inches or less in total length and no more than FOUR MEALS PER MONTH of cobia, blackfin tuna and greater amberjack combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Approximated Area Affected:</p> <p>1,191 Square Miles</p>	<p>Issued: 9/4/97 Revised: 3/8/06</p>
---	----------------	----------------------------------	---	--	---

<p>Bayou Desiard</p> <p>(Ouachita)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of all other species combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME BOWFIN (choupique, grinnel).</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou Desiard from headwaters to confluence with the Ouachita River.</p>	<p>Issued: 5/29/03</p>
<p>Lake Louis (Lovelace Lake) and Bayou Louis</p> <p>(Catahoula)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of all other species combined from the advisory area.</p> <p>Other adults and children over seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel).</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Lake Louis (Lovelace Lake) and Bayou Louis from its headwaters to its confluence with the Ouachita River</p>	<p>Issued: 5/29/03</p>

<p>Big Alabama Bayou</p> <p>(Point Coupee, Iberville, St. Martin)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of any species combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of catfish species.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Big Alabama Bayou for its entire length from the boat landing at Hwy 975 to its southern end near the Atchafalaya River Pilot Channel.</p>	<p>Issued: 5/29/03</p>
<p>Black Bayou Lake</p> <p>(Ouachita)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel).</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Black Bayou Lake only (Ouachita)</p>	<p>Issued: 5/29/03</p>

<p>Boeuf River</p> <p>(Franklin, Richland, Catahoula)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of all other species combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME BOWFIN (choupique, grinnel).</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Boeuf River from the confluence with Lake Lafourche to the confluence with the Ouachita River.</p>	<p>Issued: 5/29/03</p>
<p>Bogue Falaya and Tchefuncte Rivers</p> <p>(Washington, St. Tammany, Tangipahoa)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME largemouth bass and crappie and should consume no more than ONE MEAL PER MONTH of freshwater drum, spotted bass, or catfish combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of largemouth bass and crappie and no more than FOUR MEALS PER MONTH of freshwater drum, spotted bass, or catfish combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bogue Falaya River from its headwaters to its confluence with the Tchefuncte River, and the Tchefuncte River from its headwaters to Lake Pontchartrain. All oxbow lakes associated with these sections of the Bogue Falaya and Tchefuncte Rivers are included in this advisory.</p>	<p>Issued: 5/29/03</p>

<p>Corney Lake (Claiborne)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Corney Lake only</p>	<p>Issued: 5/29/03</p>
<p>Grand Bayou Reservoir (Red River)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of largemouth bass.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of largemouth bass or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Grand Bayou Reservoir only</p>	<p>Issued: 5/29/03</p>

<p>Kepler Creek Lake</p> <p>(Bienville)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Kepler Creek Lake only</p>	<p>Issued: 5/29/03</p>
<p>Tangipahoa River</p> <p>(Tangipahoa)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, spotted bass, flathead catfish, freshwater drum, or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass, spotted bass, flathead catfish, freshwater drum, or bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Tangipahoa River from the Louisiana/ Mississippi state line to Lake Pontchartrain</p>	<p>Issued: 5/29/03</p>

<p>Catahoula Lake, Little River, Old River, Black River, Saline Lake, Larto Lake (Saline/Larto Complex), Shad Lake and Associated Water Bodies</p> <p>(Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME largemouth bass, white bass, freshwater drum, flathead catfish, or bowfin (choupique, grinnel) and should consume no more than TWO MEALS PER MONTH of white crappie from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of largemouth bass, white bass, freshwater drum, flathead catfish, or bowfin (choupique, grinnel) and should consume no more than FOUR MEALS PER MONTH of white crappie from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>All water bodies mentioned in advisory within the parishes of Avoyelles, Catahoula, Concordia, Grant, LaSalle, and Rapides, including the following associated streams and their tributaries: Big Bushley Creek Big Creek Big Saline Bayou Brushley Bayou Bushley Creek Catahoula Lake Diversion Canal Cross Bayou Muddy Bayou Open Bayou Saline Bayou</p>	<p>Issued: 11/20/00 Revised: 5/29/03</p>
---	----------------	----------------------------------	--	--	---

<p>Bayou Bartholomew</p> <p>(Morehouse)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of all other species combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME BOWFIN (choupique, grinnel).</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou Bartholomew from the Louisiana/Arkansas state line to its confluence with the Ouachita River</p>	<p>Issued: 1/21/1999 Revised: 5/29/03</p>
<p>Bayou des Cannes</p> <p>(Evangeline)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel), black crappie, or freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of bowfin (choupique, grinnel), black crappie, or freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>54 miles- From origin near Ville Platte to the Mermentau River</p>	<p>Issued: 10/97 Revised: 5/29/03</p>

<p>Bayou Liberty</p> <p>(St. Tammany)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, crappie, freshwater drum, or redear sunfish combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass, crappie, freshwater drum, or redear sunfish combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>10 miles-</p> <p>From origin to Lake Pontchartrain</p>	<p>Issued: 2/97 Revised: 5/29/03</p>
--	----------------	----------------------------------	--	---	--

<p>Bayou Plaquemine Brule</p> <p>(St. Landry, Acadia)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME bowfin (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of largemouth bass, crappie, or freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin (choupique, grinnel) and no more than FOUR MEALS PER MONTH OF largemouth bass, crappie, or freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>40 miles-</p> <p>Origin near Opelousas to Mermentau River</p>	<p>Issued: 10/96 Revised: 5/29/03</p>
--	----------------	--------------------------------------	--	--	---

<p>Black Lake</p> <p>(Red River, Natchitoches)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of largemouth bass, white bass, crappie, or freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin (choupique, grinnel) and no more than FOUR MEALS PER MONTH of largemouth bass, white bass, crappie, or freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>8 square miles</p>	<p>Issued: 10/96 Revised: 5/29/03</p>
---	----------------	--------------------------------------	---	-----------------------	---

<p>Blind River</p> <p>(St. John the Baptist, St. James)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age or older should consume no more than FOUR MEALS PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>25 miles-</p> <p>From origin to Lake Maurepas</p>	<p>Issued: 04/27/98 Revised: 5/29/03</p>
<p>Bogue Chitto River</p> <p>(Washington, St. Tammany)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bass (all species) or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of bass (all species) or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>35 miles-</p> <p>From the MS/LA state line to the Pearl River Navigation Canal</p>	<p>Issued: 8/96 Revised: 5/29/03</p>

<p>Chicot Lake (Evangeline)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of largemouth bass from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin (choupique, grinnel) and no more than FOUR MEALS PER MONTH of largemouth bass from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>2.54 square miles</p>	<p>Issued: 5/27/97 Revised: 5/29/03</p>
<p>Henderson Lake area including Lake Bigeux (St. Martin)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, crappie, or freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass, crappie, or freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>37.8 square miles</p> <p>Henderson Lake, Lake Bigeux, and all waters within the area bounded on the north by the St. Landry-St. Martin Parish Line, on the east by the West Atchafalaya River levee (Hwy. 3177), on the south by Hwy. 3177 and on the west by the West Atchafalaya Basin levee.</p>	<p>Issued: 03/04/96 Revised: 5/29/03</p>

<p>Ivan Lake (Bossier)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of largemouth bass from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin (choupique, grinnel) and no more than FOUR MEALS PER MONTH of largemouth bass from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>369 Acres</p>	<p>Issued: 11/20/00 Revised: 5/29/03</p>
<p>Lake Vernon (Vernon)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, flathead catfish, redear or bluegill sunfish combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass, flathead catfish, redear or bluegill sunfish combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>4,224 acres</p>	<p>Issued: 8/5/97 Revised: 5/29/03</p>

<p>Ouachita River</p> <p>(Morehouse, Ouachita, Union, Catahoula, and Caldwell)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of all other species combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME BOWFIN (choupique, grinnel).</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Ouachita River from the Louisiana/ Arkansas border to the confluence of the Tensas River including any lakes that are inside the levee system or within the Ouachita River floodplain.</p>	<p>Issued: 07/29/92 Revised: 8/94 and 5/29/03</p>
---	----------------	----------------------------------	--	---	---

<p>Pearl River</p> <p>(Washington, St. Tammany)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of bass (all species), bigmouth buffalo, or freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than FOUR MEALS PER MONTH of bass (all species), bigmouth buffalo, or freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>57 miles-</p> <p>This advisory includes the entire Pearl River</p>	<p>Issued: 3/1/97 Revised: 5/29/03</p>
--	----------------	----------------------------------	--	---	--

<p>Seventh Ward Canal</p> <p>(Vermilion)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of flathead catfish, white crappie, freshwater drum or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of flathead catfish, white crappie, freshwater drum or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>11.5 miles –</p> <p>Seventh Ward Canal southwest of Abbeville only</p>	<p>Issued: 6/25/97 Revised: 05/29/03</p>
---	----------------	----------------------------------	--	---	--

<p>The Toledo Bend Reservoir</p> <p>(Sabine, De Soto)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of largemouth bass or freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin (choupique, grinnel) and no more than FOUR MEALS PER MONTH of largemouth bass or freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>The entire Louisiana side of the Toledo Bend Reservoir.</p>	<p>Issued: 11/17/97 Revised: 7/19/01 and 5/29/03</p>
--	----------------	----------------------------------	--	--	--

<p>Tickfaw River Drainage Basin</p> <p>(Livingston, Tangipahoa, and St. Helena)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of freshwater drum, largemouth bass, bowfin (choupique, grinnel), or white crappie combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of freshwater drum, largemouth bass, bowfin (choupique, grinnel), or white crappie combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>The advisory area includes the following bodies of water: the Tickfaw River from the Mississippi-Louisiana state line to Lake Maurepas; the Natalbany River; the Blood River; Lizard Creek; and Ponchatoula Creek.</p>	<p>Issued: 7/8/02 Revised: 5/29/03</p>
--	----------------	----------------------------------	--	---	--

<p>Amite River Drainage Basin</p> <p>(East Feliciana, St. Helena, East Baton Rouge, Livingston, and Ascension)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, spotted bass, bigmouth buffalo, white crappie, freshwater drum, or bowfin (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass, spotted bass, bigmouth buffalo, white crappie, freshwater drum, or bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Amite River from the Mississippi State Line to its confluence with Lake Maurepas. Includes Colyell Creek, the Amite River Diversion Canal, and the Petite Amite River.</p>	<p>Issued: 7/1/04</p>
---	----------------	----------------------------------	--	---	-----------------------

<p>Bayou Bonne Idee</p> <p>(Morehouse)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of largemouth bass and freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than FOUR MEALS PER MONTH of largemouth bass and freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou Bonne Idee from its headwaters near Jones, LA to its confluence with the Boeuf River east of Oak Ridge.</p>	<p>Issued: 7/1/04</p>
<p>Bayou De L'outré and associated lakes</p> <p>(Union)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME ANY SPECIES from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of all species combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou De L'outré from the Arkansas State Line to its confluence with the Ouachita River, including Phillips, Hatley, and Hudson lakes.</p>	<p>Issued: 11/20/00 Revised: 5/29/03 and 7/1/04</p>

<p>Bayou Dorcheat</p> <p>(Webster)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, spotted bass, black crappie, freshwater drum, flathead catfish and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of largemouth bass, spotted bass, black crappie, freshwater drum, flathead catfish and bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou Dorcheat from the Arkansas State Line to its confluence with Lake Bistineau.</p>	<p>Issued: 7/1/04 Revised: 3/8/06</p>
<p>Bayou Queue De Tortue</p> <p>(Acadia, Lafayette, and Vermilion)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou Queue de Tortue from its headwaters near Cankton, LA to its confluence with the Mermentau River east of Lake Arthur, LA.</p>	<p>Issued: 7/1/04</p>

<p>Calcasieu River Drainage Basin</p> <p>(Calcasieu, Jefferson Davis, and Allen)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME largemouth bass, freshwater drum, or bowfin (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of largemouth bass, freshwater drum, and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>The Calcasieu River from Hwy 26 to the Saltwater Barrier north of Lake Charles, the West Fork Calcasieu River, Houston River, Hickory Creek, Beckwith Creek, English Bayou, and Little River.</p>	<p>Issued: 11/20/00 Revised: 5/29/03 and 7/1/04</p>
<p>Cheniere (Brake) Lake</p> <p>(Ouachita)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than TWO MEALS PER MONTH of largemouth bass from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin (choupique, grinnel) and should consume no more than FOUR MEALS PER MONTH of largemouth bass combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Cheniere (Brake) Lake only</p>	<p>Issued: 7/1/04</p>

<p>I-10 Canal and Work Canal</p> <p>(Iberville)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, black crappie, and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass, black crappie, and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>The canal that is between the I-10 bridges (between Whiskey Bay and Ramah) and Work Canal, which runs north to south and intersects the I-10 Canal.</p>	<p>Issued: 7/1/04</p>
<p>Tew Lake</p> <p>(Catahoula)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should limit consumption of bowfin (choupique, grinnel) to no more than ONE MEAL PER MONTH from the advisory area.</p> <p>Other adults and children seven years of age and older should limit consumption of bowfin (choupique, grinnel) to no more than FOUR MEALS PER MONTH from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Tew Lake only</p>	<p>Issued: 7/1/04</p>

<p>Lake Bistineau</p> <p>(Webster, Bossier, Bienville)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Lake Bistineau only</p>	<p>Issued: 3/8/06</p>
<p>Black Bayou Lake</p> <p>(Caddo)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass and bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Black Bayou Lake only (Caddo)</p>	<p>Issued: 3/8/06</p>

<p>Iatt Lake (Grant)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Iatt Lake only</p>	<p>Issued: 3/8/06</p>
<p>Bayou Chene and Bayou Lacassine (Jefferson Davis, Calcasieu, Cameron)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou Chene and Bayou Lacassine only</p>	<p>Issued: 3/8/06</p>