

Updated 06/13/25

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
Fish Consumption and/or Swimming Advisories Caused by ORGANIC CHEMICAL Contamination					
Upper Calcasieu Estuary LA030301_00 LA030302_00 LA030303_00 LA030304_00 LA030401_00 LA030402_00 (Approximately northern half of LA030402_00, only) (Calcasieu and Cameron)	PCBs, Dioxins and Furans	Advisory crab fat	DO NOT EAT Crab Fat.	56.6 miles	Issued: 04/07/92; Revised: 10/94, 1995, 11/16
Bayou d'Inde and portions of the Calcasieu Ship Channel between channel markers #31 and #33 LA030901_00 (Calcasieu)	PCBs, Dioxins and Furans	Advisory crab fat and fish consumption; advisory no swimming, water sports and contact with bottom sediments	DO NOT EAT Catfish. DO NOT EAT Crab Fat. Fish/shellfish consumption of no more than 2 meals a month; no swimming water sports and contact with bottom sediments.	11.8 miles	Issued: 04/07/92; Revised: 10/94, 1995, 11/16
Olsen Bayou south of Carlyss LA030304_001 (Calcasieu)	Priority organics	Advisory sediment contamination	Avoid swimming and sediment contact.	7.3 miles	Issued: 01/17/89; Revised: 10/94
Devil's Swamp, Devil's Swamp Lake, and Bayou Baton Rouge LA070203_00 (East Baton Rouge)	Fish Advisory for PCBs, mercury Swimming advisory for Hexachloro- benzene, Hexachloro- butadiene, Arsenic, Lead, Mercury	Advisory fish consumption; advisory swimming	Do not eat fish or crawfish from this area Avoid swimming.	24 acres	Issued: 07/09/93; Revised: 08/12/15
Capitol Lake LA070503_00 (East Baton Rouge)	Priority organics (PCBs)	Advisory fish consumption; sediment contamination	No fish consumption.	55.4 acres	Issued: 08/24/83; Reviewed 11/94 and 01/18
Wham Brake LA080904_00559693 (Morehouse)	Dioxin	Advisory fish consumption	No fish consumption.	17 miles	Issued: 11/23/87; Revised: 03/94, 11/96, and 11/01
Tensas River LA081201_00 (Madison, Tensas, Catahoula)	DDT, Toxaphene	Advisory fish consumption	Long-term fish consumption may cause health risk.	176.7 miles	Issued: 02/19/92

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
Bayou Lafourche: from Hwy. 80 overpass to I-20 LA080904_00 (Ouachita)	Dioxin	Advisory fish consumption	Limit consumption to TWO MEALS PER MONTH for all species.	2 miles	Issued: 11/96; Revised: 11/01
<u>Fish Consumption Advisories Caused by MERCURY Contamination</u>					
Gulf of Mexico off Louisiana Coast LA010901_00 LA021102_00 LA031201_00 LA042209_00 LA050901_00 LA061201_00 LA070601_00 LA110701_00 LA120806_00	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME KING MACKEREL and should consume no more than ONE MEAL PER MONTH of cobia, blackfin tuna and greater amberjack combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME KING MACKEREL GREATER THAN 39 INCHES IN TOTAL LENGTH (distance from the outermost portion of the snout to the outermost portion of the caudal fin) and should consume no more than TWO MEALS PER MONTH of king mackerel 39 inches or less in total length and no more than FOUR MEALS PER MONTH of cobia, blackfin tuna and greater amberjack combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	1,191 Square Miles	Issued: 09/04/97; Revised: 03/08/06
Bayou De Siard LA080701_00 Ouachita)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel); OR should consume no more than TWO MEALS PER MONTH of black crappie (sac-à-lait) and largemouth bass combined.</p> <p>Other adults and children seven years of age and older should consume no more than THREE MEALS PER MONTH of bowfin (choupique, grinnel).</p>	Bayou Desiard from headwaters to confluence with the Ouachita River 1,101 acres	Issued: 05/29/03; Revised 02/02/2022

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
Lake Louis (Lovelace Lake) and Bayou Louis LA080202_00 LA080203_00 (Catahoula)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel), flathead catfish, and freshwater drum (gaspergou) combined; OR should consume no more than THREE MEALS PER MONTH of black crappie (sac-à-lait), largemouth bass, and spotted bass combined.</p> <p>Other adults and children seven years of age and older should consume no more than THREE MEALS PER MONTH of flathead catfish.</p>	Lake Louis (Lovelace Lake) (756.4 acres) and Bayou Louis from its headwaters to its confluence with the Ouachita River (8.7 miles)	Issued: 05/29/03; Revised 02/02/2022
Big Alabama Bayou LA010401_001 (Point Coupee, Iberville, St. Martin)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME flathead catfish. Do not consume MORE THAN ONE MEAL PER MONTH of any other species from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of flathead catfish from the advisory area.</p>	Includes the Big Alabama Bayou for its entire length from the boat landing at Hwy 975 to its southern end near the Atchafalaya River Pilot Channel. 13.1 miles	Issued: 05/29/03; Revised 05/21/21
Black Bayou Lake LA080701-00553675 (Ouachita)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel); OR should consume no more than THREE MEALS PER MONTH of largemouth bass.</p> <p>Other adults and children seven years of age and older: no advisory.</p>	Black Bayou Lake 3,968 acres	Issued: 05/29/03; Revised 02/02/2022
Boeuf River LA080901_00 (Franklin, Richland, Catahoula)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of all other species combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than FOUR MEALS PER MONTH of all other species combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	Boeuf River from the confluence with Lake Lafourche to the confluence with the Ouachita River. 113 miles	Issued: 05/29/03

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
Bogue Falaya and Tchefuncte Rivers LA040801_00 LA040803_00 LA040804_00 LA040807_00 LA040808_00 (Washington, St. Tammany, Tangipahoa)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of black drum, crappie (sac-au-lait), flathead catfish, freshwater drum (gaspergou), largemouth bass, and spotted bass; OR consume no more than TWO MEALS PER MONTH of bigmouth buffalo, bluegill, bowfin (choupique, grinnel), and striped bass.</p> <p>Other adults and children seven years of age and older should consume no more than THREE MEALS PER MONTH of flathead catfish, freshwater drum (gaspergou), largemouth bass, or spotted bass from the advisory area.</p>	Bogue Falaya River (30.5 miles) from its headwaters to its confluence with the Tchefuncte River, and the Tchefuncte River (71.8 miles) from its headwaters to Lake Pontchartrain. All oxbow lakes associated with these sections of the Bogue Falaya and Tchefuncte Rivers are included in this advisory.	Issued: 05/29/03; Revised: 07/29/21
Corney Lake LA080608_00 (Claiborne)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should not consume Bowfin (Choupique, Grinnel) or Channel Catfish; AND should not consume more than ONE MEAL PER MONTH of Largemouth Bass; OR should not consume more than TWO MEALS PER MONTH of Black Crappie (Sac-a-lait), Bluegill, and Yellow Bullhead COMBINED.</p> <p>Other adults and children seven years of age and older should not consume more than ONE MEAL PER MONTH of Bowfin (Choupique, Grinnel) and Channel Catfish COMBINED; OR should not consume more than THREE MEALS PER MONTH of Largemouth Bass.</p>	Corney Lake 1,384.1 acres	Issued: 05/29/03; Revised: 04/17/24
Grand Bayou Reservoir LA100709_001 (Red River)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should not consume Bowfin (Choupique, Grinnel); AND should not consume more than ONE MEAL PER MONTH of Largemouth Bass; OR should not consume more than TWO MEALS PER MONTH of Black Crappie (Sac-a-lait), Channel Catfish, and Freshwater Drum (Gaspergou) COMBINED.</p> <p>Other adults and children seven years of age and older should not consume more than TWO MEALS PER MONTH of Bowfin (Choupique, Grinnel).</p>	Grand Bayou Reservoir 2,700 acres	Issued: 05/29/03; Revised: 04/17/24

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
Kepler Creek Lake LA100705_00 (Bienville)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should not consume Bowfin (Choupique, Grinnel); AND should not consume more than TWO MEALS PER MONTH of Black Crappie (Sac-a-lait), Channel Catfish, Flathead Catfish, and Largemouth Bass COMBINED. Other adults and children seven years of age and older should not consume more than TWO MEALS PER MONTH of Bowfin (Choupique, Grinnel).	Kepler Creek Lake 1,926 acres	Issued: 05/29/03; Revised 04/17/24
Tangipahoa River LA040701_00 LA040702_00 (Tangipahoa)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel), flathead catfish, freshwater drum (gaspergou), largemouth bass and spotted bass; OR should consume no more than TWO MEALS PER MONTH of all other species from the advisory area. Other adults and children seven years of age and older should consume no more than THREE MEALS PER MONTH of largemouth bass from the advisory area.	Tangipahoa River from the Louisiana/ Mississippi state line to Lake Pontchartrain 80.3 miles	Issued: 05/29/03; Revised 07/29/21

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Catahoula Lake, Little River, Old River, Black River, Saline Lake, Larto Lake (Saline/Larto Complex), Shad Lake and Associated Water Bodies LA080301_00 LA080302_00 LA081301_00 LA101501_00 LA101502_00 LA101502_00537480 LA101504_00 LA101504_001 LA101504_002 LA101505_00 LA101506_00 LA101506_001 LA081601_00 LA081602_00 LA081603_00 LA081604_00 LA081605_00 LA081606_00 LA081607_00 LA081608_00 LA081609_00 LA081610_00 LA081610_001 LA081610_002 LA081610_003 LA081611_00 (Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides)</p>	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME largemouth bass, white bass, freshwater drum, flathead catfish, or bowfin (choupique, grinnel) and should consume no more than TWO MEALS PER MONTH of white crappie from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of largemouth bass, white bass, freshwater drum, flathead catfish, or bowfin (choupique, grinnel) and should consume no more than FOUR MEALS PER MONTH of white crappie from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>All water bodies mentioned in advisory within the parishes of Avoyelles, Catahoula, Concordia, Grant, LaSalle, and Rapides, including the following associated streams and their tributaries: Big Bushley Creek Big Creek Big Saline Bayou Brushley Bayou Bushley Creek Catahoula Lake Diversion Canal Cross Bayou Muddy Bayou Open Bayou Saline Bayou</p>	Issued: 11/20/00; Revised: 5/29/03
<p>Bayou Bartholomew LA080401_00 (Morehouse)</p>	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of all other species combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than FOUR MEALS PER MONTH of all other species combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou Bartholomew from the Louisiana/Arkansas state line to its confluence with the Ouachita River 72.5 miles</p>	Issued: 1/21/1999 Revised: 05/29/03

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
Bayou des Cannes LA050101_00 (Evangeline)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin, crappie, largemouth bass and freshwater drum combined from the advisory area. Other adults and children seven years of age or older: NO ADVISORY	From origin near Ville Platte to the Mermentau River 67.5 miles	Issued: 10/97 Revised: 05/29/03 and 07/25/18
Bayou Liberty LA040905_00 LA040906_00 LA040915_00 (St. Tammany)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should NOT CONSUME black crappie; AND should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel), flathead catfish, largemouth bass, and white crappie combined; OR should consume no more than TWO MEALS PER MONTH of bluegill, freshwater drum (gaspergou), redear sunfish, or white bass combined. Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of black crappie and no more than THREE MEALS PER MONTH of flathead catfish.	From origin to Lake Pontchartrain 15.4 miles	Issued: 02/97; Revised: 05/29/03 and 7/29/21
Bayou Plaquemine Brule LA050201_00 (St. Landry, Acadia)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin, largemouth bass, crappie, flathead catfish and freshwater drum combined from the advisory area. Other adults and children seven years of age or older: NO ADVISORY.	Origin near Opelousas to Mermentau River 57 miles	Issued: 10/96; Revised: 05/29/03 and 07/25/18
Blind River LA040401_00 LA040403_00 (Ascension, Livingston, St. John the Baptist, St. James)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel), freshwater drum (gaspergou), largemouth bass; OR should consume no more than TWO MEALS PER MONTH of any other species from the advisory area. Other adults and children seven years of age and older should consume no more than THREE MEALS PER MONTH of bowfin (choupique, grinnel).	From origin to Lake Maurepas 25.4 miles	Issued: 04/23/98; Revised: 05/29/03 ad 07/29/21

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
Black Lake and Clear Lake LA100703_00 (Natchitoches and Red River)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should not consume more than ONE MEAL PER MONTH of Bowfin (Choupique, Grinnel), Freshwater Drum (Gaspergou), Largemouth Bass, Warmouth, White Bass, and White Crappie COMBINED; OR should not consume more than TWO MEALS PER MONTH of Black Crappie (Sac-a-lait), Blue Catfish, Bluegill/Redear Sunfish, and Spotted Bass COMBINED.</p> <p>Other adults and children seven years of age and older should not consume more than THREE MEALS PER MONTH of Bowfin (Choupique, Grinnel), Freshwater Drum (Gaspergou), and White Bass COMBINED.</p>	Black and Clear Lakes (13,800 acres)	Issued: 10/96; Revised: 05/29/03 and 4/17/24 (Clear Lake added in 2024)
Bogue Chitto River LA090203_00 LA090501_00 (Washington, St. Tammany)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bass (all species) or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of bass (all species) or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	From the MS/LA state line to the Pearl River Navigation Canal 70.3 miles	Issued: 08/96; Revised: 05/29/03
Chicot Lake LA060203_00 (Evangeline)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than TWO MEALS PER MONTH of black crappie, bowfin and largemouth bass combined.</p> <p>Other adults and children seven years of age or older: NO ADVISORY.</p>	1,157.2 acres	Issued: 05/27/97; Revised: 05/29/03 and 07/25/18

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
Henderson Lake area including Lake Bigeux LA010301_00 LA010301_001 LA010301_002 (St. Martin)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should consume no more than TWO MEALS PER MONTH of largemouth bass and bowfin combined. Other adults and children seven years of age or older: NO ADVISORY.	Henderson Lake, Lake Bigeux, and all waters within the area bounded on the north by the St. Landry-St. Martin Parish Line, on the east by the West Atchafalaya River levee (Hwy. 3177), on the south by Hwy. 3177 and on the west by the West Atchafalaya Basin levee. 4,417 acres	Issued: 03/04/96 Revised: 05/29/03 and 07/25/18
Ivan Lake LA100401_00556575 (Bossier)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should not consume Bowfin (Choupique, Grinnel); AND should not consume more than ONE MEAL PER MONTH of Largemouth Bass; OR should not consume more than TWO MEALS PER MONTH of Black Crappie (Sac-a-lait), Redear Sunfish, and Yellow Bullhead COMBINED. Other adults and children seven years of age and older should not consume more than TWO MEALS PER MONTH of Bowfin (Choupique, Grinnel).	520 acres	Issued: 11/20/00; Revised: 05/29/03 and 04/17/24
Vernon Lake LA110503_00 (Vernon)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should not consume more than ONE MEAL PER MONTH of Bowfin (Choupique, Grinnel), Flathead Catfish, and Largemouth/Spotted Bass COMBINED ; OR should not consume more than TWO MEALS PER MONTH of Black Crappie (Sac-a-lait) and Bluegill/Redear Sunfish COMBINED. Other adults and children seven years of age and older: No Advisory.	4,021.8 acres	Issued: 08/05/97; Revised: 05/29/03 and 04/17/24
Ouachita River LA080101_00 LA080201_00 (Morehouse, Ouachita, Union, Catahoula, and Caldwell)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should NOT CONSUME bowfin (choupique, grinnel), crappie (sac-à-lait), flathead catfish, freshwater drum (gaspergou), largemouth bass, spotted bass or white bass; AND should limit all other species to no more than ONE MEALS PER MONTH. Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bass, bowfin, catfish, crappie (sac-à-lait) and freshwater drum (gaspergou) combined.	Ouachita River from the Louisiana/ Arkansas border to the confluence of the Tensas River including any lakes that are inside the levee system or within the Ouachita River floodplain. 178.7 miles	Issued: 07/29/92; Revised: 08/94 and 05/29/03; Revised: 02/02/2022

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Pearl River LA090101_00 LA090102_00 LA090103_00 LA090105_00 LA090106_00 LA090107_00 LA090201_00 LA090202_00 LA090202-5126 LA090204_00 LA090205_00 LA090206_00 LA090207_00 LA090207-5112 (Washington, St. Tammany)</p>	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of bass (all species), bigmouth buffalo, or freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than FOUR MEALS PER MONTH of bass (all species), bigmouth buffalo, or freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	This advisory includes the entire Pearl River 221.8 miles (total for all specified subsegments)	Issued: 03/01/97 Revised: 05/29/03
<p>Seventh Ward Canal LA050702_001 LA060802_001 (Vermilion)</p>	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin OR no more than TWO MEALS PER MONTH of largemouth bass, flathead catfish, white crappie and freshwater drum combined.</p> <p>Other adults and children seven years of age or older: NO ADVISORY.</p>	Seventh Ward Canal southwest of Abbeville 11.5 miles	Issued: 06/25/97 Revised: 05/29/03 and 07/25/18
<p>The Toledo Bend Reservoir LA110101_00 (Sabine, DeSoto)</p>	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age: should not consume Bowfin (Choupique, Grinnel); AND should not consume more than TWO MEALS PER MONTH of Flathead Catfish, Freshwater Drum (Gaspergou), Largemouth/Spotted Bass, and White Crappie COMBINED; OR should not consume more than THREE MEALS PER MONTH of Black Crappie and White Bass COMBINED.</p> <p>Other adults and children seven years of age and older: should not consume more than TWO MEALS PER MONTH of Bowfin (Choupique, Grinnel).</p>	The entire Louisiana side of the Toledo Bend Reservoir. 165,486.5 acres	Issued: 11/17/97; Revised: 07/19/01, 05/29/03, 04/17/24

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
Tickfaw River Drainage Basin LA040501_00 LA040502-00553715 LA040502_00536641 LA040503_00 LA040505_00 LA040506_00 LA040507_00 LA040508_00 (Livingston, Tangipahoa, and St. Helena)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bigmouth buffalo, bowfin (choupique, grinnel), flathead catfish, freshwater drum (gaspergou), largemouth bass, and white crappier; OR consume no more than TWO MEALS PER MONTH of any other species in the advisory area. Other adults and children seven years of age and older should consume no more than THREE MEALS PER MONTH of freshwater drum or largemouth bass	The advisory area includes the following bodies of water: the Tickfaw River from the Mississippi- Louisiana state line to Lake Maurepas (121.6 miles); the Natalbany River (40.3 miles); the Blood River (17.8 miles); Lizard Creek (8.2 miles); and Ponchatoula Creek (26.1 miles).	Issued: 07/08/02; Revised: 05/29/03 and 07/29/21
Amite River Drainage Basin LA040301_00 LA040302_00 LA040303_00 LA040305_00 LA040306_00 LA040307_00 LA040308_00 LA040309_00 LA040402_00 LA040403_00555632 (East Feliciana, St. Helena, East Baton Rouge, Livingston, and Ascension)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH combined of bowfin (choupique, grinnel), freshwater drum (gaspergou), largemouth bass, and warmouth; OR should consume no more than TWO MEALS PER MONTH of bigmouth buffalo, crappie (sac-au-lait), flathead catfish, redear sunfish, and spotted bass from the advisory area. Other adults and children seven years of age and older: no advisory.	Amite River (119.3 miles) from the Mississippi State Line to its confluence with Lake Maurepas. Includes Colyell Creek (86.6 miles with tributaries), the Amite River Diversion Canal (10.2 miles), and the Petite Amite River (11 miles).	Issued: 07/01/04; Revised: 07/29/21
Bayou Bonne Idee LA080902_00 (Morehouse)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should consume no more than one meal per month of bowfin (choupique, grinnel), flathead catfish, freshwater drum (gaspergou), and largemouth bass combined; or should consume no more than two meals per month of channel catfish and yellow bullhead combined. Other adults and children seven years of age and older should consume no more than three meals per month of flathead catfish.	Bayou Bonne Idee from its headwaters near Jones, LA to its confluence with the Boeuf River east of Oak Ridge. 64.3 miles	Issued: 07/01/04; Revised: 02/02/2022

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
Bayou De L'oultre and associated lakes LA080501_00 LA080501_00555636 LA080501_00554678 LA080501_001 (Union)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME ANY SPECIES from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of all species combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	Bayou De L'oultre (55.9 miles) from the Arkansas State Line to its confluence with the Ouachita River, including Phillips (29 acres), Hatley (7 acres), and Hudson (13 acres) lakes.	Issued: 11/20/00 Revised: 05/29/03 and 07/01/04
Bayou Dorcheat LA100501_00 (Webster)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should not consume Flathead Catfish or Largemouth/Spotted Bass; AND should limit consumption of all other species to ONE MEAL PER MONTH.</p> <p>Other adults and children seven years of age and older should not consume more than ONE MEAL PER MONTH of Flathead Catfish; OR should not consume more than TWO MEALS PER MONTH of Bowfin (Choupique, Grinnel), Freshwater Drum (Gaspergou), Largemouth/Spotted Bass, and White Bass COMBINED.</p>	Bayou Dorcheat from the Arkansas State Line to its confluence with Lake Bistineau. 53.1 miles	Issued: 07/01/04; Revised: 03/08/06 and 04/17/24
Bayou Queue De Tortue LA050501_00 (Acadia, Lafayette, and Vermilion)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin and largemouth bass combined OR no more than TWO MEALS PER MONTH of crappie, warmouth, bluegill sunfish and freshwater drum combined.</p> <p>Other adults and children seven years of age or older: NO ADVISORY.</p>	Bayou Queue de Tortue from its headwaters near Cankton, LA to its confluence with the Mermentau River east of Lake Arthur, LA. 57.2 miles	Issued: 07/01/04; Revised: 07/25/18

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
Calcasieu River Drainage Basin LA030103_00 LA030201_00 LA030702_00 LA030801_00 LA030802_00 LA030803_00 LA030804_00 LA030806_00 (Calcasieu, Jefferson Davis, and Allen)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of black crappie, largemouth bass, bowfin (choupique, grinnel), freshwater drum (gaspergou), spotted bass, and flathead catfish combined; OR should consume no more than TWO MEALS PER MONTH of other species caught from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than THREE MEALS PER MONTH of largemouth bass, freshwater drum (gaspergou), and bowfin (choupique, grinnel) combined from the advisory area.</p>	The Calcasieu River from Hwy 26 to the Saltwater Barrier north of Lake Charles, the West Fork Calcasieu River, Houston River, Hickory Creek, Beckwith Creek, English Bayou, and Little River. 272.5 miles (total for all specified subsegments)	Issued: 11/20/00; Revised: 05/29/03 and 07/01/04 Revised: 05/21/21
Cheniere (Brake) Lake LA080802_00 (Ouachita)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than TWO MEALS PER MONTH of largemouth bass from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin (choupique, grinnel) and should consume no more than FOUR MEALS PER MONTH of largemouth bass combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	Cheniere (Brake) Lake 2,681.7 acres	Issued: 07/01/04
I-10 Canal and Work Canal and Bayou Bristow LA010501_001 LA010501_002 LA010501_00533411 (Iberville)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, black crappie, and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass, black crappie, and bowfin (choupique, grinnel) combined from the advisory area.</p>	The canal that is between the I-10 bridges (between Whiskey Bay and Ramah) and Work Canal, which runs north to south and intersects the I-10 Canal. Also includes Bayou Bristow 25.8 miles (total for all specified subsegments)	Issued: 07/01/04; Revised: 02/11/2009 to include Bayou Bristow

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
Tew Lake LA081301-00556223 (Catahoula)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should limit consumption of bowfin (choupique, grinnel) to no more than ONE MEAL PER MONTH from the advisory area.</p> <p>Other adults and children seven years of age and older should limit consumption of bowfin (choupique, grinnel) to no more than FOUR MEALS PER MONTH from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	Tew Lake 235 acres	Issued: 07/01/04
Lake Bistineau LA100502_00 (Webster, Bossier, Bienville)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	Lake Bistineau 17,216 acres	Issued: 03/08/06
Black Bayou Lake LA100302_00 (Caddo)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should not consume more than ONE MEAL PER MONTH of Bowfin (Choupique, Grinnel); OR should not consume more than TWO MEALS PER MONTH of Largemouth Bass and Black Crappie (Sac-a-lait) COMBINED.</p> <p>Other adults and children seven years of age and older should not consume more than THREE MEALS PER MONTH of Bowfin (Choupique, Grinnel).</p>	Black Bayou Lake 4,382.4 acres	Issued: 03/08/06; Revised 4/17/24

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
Iatt Lake LA101302_00 (Grant)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	Iatt Lake 6,280.3 acres	Issued: 03/08/06
Bayou Chene and Bayou Lacassine LA050603_00 LA050601_00 (Jefferson Davis, Calcasieu, Cameron)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area; OR should consume no more than TWO MEALS PER MONTH of crappie, freshwater drum (gaspergou), smallmouth buffalo, and warmouth combined from the advisory area.</p> <p>Other adults and children seven years of age and older: no advisory.</p>	Bayou Chene (21.1 miles) and Bayou Lacassine (34.8 miles) Includes Bayou Chene from its headwaters near Jennings to its confluence with Bayou Lacassine, and Bayou Lacassine from its headwaters near Lacassine to its confluence with Bayou Misere.	Issued: 03/08/06 Revised: 05/21/21
Bayou Nezpique LA050301_00 (Acadia, Allen, Evangeline, Jefferson Davis)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area; OR should consume no more than TWO MEALS PER MONTH of freshwater drum (gaspergou), crappie, and warmouth combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than 3 meals per month of bowfin.</p>	From the headwaters of Bayou Nezpique to its confluence with the Mermentau River. 65.0 miles	Issued: 02/11/09; Revised: 05/21/21

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
Caddo Lake LA100307_00 (Caddo)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age: should not consume Bowfin (Choupique, Grinnel); AND should not consume more than TWO MEALS PER MONTH of Freshwater Drum (Gaspergou), Largemouth/Spotted Bass, Chain Pickerel, and Yellow/White Bass COMBINED. Other adults and children seven years of age and older should not consume more than TWO MEALS PER MONTH of Bowfin (Choupique, Grinnel).	32,640 acres	Issued: 02/11/09; Revised: 04/17/24
Cocodrie Lake LA060102_00 (Evangeline, Rapides)	Mercury	Advisory fish consumption	Other adults and children seven years of age and older should not consume more than TWO MEALS PER MONTH of Bowfin (Choupique, Grinnel).	6,099 acres	Issued: 02/11/09; Revised: 07/25/18
Clear Lake (Lake Edwards) LA100605_00 (DeSoto)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of black crappie, bowfin (choupique, grinnel), largemouth bass, or bigmouth buffalo combined, from the advisory area.	2,944 acres	Issued: 02/11/09
Saline Bayou and Saline Lake LA100801_00 LA100802_00 (Bienville, Winn, Natchitoches)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should consume no more than SIX MEALS PER YEAR of largemouth bass, or no more than THREE MEALS PER MONTH of carp, freshwater drum, longear sunfish, or warmouth combined, or no more than TWO MEALS PER MONTH of black crappie, or no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel) or spotted bass combined, from the advisory area. Other adults and children seven years of age and older should consume no more than THREE MEALS PER MONTH of bowfin or spotted bass combined, or no more than TWO MEALS PER MONTH of largemouth bass, from the advisory area.	From headwaters of Saline Bayou (83.4 miles) in Bienville Parish to, and including, Saline Lake (8,960 acres) in Winn and Natchitoches Parishes.	Issued: 02/11/09

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
Old River (Niblett Bluff) LA110201_00537846 (Calcasieu)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should NOT CONSUME bowfin (choupique, grinnel) or freshwater drum (gaspergou); and should consume no more than ONE MEAL PER MONTH of any other species from the advisory area. Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of freshwater drum (gaspergou) and bowfin (choupique, grinnel) combined.	Includes the Old River from its headwaters to the confluence with the Sabine River. 10.6 miles	Issued: 02/11/2009; Revised: 05/21/21
Crooked Creek Reservoir LA050301_00556751 (Evangeline)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass and bowfin combined. Other adults and children seven years of age or older: NO ADVISORY	370 acres	Issued: 02/11/09 Revised: 07/25/18
Two O'Clock Bayou LA010301_003 (St. Landry)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should consume no more than TWO MEALS PER MONTH of largemouth bass and bowfin combined. Other adults and children seven years of age or older: NO ADVISORY	From Louisiana Hwy. 190 to Craft Lake, includes Cowan Bay, Close Lake, and Craft Lake 6.8 miles	Issued: 07/25/18
Little Alabama Bayou LA010401_001 (Point Coupee, St. Martin)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel) and largemouth bass combined from the advisory area; OR should consume NO MORE THAN THREE MEALS PER MONTH of black crappie and freshwater drum (gaspergou) combined from the advisory area. Other adults and children seven years of age and older: no advisory.	Includes Little Alabama Bayou from its headwaters near East Krotz Springs to its confluence with Big Alabama Bayou. 8.8 miles	Issued: 05/21/21

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Lake Maurepas LA040602_00 (St. John the Baptist, Livingston)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should not consume more than THREE MEALS PER MONTH of Bigmouth Buffalo, Bowfin (Choupique, Grinnel), Flathead Catfish, and Yellow Bass COMBINED; OR should not consume more than TWO MEALS PER MONTH of Black Crappie (Sac-a-lait), Freshwater Drum (Gaspergou), Largemouth Bass, and Warmouth COMBINED. Other adults and children seven years of age and older: No Advisory.</p>	<p>Lake Maurepas and associated passes (North Pass and Pass Manchac) (60,716 acres)</p>	<p>Issued: 04/17/24</p>